

WARNING
KEEP OUT OF REACH OF CHILDREN



ADAMA

CUSTODIA®
FUNGICIDE

GROUP **3 + 11** FUNGICIDE

**For the control of foliar diseases in fodder beet and sugar
beet**

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 200 g/L TEBUCONAZOLE and 120 g/L AZOXYSTROBIN in the
form of an suspension concentrate

ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
5 L, 10 L

**REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.
SHAKE OR MIX THOROUGHLY BEFORE USE.**

HAZARD CLASSIFICATIONS: 6.1D, 6.8B, 6.9B, 9.1B



PCBU RESPONSIBILITIES:

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

WARNING

May be harmful if swallowed.

Suspected of damaging fertility or the unborn child.

May cause organ damage through prolonged or repeated exposure.

Toxic to aquatic life with long-lasting effects..

HANDLING PRECAUTIONS

Keep out of reach of children.

Do not eat, drink or smoke while using.

Do not breathe spray mist.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash hands, arms and face with soap and water before meals and after work.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, tightly closed container in a cool, dry place out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

Secondary containment and emergency response plans are required where 1000 L or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing, loading or applying wear appropriate protective clothing such as chemical resistant boots, a chemical resistant spray suit or coat and trousers (worn outside boots), elbow-length chemical resistant gloves, eye protection, and chemical resistant headgear for overhead exposures. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean, empty container to an Agrecovery® depot for recycling. Alternatively, puncture and bury in a suitable landfill.

Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice or if you feel unwell or are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor if you feel unwell.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



ADAMA

Registered to and distributed by:

ADAMA New Zealand Limited

Level 1, 93 Bolt Road

Tahunanui, Nelson 7011

PO Box 1799, Nelson 7040

New Zealand

Telephone 03 543 8275

www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9607

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101411

See www.epa.govt.nz for approval conditions for approval controls

Custodia is a registered trademark of an ADAMA Group Company.



EMERGENCY RESPONSE

(All hours)

Ring from anywhere in New Zealand

0800 734 607

In a Transport

Emergency

Phone 111

Police or Fire

Batch Number:

Date of Manufacture:

Bar code to be inserted

WARNING
KEEP OUT OF REACH OF CHILDREN



ADAMA

CUSTODIA®
FUNGICIDE

GROUP **3 + 11** FUNGICIDE

**For the control of foliar diseases in fodder beet and sugar
beet**

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 200 g/L TEBUCONAZOLE and 120 g/L AZOXYSTROBIN in the
form of an suspension concentrate

ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
5 L, 10 L

**READ THIS BOOKLET THOROUGHLY BEFORE MIXING OR APPLYING.
SHAKE OR MIX THOROUGHLY BEFORE USE.**

HAZARD CLASSIFICATIONS: 6.1D, 6.8B, 6.9B, 9.1B



PCBU RESPONSIBILITIES:

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

WARNING

May be harmful if swallowed.

Suspected of damaging fertility or the unborn child.

May cause organ damage through prolonged or repeated exposure.

Toxic to aquatic life with long-lasting effects.

HANDLING PRECAUTIONS

Keep out of reach of children.

Do not eat, drink or smoke while using.

Do not breathe spray mist.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash hands, arms and face with soap and water before meals and after work.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, tightly closed container in a cool, dry place out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

Secondary containment and emergency response plans are required where 1000 L or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing, loading or applying wear appropriate protective clothing such as chemical resistant boots, a chemical resistant spray suit or coat and trousers (worn outside boots), elbow-length chemical resistant gloves, eye protection, and chemical resistant headgear for overhead exposures. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean, empty container to an Agrecovery® depot for recycling. Alternatively, puncture and bury in a suitable landfill.

Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice or if you feel unwell or are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor if you feel unwell.

SAFETY DATA SHEET

A Safety Data Sheet for this product is available at www.adama.com or from ADAMA New Zealand Limited on request. Call 03 543 8275.

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

It is an offence to use this product on animals.

EPA Controls

- DO NOT apply onto or into water.
- Maximum application rate: 1 L/ha
- Maximum number of applications: 2
- Minimum interval between applications: 14 days
- DO NOT apply when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site.
- When applied using ground-based or aerial application methods, the nozzle must be set to a minimum of coarse droplet quality spray, as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline.
- When applying by aerial application the following buffer zones from downwind water bodies must be observed to mitigate risks to the aquatic environment:

Crop growth stage:	BBCH 12-19 2 true leaf to 9 true leaf unfolded	BBCH 30-39 Beginning of crop cover to crop cover complete, (10-90% leaf groundcover)	BBCH >40 Beet root has reached harvestable size
Buffer zone (meters)	120	70	30

CUSTODIA contains a mixture of DMI (DeMethylation Inhibitor) and QoI (Quinone outside Inhibitor) fungicides for the control of foliar diseases in fodder beet and sugar beet.

CUSTODIA should be applied when disease first becomes active in the crop. While CUSTODIA has systemic activity, thorough coverage will assist in disease control. Apply in a water volume of 200-400 L/ha for ground based applications and 50-100 L/ha for aerial applications.

WARNING: CUSTODIA might not be compatible with Integrated Pest Management (IPM) due to potential effects on parasitic wasps. However, re-colonization from off-field is expected when the spray concentration has decreased.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Fodder beet Sugar beet	Cercospora leaf spot Powdery mildew Rust	1.0 L/ha	Apply when disease first becomes active in the crop. Make a further application no sooner than 14 days later, if required. Apply a maximum of two applications per season.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS

Fodder beet and sugar beet: Do not harvest for feed or graze for 28 days after application.

MIXING

Shake or mix thoroughly before use. Pour the required quantity into the partly filled spray tank with agitation running. Complete filling of the tank. A non-ionic wetting agent may be used to improve spray coverage if necessary at low application volumes.

COMPATIBILITY

CUSTODIA is compatible with a range of commonly used fungicides and insecticides. Contact your ADAMA representative for specific advice.

APPLICATION

CUSTODIA may be applied by ground-based or aerial application methods.

RESISTANCE MANAGEMENT

CUSTODIA contains the GROUP 3 DMI fungicide, tebuconazole and the GROUP 11 QoI fungicide, azoxystrobin. Resistance to these fungicides and related products could develop in some disease situations from repeated use. Do not use another product containing fungicides in the same groups in conjunction with CUSTODIA. Use strictly in accordance with label directions, and where possible apply in a programme with fungicides from different groups to prevent the development of disease resistance. Refer to <https://resistance.nzpps.org> for current resistance management strategies for listed diseases. Since the occurrence of resistant fungi is difficult to detect prior to use, ADAMA accepts no liability for any losses that may result from failure of CUSTODIA to control resistant fungi.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Registered to and distributed by:
ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9607
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101411
See www.epa.govt.nz for approval conditions for approval controls

Custodia is a registered trademark of an ADAMA Group Company.