

# FOX<sup>®</sup>

## MAPP 11981

A herbicide recommended for the post-emergence control of a wide range of broad-leaved weeds in winter wheat, winter barley, winter rye and winter triticale.

A suspension concentrate formulation containing 480 g/l (40.6% w/w) bifenox.



## ADAMA



Scan for Safety Data Sheet or use weblink:  
<https://bit.ly/2HocWYj>

FR R3.0.8 AUG19



### Warning

**Very toxic to aquatic life with long lasting effects.  
Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.**

Keep out of reach of children.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

**To avoid risks to human health and the environment, comply with the instructions for use.**

5Le

S2540A\_13

**FOX®**  
**MAPP 11981**

**SHAKE WELL BEFORE USE**  
**PROTECT FROM FROST**  
**DIRECTIONS FOR USE:**

full instructions in this leaflet.  
Batch No.: see packaging

**Adama Agricultural Solutions UK Ltd**

Third Floor East, 1410 Arlington Business Park, Theale, Reading RG7 4SA

**Telephone:** 01635 860555 | **Technical Helpline:** 01635 876622

**www.adama.com | ukenquiries@adama.com**

**For advice on medical emergencies, fires or major spills telephone the National Chemical Emergency Centre on 01865 407333**

**The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.**

**SAFETY PRECAUTIONS**

**Operator Protection**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin and eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

When using do not eat, drink or smoke.

Keep away from food, drink and animal feedingstuffs.

KEEP OUT OF REACH OF CHILDREN.

**Environmental Protection**

DANGEROUS TO FISH OR OTHER AQUATIC LIFE.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

**Storage and Disposal**

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER for any purpose.

If you feel unwell, seek medical advice (show label where possible).

**IMPORTANT INFORMATION**

FOR PROFESSIONAL USE ONLY AS AN AGRICULTURAL HERBICIDE

**Crops**

**Maximum individual dose (L product/ha)**

**Maximum number of treatments**

**Latest time of application**

**Winter wheat, winter barley, winter rye and winter triticale**

1.5

1 per crop

Before 2nd node detectable stage

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

BK.R3.0.8.AUG19

T2540B\_13

## **This leaflet is part of the approved label.**

For advice on medical emergencies, fires or major spills telephone  
the National Chemical Emergency Centre on 01865 407333

---

**A herbicide recommended for the post-emergence control of a wide range of broad-leaved weeds  
in winter wheat, winter barley, winter rye and winter triticale.**

A suspension concentrate formulation containing 480 g/l (40.6% w/w) bifenox.

---



### **Warning**

**Very toxic to aquatic life with long lasting effects.**

**Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.**

Keep out of reach of children.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

**To avoid risks to human health and the environment, comply with the instructions for use.**

## IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS AN AGRICULTURAL HERBICIDE

### Crops

**Maximum individual dose (L product/ha)**

1.5

**Maximum number of treatments**

1 per crop

**Latest time of application**

Before 2nd node detectable stage

**Winter wheat, winter barley, winter rye and winter triticale**

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

## SAFETY PRECAUTIONS

### Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin and eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

When using do not eat, drink or smoke.

Keep away from food, drink and animal feedingsuffs.

KEEP OUT OF REACH OF CHILDREN.

### Environmental Protection

DANGEROUS TO FISH OR OTHER AQUATIC LIFE. Do not contaminate water with the product or its container.

Do not clean application equipment near surface water.

Avoid contamination via drains from farmyards and roads.

### Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER for any purpose.

If you feel unwell, seek medical advice (show label where possible).

## DIRECTIONS FOR USE

**IMPORTANT:** This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

### General Information

FOX<sup>®</sup> is a selective herbicide absorbed by the foliage, emerging shoots and roots of susceptible weeds. It is to be used to control a wide range of weeds in winter wheat, winter barley, winter rye and winter triticale.

### RESTRICTIONS

**DO NOT APPLY FOX to any crop suffering stress at the time of application from factors such as herbicide damage, physical stress, cold weather, periods of drought, if rain or frost is expected, or if the crop is wet.**

**Avoid drift onto broad-leaved plants outside the target area.**

**Crops should not be re-entered until spray residues are dry.**

## WEED CONTROL

WEED		WEED SUSCEPTIBILITY	MAXIMUM WEED GROWTH STAGE
ENGLISH NAME	LATIN NAME		
<b>Cleavers</b>	<i>Galium aparine</i>	MR	Up to 3 whorls, 5cm diameter.
<b>Common field-speedwell</b>	<i>Veronica persica</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Field pansy</b>	<i>Viola arvensis</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Field poppy</b>	<i>Papaver rhoeas</i>	MS	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Forget-me-not</b>	<i>Myosotis arvensis</i>	MS	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Ivy-leaved speedwell</b>	<i>Veronica hederifolia</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Red dead-nettle</b>	<i>Lamium purpureum</i>	S	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.
<b>Shepherd's purse</b>	<i>Capsella bursa-pastoris</i>	MR	Plants up to 50 mm across/high or before flower buds visible, whichever is the earliest.

**S** = Susceptible, complete or near complete kill

**MS** = Moderately susceptible, effective suppression with or without mortality

**MR** = Moderately resistant, temporary suppression, the duration and degree depending on the vigour of the crop and weather

## **SPECIFIC CROP INFORMATION**

FOX can safely be used on winter wheat, winter barley, winter rye and winter triticale.

### **Rate of Use and Volume**

Apply 1.5 litres/ha in 200-400 litres water/ha. Use the higher volume where crop or weeds are dense to ensure good coverage. Pressure 1.5-3.5 bar as a MEDIUM quality spray defined by BCPC.

### **Timing**

Make one application from the 5 true leaves to before second node detectable stage, (BBCH 15-31).

### **Mixing**

Before spraying it is important to check all hoses, filters and nozzles and to ensure that the sprayer is clean and correctly set to give an even application at the correct volume.

Half-fill the spray tank with clean water. Add the required amount of FOX and begin agitation. Add the remainder of the water and continue agitation until spraying is completed.

Wash equipment thoroughly after use. Fill the tank with clean water and leave overnight. Spray out before storage or using other products. Traces of the product may cause damage to susceptible crops sprayed later.

## **DISCLAIMER/CONDITIONS OF SUPPLY**

The specified properties of our products and the mode of application stated on this label have been established on the basis of research and experience. Products conform to specification at the time of delivery but, as we exercise no control over their subsequent storage, handling, mixing or use or the weather conditions before, during and after application, all of which may affect the performance of the products, no responsibility or liability will be accepted by us or our re-sellers for any failure in performance, damage or injury to person or property whatsoever arising from the storage, handling, application or use of the products. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in or make recommendations concerning the use of such products. We recommend you contact your dealer to request advice on the suitability of this product for any new and/or unusual growing methods or for new varieties not listed on this label.

### **Adama Agricultural Solutions UK Ltd**

Third Floor East, 1410 Arlington Business Park  
Theale, Reading RG7 4SA  
Telephone: 01635 860555  
Technical Helpline: 01635 876622  
www.adama.com  
Email: ukenquiries@adama.com

FOX® is a registered trademark of a company of the Adama Group.  
© Adama Agricultural Solutions UK Ltd