

PARISH[®]

MAPP 17464

A contact post-emergence herbicide for use on certain annual broad-leaved weeds in winter oilseed rape.

A suspension concentrate containing 320 g/l (29.2% w/w) phenmedipham. Also contains alcohol C13-iso, ethoxylated. Contains 1,2-benzisothiazolin-3-one. May cause an allergic reaction.

H



Danger

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazolin-3-one. May cause an allergic reaction.

Keep out of reach of children.

Wear protective gloves/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor/physician.

Dispose of contents/container to a licensed hazardous waste

disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.



FR R3.2.2 MAY18

5 litres e

To access the Safety Data Sheet for this product scan the QR code or use the weblink: <https://bit.ly/2GOKJMG>
- Alternatively, contact your supplier.



Scan for
Safety Data
Sheet

ADAMA

S5443A 02

PARISH®

MAPP 17464

**SHAKE WELL BEFORE USE
PROTECT FROM FROST
DIRECTIONS FOR USE:**

full instructions in this leaflet.

Batch No.: see packaging

Adama Agricultural Solutions UK Ltd

Unit 15, Thatcham Business Village, Colthrop Way, Thatcham, Berkshire RG19 4LW

Telephone: 01635 860555 | **Technical Helpline:** 01635 876622

www.adama.com | ukenquiries@adama.com

**For advice on medical emergencies, fires or major spills telephone the
National Chemical Emergency Centre on 01865 407333**

**The (COSHH) Control of Substances Hazardous to Health Regulations may
apply to the use of this product at work.**

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before eating, drinking or smoking, and after work.

DO NOT BREATHE SPRAY.

Environmental Protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY empty washings into spray tank and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops	Maximum individual dose (L product/ha)	Maximum total dose (L product/ha/crop)	Latest time of application
Winter oilseed rape	1.1	1.1	Before 9 leaves unfolded

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

This leaflet is part of the approved label.

For advice on medical emergencies, fires or major spills telephone
the National Chemical Emergency Centre on 01865 407333

A contact post-emergence herbicide for use on certain annual broad-leaved weeds in winter oilseed rape.

A suspension concentrate containing 320 g/l (29.2% w/w) phenmedipham.

Also contains alcohol C13-iso, ethoxylated.

Contains 1,2-benzisothiazolin-3-one. May cause an allergic reaction.

Danger

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazolin-3-one. May cause an allergic reaction.

Keep out of reach of children.

Wear protective gloves/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor/physician.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.



IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops	Maximum individual dose (L product/ha)	Maximum total dose (L product/ha/crop)	Latest time of application
Winter oilseed rape	1.1	1.1	Before 9 leaves unfolded

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before eating, drinking or smoking, and after work.

DO NOT BREATHE SPRAY.

Environmental Protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY empty washings into spray tank and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

RESTRICTIONS OR WARNINGS

Do not apply to crops suffering from stress due to lime, trace element deficiency, drought, frost or pest damage.

Do not apply when temperatures exceed 21°C or in strong sunlight. If treatment is essential, delay spraying until the temperature falls and light intensity reduces.

Do not apply to crops suffering damage due to an earlier herbicide treatment.

When applied in sequence with another pesticide, allow 7 days between application of another product and the use of PARISH®.

Do not apply to crops that have wet leaves.

It is important that crops are healthy and well waxed up before application. Some damage may be seen, but this is generally transient with generally little effect on crop yields.

Avoid overlaps.

Crops should not be re-entered until spray residues are dry.

RESISTANCE

This product contains phenmedipham, a Group C1 herbicide, based on the mode of action classification system of the Herbicide Resistance Action Committee. Repeated use of herbicides with the same mode of action can increase the risk of strains of weeds developing resistance to these compounds, leading to poor control. In order to minimise the risk, a strategy for preventing and managing such resistance should be adopted

Growers are advised to apply products containing herbicides with different modes of action in sequence or tank-mix where two or more components are active against the target weeds.

Use the recommended rate of PARISH and the correct application timing for the hardest to control weed species present in the field.

The above should be used in conjunction with effective cropping rotation and cultivation techniques e.g. stale seedbed, cultivation and use of non-selective herbicide prior to drilling.

Further guidance on weed resistance management is available from the Herbicide Resistance Action Committee (HRAC) and Weed Resistance Action Group (WRAG). Follow WRAG Guidelines.

WEEDS CONTROLLED

PARISH is a contact herbicide absorbed by the leaves of weeds. An even application that wets all weeds with a MEDIUM spray under the right weather conditions and at the correct stage of weed growth is necessary to give good control of susceptible weeds.

PARISH should be applied between cotyledon and 2 true leaf stage of the weed. Weeds should be actively growing at the time of application.

Moderately susceptible

Red dead-nettle

Moderately resistant

Common chickweed

Shepherd's purse

Common field-speedwell

Small nettle

Groundsel

Resistant

Charlock

Field pansy

Mayweeds

CROP SPECIFIC INFORMATION

PARISH may be used on all winter oilseed rape varieties.

Soil

PARISH is a contact herbicide and can be used on all soil types.

Time of application

Apply from 2 fully expanded leaf stage of the crop up to 9 leaves unfolded.

Succeeding crops

Beet crops may be sown at any time following the use of PARISH. Three months must elapse before any other crop is sown, and mould-board ploughing to a depth of 15 cm must be carried out first.

Water Volume

Apply in 200-250 L water/ha.

Apply as a medium spray as defined by BCPC.

MIXING AND SPRAYING

Half-fill the spray tank with clean water. Add the required amount of PARISH and begin agitation. Add the remaining volume of water. Continue agitation during spraying.

Ensure that all spraying equipment is thoroughly washed out immediately after use with water and a recognised tank cleaner. Traces of PARISH left in the sprayer can cause harm to susceptible crops sprayed later.

COMPATIBILITY

PARISH is compatible with the following products:

Roller

Always read the label of the partner product carefully before use.

It is advised that PARISH should NOT be tank-mixed with metazachlor based products or contact graminicides as crop damage may occur which may not be fully outgrown.

PARISH is not compatible with the adjuvant Toil.

DISCLAIMER/CONDITIONS OF SUPPLY

The specified properties of our products and the mode of application stated on this label have been established on the basis of research and experience. Products conform to specification at the time of delivery but, as we exercise no control over their subsequent storage, handling, mixing or use or the weather conditions before, during and after application, all of which may affect the performance of the products, no responsibility or liability will be accepted by us or our re-sellers for any failure in performance, damage or injury to person or property whatsoever arising from the storage, handling, application or use of the products. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in or make recommendations concerning the use of such products. We recommend you contact your dealer to request advice on the suitability of this product for any new and/or unusual growing methods or for new varieties not listed on this label.

Marketed by

Adama Agricultural Solutions UK Ltd
Unit 15, Thatcham Business Village
Colthrop Way, Thatcham, Berkshire RG19 4LW
Telephone: 01635 860555
Technical Helpline: 01635 876622
www.adama.com
Email: ukenquiries@adama.com

PARISH® is a registered trademark of a company of the Adama Group.

Other brand names referred to on this label are trademarks of other manufacturers in which proprietary rights may exist.

© Adama Agricultural Solutions UK Ltd