READ SAFETY DIRECTIONS BEFORE OPENING OR USING





Insecticide

ACTIVE CONSTITUENTS: 590 g/L PIPERONYL BUTOXIDE 60 g/L PYRETHRINS



Situations: Agricultural, Commercial, Domestic, Industrial and Public Buildings

Controls: Ants, Beetles, Cockroaches, Earwigs, Flies, Grain Weevils, Mosquitoes, Moths, Silverfish, Spiders and other Flying Insects





adama.com

CONTENTS: 1 L - 20 L

DIRECTIONS FOR USE

RESTRAINTS: For PROFESSIONAL USE only.

DO NOT use any methods of application other than handheld fogging/misting equipment (including thermal fogging machines) and handheld surface spraying equipment.

DO NOT apply product by spraying equipment carried on the back of the user (i.e. backpack/knapsack sprayers).

DO NOT apply by SURFACE spraying equipment in INDOOR areas.

DO NOT apply in INDOOR areas unless vacated by occupants.

DO NOT apply if rain is expected within 2 hours.

DO NOT apply in windy conditions.

CROP/SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, Commercial, Industrial and Public Buildings including: Food processing establishments, Shops, Factories, Hotels and Motels, Ships, Shipping containers, Offices, Schools, Storerooms, Warehouses, Hospitals, Barracks, Private houses and External areas associated with such establishments.	Ants, Beetles, Cockroaches, Earwigs, Flies, Grain Weevils, Mosquitoes, Moths, Silverfish, Spiders and other Flying Insects.	Space spray or fog 83 mL per 1 L of water	Space spray as mist or fog: Apply 1 litre of STRYKER™ dilution (83 mL product) per 2000 cubic metres. Flying insects - Direct spray or fog to all areas.
		Surface spray 83 mL per 1 L of water	Surface spray: Apply 1 litre STRYKER™ dilution (83 mL product) per 60-80 square metres by using handheld sprayers. Crawling insects: Direct spray into cracks and crevices.
Agricultural Buildings including: Storage sheds, Milking sheds, Poultry sheds, Barns, Kennels and Stables.		Thermal fogging 83 mL per 1 L of refined mineral oil	Thermal fogging: Space spray as fog to all areas. Apply 1 litre STRYKER™ dilution (83 mL product) per 1000 cubic metres. Can be applied through most thermal fogging machines.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION



GENERAL INSTRUCTIONS

Mixing

Shake original container well before use. For surface spray and space spray/cold fogging treatments, dilute 83 mL of STRYKER™ per L water (or oil for thermal fogging application). Apply this diluted rate over area or volume indicated under Directions for Use table and in accordance with the equipment manufacturer's recommendations for the output ratios required.

Periodically agitate suspension during application to ensure mixing.

DO NOT store diluted insecticide. Prepare a fresh solution as necessary.

DO NOT spray the moving parts of any machinery, electric motors or switchgear.

Equipment

STRYKER™ may be sprayed through misting equipment, thermal fogging equipment, cold aerosol generating equipment or handheld sprayers in accordance with rates and situations specified in the Directions for Use table.

INSECTICIDE RESISTANCE WARNING

For insecticide resistance management STRYKER™ Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to STRYKER™ and other Group 3A insecticides may exist through normal genetic variability



Insect biotypes resistant to STRYKER[™] and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if STRYKER[™] or other Group 3A insecticides are used repeatedly. The effectiveness of STRYKER[™] on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Adama Australia accepts no liability for any losses that may result from the failure of STRYKER[™] to control insects. STRYKER[™] may be subject to specific resistance management strategies. For further information contact your local supplier, Adama representative or local agricultural department agronomist.

PRECAUTIONS

Cover all foodstuffs before application. DO NOT allow spray to contact food, food preparation surfaces and utensils. BEFORE USE: Remove or cover all exposed foodstuff. Cover all dishes and utensils and surfaces where food is prepared or stored. AFTER USE: Thoroughly ventilate treated areas. Clean up thoroughly before processing/serving resumes.

Re-entry

Treated buildings (indoor areas) should not be reoccupied for at least 5 hours after fogging/misting has been completed. If prior entry is required, wear all recommended protective equipment, including a respirator.

PROTECTION OF WILDLIFE FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers. Before spraying, remove animals and pets from areas to be treated. Cover or remove fish ponds, aquariums, etc, before spraying. Clean up thoroughly before allowing re-entry of animals.

PROTECTION OF HONEY BEES AND OTHER INSECT POLLINATORS

Highly toxic to bees. DO NOT apply to flowering plants.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing product for use wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), and elbow length chemical resistant gloves and disposable fume mask covering mouth and nose. If applying by hand, wear cotton overalls over normal clothing, buttoned to the neck and wrist and chemical resistant gauntlet length gloves. In addition, for space applications, wear a half facepiece respirator. Thoroughly ventilate treated areas before reoccupying. Wash hands after use. After each day's use wash gloves, respirator and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for STRYKER™ is available from adama.com or call Customer Service on 1800 423 262.

CONDITIONS OF SALE

The use of STRYKER™ INSECTICIDE being beyond the control of the manufacturer, no warranty expressed or implied is given by ADAMA Australia Pty Ltd regarding its suitability, fitness or efficiency for any purposes for which it is used by the buyer, whether in accordance with the Directions for Use or not. ADAMA Australia Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product. ™ Trademark of an Adama Group Company

In Trademark of an Adama Group Compa

06/2020 21941

