PBO 800

Insecticide Synergist

ACTIVE CONSTITUENT: 800 g/L PIPERONYL BUTOXIDE

For use as a synergist when applying synthetic pyrethroid insecticides in cotton as specified in the Directions for Use table





DIRECTIONS FOR USE: NSW, Qld, WA, NT only

CROPS	PEST	AERIAL APPLICATION RATE PER ha	CRITICAL COMMENTS
Cotton	Cotton Bollworm (Helicoverpa armigera)	300 - 400 mL	To be used only with registered rates of synthetic pyrethroid insecticides. Use the lower rate with the lower registered rate of the pyrethroid insecticide, and the higher rate with the higher rate of the pyrethroid insecticide, as per the cotton insecticide strategy.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

NO WITHHOLDING PERIOD IS REQUIRED. HOWEVER, THE WITHHOLDING PERIOD OF THE INSECTICIDE MIXING PRODUCT SHOULD BE OBSERVED AT ALL TIMES.

GENERAL INSTRUCTIONS

This product is intended solely for use as a synergist when applying ultra low volume or emulsifiable concentrate formulations of synthetic pyrethroid insecticides in cotton. Adama PBO 800 can be degraded by the UV light, so for best results avoid spraying in the middle of the day or during peak UV intensity. When used as a synergist with synthetic pyrethoids on cotton crops, better results may be obtained on crops that are sprayed at night or late in the evening.

MIXING INSTRUCTIONS

Thoroughly mix the required quantity of the pesticide and this product in a suitable container. Add the blended pesticide/synergist to the dilutent and mix thoroughly. Keep agitated until sprayed. The mixture should be used within 3 hours of preparation.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT D0 NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For refillable containers, empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.



FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Adama PBO 800 is available from adama.com or call Customer Service on 1800 423 262.

CONDITIONS OF SALE: The use of Adama PBO 800 Insecticide being beyond the control of the manufacturer, no warranty expressed or implied is given by Adama Australia regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Adama Australia accepts no responsibility for any consequence whatsoever from the use of this product.

08/2018 10175