

Product Name: Spinnaker 700 WG Herbicide

Page: 1 of 6

This revision issued: August, 2022

Section 1 - Identification of The Material and Supplier

Adama Australia Pty Ltd

Telephone (02)9431 7800 (24 hours)

Level 1, Building B

Fax (02)9431 7700

Phone: (02)9431 7800

207 Pacific Highway St Leonards, NSW 2065

ACN 050 328 973

Chemical nature: Imazethapyr is an imidazolinone derivative.

Trade Name: Spinnaker 700 WG Herbicide

Product Use: Agricultural herbicide for use as described on the product label.

Creation Date: November, 2012

This version issued: August, 2022 and is valid for 5 years from this date. Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

SUSMP Classification: S5

ADG Classification: Class 9: Miscellaneous Dangerous Goods.

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



GHS Signal word: WARNING

Skin irritation – category 2

Eye irritation - category 2B

Specific target organ toxicity (single exposure) – category 3 Hazardous to aquatic environment (chronic) – category 1

HAZARD STATEMENT:

H315: Causes skin irritation.

H320: Causes eye irritation.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long-lasting effects..

PREVENTION

P264: Wash contacted areas thoroughly after handling.

P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd



Product Name: Spinnaker 700 WG Herbicide Page: 2 of 6

This revision issued: August, 2022

Phone: (02)9431 7800

Emergency Overview

Physical Description & colour: White to off-white granules.

Odour: Faint rubbery odour.

Major Health Hazards: Technical: The acute oral LD_{50} for technical Imazethapyr was reported to be >5000 mg/kg for rats. The acute inhalation LC_{50} for rats exposed to Imazethapyr is 3.27 mg/L. The dermal LD_{50} for rabbits exposed to technical Imazethapyr was >2000 mg/kg. It was found to be slightly irritating to the rabbit eye, with complete recovery in 7 days. The technical material was found to be slightly irritating to the skin of male rabbits.

This product is irritating to eyes and skin.

Section 3 - Composition/Information on Ingredients				
Ingredients	CAS No	Conc,%	TWA (mg/m³)	STEL (mg/m³)
Imazethapyr	81335-77-5	700g/kg	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Quickly and gently brush away excess particles. Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam, water fog. **Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

Flammability Class: No data.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include cotton, rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd



Product Name: Spinnaker 700 WG Herbicide
Page: 3 of 6

STEL (mg/m³)

This revision issued: August, 2022

suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles e.g. silica & asbestos. Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Imazethapyr is set at 2.8mg/kg/day. The corresponding NOEL is set at 276mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, Sept 2011.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: cotton, rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour: White to off-white granules.

Odour: Faint rubbery odour.

Boiling Point:

Flash point:

Upper Flammability Limit:

Lower Flammability Limit:

Autoignition temperature:

Not available.

No data.

No data.

Freezing/Melting Point: Imazethapyr melts 169-173°C

Volatiles: No specific data. Expected to be low at 100°C.

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800



Product Name: Spinnaker 700 WG Herbicide
Page: 4 of 6

This revision issued: August, 2022

Vapour Pressure: Expected to be negligible at normal ambient temperatures.

Vapour Density: Not applicable.

Specific Gravity:Water Solubility:
No data.
Dispersible.

pH: 3-5

Volatility: Negligible at normal ambient temperatures.

Odour Threshold:

Evaporation Rate:

Coeff Oil/water distribution:

No data

Not applicable.

No data

Particle Characteristics: No data
Autoignition temp: No data

No data

Granules.

No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

There is no data to hand indicating any particular target organs.

Toxicity: Technical: The acute oral LD_{50} for technical Imazethapyr was reported to be >5000 mg/kg for rats. The acute inhalation LC_{50} for rats exposed to Imazethapyr is 3.27 mg/L. The dermal LD_{50} for rabbits exposed to technical Imazethapyr was >2000 mg/kg. It was found to be slightly irritating to the rabbit eye, with complete recovery in 7 days. The technical material was found to be slightly irritating to the skin of male rabbits.

Formulated product: The oral LD₅₀ of a 250g/L liquid formulation of Imazethapyr was also >5000 mg/kg for the rat and rabbit. The LC₅₀ was >2.67 mg/L. The dermal LD₅₀ was >5000 mg/kg. The liquid formulation was non-irritating to the rabbit eye and skin.

The oral LD₅₀ of a 70% granular formulation was >5000 mg/kg for the rat and >2000 mg/kg for the rabbit. It resulted in moderate irritation to the rabbit eye, with complete recovery in 14 days. It showed slight skin irritation to the rabbit with complete recovery in 72 hours.

Chronic Toxicity: 90-day dietary subchronic toxicity studies in rats and dogs had a No Observable Effect Level (NOEL) of 10,000 ppm, the highest dose tested. A 1-year feeding study in dogs fed diets containing of 0, 1,000, 5,000, or 10,000 ppm reported a NOEL of 1,000 ppm (25 mg/kg/day).

It appears that Imazethapyr has no reproductive effects, or teratogenic, mutagenic of carcinogenic properties.

Organ Toxicity: No information was found.

Fate in Humans and Animals: No information was found.

Classification of Hazardous Ingredients

Ingredient Health Hazard Statement Codes

Imazethapyr Not currently listed in HCIS.

There is no data to hand indicating any particular target organs.

Potential Health Effects

Inhalation:

Short term exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term inhalation.

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800



Product Name: Spinnaker 700 WG Herbicide Page: 5 of 6

This revision issued: August, 2022

Skin Contact:

Short term exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

Section 12 - Ecological Information

This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

Effects on Birds: not harmful to birds studied either in acute or 8 day studies.

Effects on Aquatic Organisms: Does not appear to be harmful to either fish or Daphnia magna (water flea).

Effects on Other Animals (Nontarget species): The contact LD₅₀ for honey bees was >100μg/bee.

ENVIRONMENTAL FATE

Breakdown of Chemical in Soil and Groundwater: The formulated product does not leach through the soil. It is weakly to moderately adsorbed and is not lost from the soil through volatilization. Soil microorganisms do not appear to play a significant role in the degradation of the formulated product.

Breakdown of Chemical in Surface Water: No information was found.

Breakdown of Chemical in Vegetation: The formulated product is readily absorbed through the roots and foliage. It is translocated in both xylem and phloem tissues and accumulates in growing points.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

Section 14 - Transport Information

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazchem Code: 2Z

Special Provisions: 274, 331, 335, 375, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packing Group: III

Packing Instruction: P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800



Product Name: Spinnaker 700 WG Herbicide

Page: 6 of 6

Phone: (02)9431 7800

This revision issued: August, 2022

Section 15 - Regulatory Information

AllC: All of the significant ingredients in this formulation are compliant with AlCIS regulations. The following ingredient: Imazethapyr, is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Contact Points:

Call Adama on (02)9431 7800 and ask for the technical manager. Fax: (02)9431 7700

Police and Fire Brigade: Dial 000

Emergency contact: 1800 024 973 (24 hours)

If ineffective: Dial Poisons Information Centre

(13 1126 from anywhere in Australia)

The information contained in this Safety Data Sheet is provided in good faith and is believed to be correct at the date hereof. However, it is expected that individuals receiving the information will exercise their independent judgement in determining its appropriateness for a particular purpose. Adama Australia Pty Ltd makes no representation as to the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability whatsoever, whether with respect to negligence or otherwise, for any loss or damage arising from or connection with the supply or use of the information in this Safety Data Sheet.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, August, 2022.

http://www.kilford.com.au/ Phone (02)8321 8866