



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **Goltix Gold**
Item Code: AG-M4-700 OF1
Product Use: Herbicide
Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd
Address: Level 1/93 Bolt Road
Tahunanui, Nelson
Telephone: +64 3 543 8275
Fax Number: +64 3 543 8274

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 28 May 2020

Section 2. Hazards Identification

This substance is hazardous according to the *Hazardous Substances (Classification) Notice 2017*

EPA Approval No: HSR101361

Pictograms



Toxic

Ecotoxic

Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1D (oral)	H302	Harmful if swallowed.	Acute Tox. 4
6.1D (inh)	H332	Harmful if inhaled.	Acute Tox. 4
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
9.1B	H411	Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2
9.2B	H422	Toxic to the soil environment.	-
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing fumes, vapours or spray.

P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Storage Code	Storage Statement
None known	

Disposal Code	Disposal Statement
P501	Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill. Do not allow product to enter waterways. Do not burn product or container.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Metamitron	55-62	41394-05-2
1,2-Benzisothiazolin-3-one	<0.5	2634-33-5
Fatty alcohol, ethoxylated	<1	68439-50-9

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
If on Skin	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.
If Swallowed	Wash out mouth thoroughly with water. Drink plenty of water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	Harmful if swallowed.
Dermal:	May be harmful if in contact with skin.
Inhalation:	Harmful if inhaled.

Product Name: Goltix Gold
Date of SDS: 28 May 2020

Issued by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Notes to doctor: Treat symptomatically.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable.
Hazards from combustion products	No specific hazard known.
Suitable Extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Precautions for firefighters and special protective clothing	In the event of fire, wear self-contained breathing apparatus In the event of fire and/or explosion do not breathe fumes.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Wear full protective clothing as detailed in Section 8. Evacuate area from unnecessary personnel.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Dispose as per Local Regulations in Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Avoid breathing fumes, vapours or spray.
- Avoid contact with skin eyes and clothing.
- Wash contaminated clothing before reuse.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Use PPE as detailed in Section 8.
- Avoid release to the environment.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Keep container tightly closed in a dry and well-ventilated place.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA).The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-

Product Name: Goltix Gold
Date of SDS: 28 May 2020

Issued by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment



Eyes	Tight sealing safety goggles.
Hands and Skin	Gloves made of plastic or rubber. Suitable protective clothing.
Respiratory	Ensure adequate ventilation, especially in confined areas.
General	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not allow into any sewer, on the ground or into any body of water.

Section 9 Physical and Chemical Properties

Appearance	Beige liquid
Odour	Characteristic
Odour Threshold	Not applicable
pH (1% solution)	4.34 – 5.34 (CIPAC MT 75)
Boiling Point	Not applicable
Melting Point	Not available
Flash Point	>79°C (EEC A.9)
Flammability	Not flammable
Upper and Lower Exposure Limits	Not applicable
Vapour Pressure	Not available
Relative Density(20°C)	1.1157 – 1.2557g/ml (OECD 109)
Solubilities	Not available
Partition Coefficient:	Not applicable
Auto-ignition Temperature	492°C (EEC A15)
Kinematic viscosity mm²/s 40 °C	846.8 (OECD 114)
Particle Characteristics	Not applicable
Surface Tension (25°C)	31.4 (OECD 115)

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal conditions.
Conditions to Avoid	Heat, flames and sparks.
Incompatible Materials	None known.
Hazardous Decomposition Products	None under normal use conditions.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Harmful if swallowed. LD 50 = Rat 300-2000mg/kg (rat) (OECD 423)
Dermal	Not applicable. LD50 = >2000 mg/kg (rat) (OECD 402)
Inhalation	Not applicable LC50 = >3.15mg/l 4hr (rat) (OECD 403)
Eye	Not applicable

Skin	Not applicable
-------------	----------------

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

HSNO Classes: 9.1B = Toxic to aquatic life.
9.2B = Toxic to the soil environment.
9.3C = Harmful to terrestrial vertebrates.

	Values	Method	Remarks
Persistence and degradability Abiotic Degradation Water DT50 Metamitron	10.8 – 11.4	(BBA IV:5-1)	pH8, 20°C
Soil DT50 days Metamitron	2 - 45		
Biodegration Metamitron	Not readily biodegradable (OECD 301B)		
Bioaccumulation Partition Coefficient (n-octanol/water) Partition Coefficient (n-octanol/water) Log Pow Metamitron	0.85	(OECD 107)	
Mobility in Soil Metamitron	122.3		Koc
Toxicity: Fish 96-hour LC50 mg/I Crustacea 48-hour EC50 mg/I Algae 72-hour EC50 mg/I Other plants EC50 mg/I	Oncorhynchus mykiss is 283 mg/L Daphnia magna is 99.1mg/L. P.subcapitata is 1.85mg/L. Not available.		
Terrestrial Toxicity Birds Oral LD50 mg/kg Chemical Metamitron	Japanese quail = 1302		
Bees Oral LD50 pg/bee Chemical Name Metamitron	>97.2		

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method: Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill.

Precautions: Do not allow product to enter waterways.

Disposal methods to avoid: Empty containers should be taken for local recycling or waste disposal. Do not re-use empty containers.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road and Rail Transport

UN No: 3082
Class-primary 9
Packing Group III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamitron)

Air Transport

UN No: 3082
Class-primary 9
Packing Group III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamitron)

Marine Transport

UN No: 3082
Class-primary 9
Packing Group III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamitron)
Marine Pollutant: Not Regulated

Special Provisions:

If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is hazardous according to the *Hazardous Substances (Classification) Notice 2017*

EPA Approval Code: HSR101361

HSNO Classification: 6.1D (oral, inh), 6.1E(dermal), 9.1B, 9.2B, 9.3C

Please refer to www.epa.govt.nz for full control details for HSR101361

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	1000L (9.1B)
Emergency Response Plan (Schedule 5)	1000L (9.1B, 6.1D)
Secondary Containment (Schedule 5)	1000L (9.1B, 6.1D)
Certified Handlers	Not required
Tracking (Schedule 26)	Not required
HSNO Additional Controls (Restrictions of use)	
Section 77 Variation to HPC Notice clause 50	The maximum application rate of this substance is 4 L/ha (equivalent to 2.8 kg/ha)

	metamitron) per application, with a maximum of 6 L/ha (equivalent to 4.2 kg/ha metamitron) per season. Please refer to controls doc or product label for further details.
Hazardous Property Controls Notice 2017	
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 4 Subpart B	Use of class 9 substances in any place.
HPC Notice Part 3	Hazardous substances in a place other than a workplace
ACVM Act and Regulations	
ACVM Approval No	P9741
Tolerable Exposure Level (TEL)	No TEL set
Environmental Exposure Level (EEL)	No EEL set

Section 16 Other Information

Glossary

EC50	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC50	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been issued by TCC (NZ) Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adama, if further information is required.

Issue Date: 28 May 2020 Review Date: 28 May 2025