



## Section 1 - Identification of The Material and Supplier

**Adama Australia Pty Ltd,**  
Suite 1, Level 4, Building B  
207 Pacific Highway St Leonards, NSW 2065  
ACN 050 328 973

**Telephone (02)9431 7800 (office hours)**  
**Emergency 1800 024 973 (24 hours)**  
**Fax (02)9431 7700**

**Chemical nature:** Active ingredient is a pyrethroid derivative.  
**Trade Name:** **Alpha-Scud Elite Insecticide**  
**APVMA Code:** 52361  
**Product Use:** Agricultural insecticide for use as described on the product label.  
**Creation Date:** **March, 2003**  
**This version issued:** **June, 2016** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

## Section 2 - Hazards Identification

### Statement of Hazardous Nature

This product is classified as: Hazardous according to the criteria of SWA Australia.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply. Then the product is classed as Dangerous (Class 9 Environmentally Hazardous) by IATA and IMDG/IMSBC respectively. See details below and in Section 14 of this SDS.

**SUSMP Classification:** S6

**ADG Classification:** Class 9: Miscellaneous dangerous goods.

**UN Number:** 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.



### GHS Signal word: **WARNING.**

Flammable liquids Category 4  
Acute Toxicity Oral Category 4  
Acute Toxicity Dermal Category 4  
Hazardous to aquatic environment Short term/Chronic Category 1

### HAZARD STATEMENT:

H227: Combustible liquid.  
H302: Harmful if swallowed.  
H312: Harmful in contact with skin.  
H410: Very toxic to aquatic life with long lasting effects.

### PREVENTION

P102: Keep out of reach of children.  
P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P262: Do not get in eyes, on skin, or on clothing.  
P264: Wash contacted areas thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P273: Avoid release to the environment.  
P280: Wear protective gloves, protective clothing and eye or face protection.

### RESPONSE

P337: If eye irritation persists: seek medical attention.  
P363: Wash contaminated clothing before reuse.  
P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.  
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

## SAFETY DATA SHEET

**STORAGE**

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

**DISPOSAL**

P501: Dispose of contents and containers as specified on the registered label.

**Emergency Overview****Physical Description & colour:** Clear pale brown liquid.**Odour:** Characteristic hydrocarbon odour.**Major Health Hazards:** The onset of symptoms varies depending upon such factors as the route of absorption and quantity involved. In patients with occupational poisoning, skin symptoms usually develop within 4-6 hours after exposure, with systemic symptoms occurring as late as 48 hours after exposure. Paraesthesia of the facial skin can develop approximately 30 minutes after exposure and does not usually last beyond 24 hours when exposure is terminated. Following ingestion, the initial symptoms involve the gastrointestinal tract, developing 10-60 minutes after exposure. Patients suffering from acute oral poisoning usually develop prominent digestive symptoms such as epigastric pain, nausea and vomiting. Severely poisoned patients may have frequent convulsive attacks, coma, or pulmonary oedema. The prognosis is good if treated, with usually full recovery even in severely poisoned patients. (The hospitalisation period is usually longer than 4 weeks).**Section 3 - Composition/Information on Ingredients**

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Alpha-cypermethrin	67375-30-8	10	not set	not set
Non hazardous hydrocarbon	secret	76	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**Section 4 - First Aid Measures****General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.**Skin Contact:** No specific health data is available for this product. If any unusual symptoms become evident, or if in doubt, contact a Poisons Information Centre or a doctor.**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.**Section 5 - Fire Fighting Measures****Fire and Explosion Hazards:** There is a slight risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Try to contain spills, minimise spillage entering drains or water courses.**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.**SAFETY DATA SHEET**



<b>Flash point:</b>	Not flammable.
<b>Upper Flammability Limit:</b>	No data.
<b>Lower Flammability Limit:</b>	No data.
<b>Autoignition temperature:</b>	C1
<b>Flammability Class:</b>	Flammable Category 4 (GHS), C1 combustible (AS 1940)

## Section 6 - Accidental Release Measures

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including face mask, face shield and gauntlets. All skin areas should be covered. See above under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this class of poison. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**SWA Exposure Limits**                      **TWA (mg/m<sup>3</sup>)**                                      **STEL (mg/m<sup>3</sup>)**

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Alpha-cypermethrin is set at 0.05mg/kg/day. The corresponding NOEL is set at 4.7mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values from Australian ADI List, June 2014.

**Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts and vapours are minimised.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when product is being used.

**Skin Protection:** Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from rubber, PVC.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Safety deluge showers should be provided near to where this product is being used.

## Section 9 - Physical and Chemical Properties:

<b>Physical Description &amp; colour:</b>	Clear pale brown liquid.
<b>Odour:</b>	Characteristic hydrocarbon odour.
<b>Boiling Point:</b>	Not available.
<b>Freezing/Melting Point:</b>	No specific data. Liquid at normal temperatures.
<b>Volatiles:</b>	No data.
<b>Vapour Pressure:</b>	No data.
<b>Vapour Density:</b>	No data.

### SAFETY DATA SHEET



<b>Specific Gravity:</b>	No data.
<b>Water Solubility:</b>	Emulsifiable.
<b>pH:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water distribution:</b>	No data
<b>Autoignition temp:</b>	C1

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Containers should be kept dry.

**Incompatibilities:** strong oxidising agents.

**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product is unlikely to undergo polymerisation processes.

## Section 11 - Toxicological Information

**Toxicity: Acute Toxicity:** Synthetic pyrethroid compounds vary in their toxicity as do the natural pyrethrins. Inhaling high levels of pyrethrum may bring about asthmatic breathing, sneezing, nasal stuffiness, headache, nausea, incoordination, tremors, convulsions, facial flushing and swelling, and burning and itching sensations. The most severe poisonings have been reported in infants, who are not able to efficiently break down pyrethrum. The lowest lethal oral dose of pyrethrum is 750 mg/kg for children and 1,000 mg/kg for adults. Oral LD<sub>50</sub> values of pyrethrins in rats range from 200 mg/kg to greater than 2,600 mg/kg. Some of this variability is due to the variety of constituents in the formulation. Mice have a pyrethrum oral LD<sub>50</sub> of 370 mg/kg. Animals exposed to toxic amounts may experience tongue and lip numbness, nausea, and diarrhoea. Symptoms may also include incoordination, tremors, convulsions, paralysis, respiratory failure, and death. Pyrethroids can cause two quite different responses at near lethal doses in rats; aggressive sparring and a sensitivity to external stimuli progressing to tremors is the one response and pawing and burrowing behavior, and salivation leading to chronic seizures is the other. Human response to these two different types of Pyrethroids has not yet been evaluated. Recovery from serious poisoning in mammals is fairly rapid. Rats and rabbits are not affected by large dermal applications. On broken skin, pyrethrum produces irritation and sensitization, which is further aggravated by sun exposure.

**Chronic Toxicity:** Absorption of pyrethrum through the stomach and intestines and through the skin is slow. However, humans can absorb pyrethrum more quickly through the lungs during respiration. Response appears to depend on the pyrethrum compound used. Overall, pyrethrins and Pyrethroids are of low chronic toxicity to humans and the most common problems in humans have resulted from the allergenic properties of pyrethrum. Patch tests for allergic reaction are an important tool in determining an individual's sensitivity to these compounds. Many of the natural and synthetic compounds can produce skin irritation, itching, pricking sensations and local burning sensations. These symptoms may last for about two days.

**Reproductive Effects:** Rabbits that received pyrethrins orally at high doses during the sensitive period of pregnancy had normal litters. A group of rats fed very high levels of pyrethrins daily for three weeks before first mating had litters with weanling weights much lower than normal. Overall, pyrethrins appear to have low reproductive toxicity.

**Teratogenic Effects:** The one rabbit reproduction study performed showed no effect of pyrethrins on development of the offspring. More information is needed.

**Mutagenic Effects:** No information was found.

**Carcinogenic Effects:** No carcinogenic status has been established for pyrethrins or Pyrethroids.

**Organ Toxicity:** In mammals, tissue storage has not been recorded. At high doses, pyrethrum can be damaging to the central nervous system and the immune system. When the immune system is attacked by pyrethrum, allergies can be worsened. Animals fed large doses of pyrethrins may experience liver damage. Rats fed pyrethrin at high levels for two years showed no significant effect on survival, but slight, definite damage to the livers was observed. Inhalation of high doses of pyrethrum for 30 minutes each day for 31 days caused slight lung irritation in rats and dogs.

**Fate in Humans and Animals: Pyrethrins,** Pyrethroids, and their metabolites are not known to be stored in the body nor excreted in the milk. The urine and faeces of people given oral doses of pyrethrum contain chrysanthemumic acid and other metabolites. These metabolites are less toxic to mammals than are the parent compounds. Pyrethrins I and II are excreted unchanged in the faeces. Other pyrethrum components undergo rapid destruction and detoxification in the liver and gastrointestinal tract.

## SAFETY DATA SHEET



## Potential Health Effects

See section 11 for Chronic exposure studies.

### Inhalation

**Short term exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

### Skin Contact:

**Short term exposure:** This product causes skin numbness but further symptoms are not available. Otherwise, product is unlikely to cause any significant discomfort in normal use.

### Eye Contact:

**Short term exposure:** Available data shows that this product is not harmful. However product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

### Ingestion:

**Short term exposure:** Available data shows that this product is harmful, but symptoms are not available. This product is unlikely to cause any irritation problems in the short or long term.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

## Section 12 - Ecological Information

Pyrethrin is extremely toxic to aquatic life, such as bluegill and lake trout while it is slightly toxic to bird species, such as mallards. Toxicity increases with higher water temperatures and acidity. Natural pyrethrins are highly fat soluble, but are easily degraded and thus do not accumulate in the body. These compounds are toxic to bees also. Because pyrethrin-I, pyrethrin-II, and allethrin have multiple sites in their structures that can be readily attacked in biological systems, it is unlikely that they will concentrate in the food chain.

### ENVIRONMENTAL FATE

Cypermethrin, breaks down in plants to produce a variety of products. Pyrethrins have little residual effect. In stored grain, 50% or more of the applied pyrethrins disappear during the first three or four months of storage. At least 80% of what remains is removed by handling, processing, and cooking. Pyrethrins alone provide limited crop protection because they are not stable. As a result, they are often combined with small amounts of antioxidants to prolong their effectiveness. Pyrethrum compounds are broken down in water to nontoxic products. Pyrethrins are inactivated and decomposed by exposure to light and air. Pyrethrins are also rapidly decomposed by mild acids and alkalis. Stored pyrethrin powders lose about 20% of their potency in one year. As the pyrethrins are purified, their stability decreases; thus, pure pyrethrin-I and pyrethrin-II are the least stable of the pyrethrins. Purified pyrethrins are very expensive and are only available for laboratory uses.

## Section 13 - Disposal Considerations

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

## Section 14 - Transport Information

**Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).**

**UN Number:** 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

**Hazchem Code:** •3Z

**Special Provisions:** 179, 274, 331, 335, AU01

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

**Packing Group:** III

## SAFETY DATA SHEET

**Packing Instruction:** P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

**Section 15 - Regulatory Information**

**AICS:** All of the significant ingredients in this product are compliant with NICNAS regulations.

**Section 16 - Other Information**

**This SDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

**Contact Points:**

Call Adama on (02)9431 7800 and ask for the technical manager.

Fax: (02)9431 7700

**Police and Fire Brigade:**

**Dial 000**

**Emergency contact:**

**1800 024 973 (24 hours)**

**If ineffective:**

**Dial Poisons Information Centre**

**(13 1126 from anywhere in Australia)**

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Copyright © Kilford & Kilford Pty Ltd, June, 2016.

<http://www.kilford.com.au> Phone (02)9251 4532

**SAFETY DATA SHEET**