



Section 1 - Identification of The Material and Supplier

Adama Australia Pty Ltd,
Suite 1, Level 4, Building B
207 Pacific Highway St Leonards, NSW 2065
ACN 050 328 973

Telephone (02)9431 7800 (office hours)
Emergency 1800 024 973 (24 hours)
Fax (02)9431 7700

Chemical nature: Abamectin in a suitable solvent system.
Trade Name: **Sorcerer 36 Insecticide**
Product Use: Experimental preparation for use as described on the product label.
Creation Date: **December, 2016**
This version issued: **May, 2017** and is valid for 5 years from this date.
Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xi, Irritating, T, Toxic, N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

SUSMP Classification: S6

ADG Classification: Class 6.1: Toxic substances.

UN Number: 2902, PESTICIDE, LIQUID, TOXIC, N.O.S.



GHS Signal word: DANGER

Flammable liquids Category 4
Acute Toxicity Oral Category 3
Skin Irritation Category 2
Eye irritation Category 2B
Acute Toxicity Inhalation Category 3
Specific Target Organ Toxicity - Single Exposure Category 3
Reproductive Toxicity Category 1
Specific Target Organ toxicity - repeated exposure Category 2
Hazardous to aquatic environment Short term/Chronic Category 1

HAZARD STATEMENT:

H227: Combustible liquid.
H301: Toxic if swallowed.
H315: Causes skin irritation.
H320: Causes eye irritation.
H331: Toxic if inhaled.
H335: May cause respiratory irritation.
H360: May damage fertility or the unborn child.
H373: May cause damage to organs through prolonged or repeated exposure.
H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.
P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P260: Do not breathe fumes, mists, vapours or spray.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash contacted areas thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

- P271: Use only outdoors or in a well ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

- P314: Get medical advice or attention if you feel unwell.
 P362: Take off contaminated clothing and wash before reuse.
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332+P313: If skin irritation occurs: Get medical advice.
 P337+P313: If eye irritation persists: Get medical advice.
 P391: Collect spillage.
 P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

- P405: Store locked up.
 P410: Protect from sunlight.
 P402+P404: Store in a dry place. Store in a closed container.
 P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

- P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & colour: Liquid; no further details available.

Odour: Characteristic odour.

Major Health Hazards: Symptoms of poisoning observed in laboratory animals include pupil dilation, vomiting, convulsions and/or tremors, and coma. Abamectin acts on insects by interfering with the nervous system. At very high doses, it can affect mammals, causing symptoms of nervous system depression such as incoordination, tremors, lethargy, excitation, and pupil dilation. Very high doses have caused death from respiratory failure. Abamectin is not readily absorbed through skin. This product is classed as toxic by inhalation and if swallowed, may cause harm to unborn children, irritating to eyes, respiratory system and skin.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Abamectin	71751-41-2	1-5	not set	not set
N-Methyl-2-pyrrolidone	872-50-4	10-30	103	309
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: If inhalation occurs, contact a Poisons Information Centre. Urgent hospital treatment is likely to be needed. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

Skin Contact: Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

SAFETY DATA SHEET

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting; rinse mouth thoroughly with water and contact a Poisons Information Centre, or call a doctor at once. Give activated charcoal if instructed.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: No data.

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: Flammable Category 4 (GHS), C1 combustible (AS 1940)

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC, Viton. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is GHS Flammable Class 4 and therefore, for Storage, meets the definition of Dangerous Goods. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SAFETY DATA SHEET

SWA Exposure Limits

N-Methyl-2-pyrrolidone

TWA (mg/m³)

103

STEL (mg/m³)

309

The ADI for Abamectin is set at 0.0005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC, Viton.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Liquid; no further details available.
Odour:	Characteristic odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	No data.
Water Solubility:	Emulsifiable.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data.
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: Polymerisation reactions are unlikely; they are not expected to occur.

Section 11 - Toxicological Information

Toxicity: Acute toxicity: Abamectin is highly toxic to insects and may be highly toxic to mammals as well. Emulsifiable concentrate formulations may cause slight to moderate eye irritation and mild skin irritation. Symptoms of poisoning observed in laboratory animals include pupil dilation, vomiting, convulsions and/or tremors, and coma. Abamectin acts on insects by interfering with the nervous system. At very high doses, it can affect mammals, causing symptoms of nervous system depression such as incoordination, tremors, lethargy, excitation, and pupil dilation. Very high doses have caused death from respiratory failure. Abamectin is not readily absorbed through skin. Tests with monkeys show that less than 1% of dermally applied Abamectin was absorbed into the bloodstream through the skin. Abamectin does not cause allergic skin reactions. The oral LD₅₀ for Abamectin in rats is 10 mg/kg, and in mice ranges

SAFETY DATA SHEET

from 14 mg/kg to greater than 80 mg/kg. The dermal LD₅₀ for technical Abamectin in rats and rabbits is greater than 330 mg/kg.

Chronic toxicity: In a 1-year study with dogs given oral doses of Abamectin, dogs at the 0.5 and 1 mg/kg/day doses exhibited pupil dilation, weight loss, lethargy, tremors, and recumbency. Similar results were seen in a 2-year study with rats fed 0.75, 1.5, or 2 mg/kg/day. Rats at all the dosage levels exhibited body weight gains significantly higher than the controls. A few individuals in the high dose group exhibited tremors. When mice were fed 8 mg/kg/day for 94 weeks, the males developed dermatitis and changes in blood formation in the spleen, while females exhibited tremors and weight loss.

Reproductive effects: Rats given 0.40 mg/kg/day of Abamectin had increased stillbirths, decreased pup viability, decreased lactation, and decreased pup weights. These data suggest that Abamectin may have the potential to cause reproductive effects at high enough doses.

Teratogenic effects: Abamectin produced cleft palate in the offspring of treated mice and rabbits, but only at doses that were also toxic to the mothers. There were no birth defects in the offspring of rats given up to 1 mg/kg/day. Abamectin is unlikely to cause teratogenic effects except at doses toxic to the mother.

Mutagenic effects: Abamectin does not appear to be mutagenic. Mutagenicity tests in live rats and mice were negative. Abamectin was shown to be nonmutagenic in the Ames test.

Carcinogenic effects: Abamectin is not carcinogenic in rats or mice. The rats were fed dietary doses of up to 2 mg/kg/day for 24 months, and the mice were up to 8 mg/kg/day for 22 months. These represent the maximum tolerated doses.

Organ toxicity: Animal studies indicate that Abamectin may affect the nervous system.

Fate in humans and animals: Tests with laboratory animals show that ingested Avermectin B1a is not readily absorbed into the bloodstream by mammals and that it is rapidly eliminated from the body within 2 days via the faeces. Rats given single oral doses of Avermectin B1a excreted 69 to 82% of the dose unchanged in the faeces. The average half-life of Avermectin B1a in rat tissue is 1.2 days. Lactating goats given daily oral doses for 10 days excreted 89% of the administered Avermectin, mainly in the faeces. Less than 1% was recovered in the urine.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
Abamectin	>=1%Conc<5%: T; R23/25; R48/20/22
N-methyl-2-pyrrolidone	Conc>=10%: T; R61; R36/37/38
	<ul style="list-style-type: none"> • Eye irritation - category 2A • Skin irritation - category 2 • Specific target organ toxicity (single exposure) - category 3 • Reproductive toxicity - category 1B

There is no data to hand indicating any particular target organs.

N-methyl-2-pyrrolidone is a SWA Class 2 Reproductive risk, may cause harm to the unborn child.

Potential Health Effects

Inhalation:

Short term exposure: Available data shows that this product is toxic, but symptoms are not available. In addition product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: This product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but if treated promptly, all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. Available data shows that this product is toxic, but further symptoms are not available. However, this product is an oral irritant. Symptoms may include

SAFETY DATA SHEET

burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 12 - Ecological Information

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

Effects on birds: Abamectin is practically nontoxic to birds. The LD₅₀ for Abamectin in bobwhite quail is >2000 mg/kg. The dietary LC₅₀ is 3102 ppm in bobwhite quail. There were no adverse effects on reproduction when mallard ducks were fed dietary doses of 3, 6, or 12 ppm for 18 weeks.

Effects on aquatic organisms: Abamectin is highly toxic to fish and extremely toxic to aquatic invertebrates. Its LC₅₀ (96-hour) is 0.003 mg/L in rainbow trout, 0.0096 mg/L in bluegill sunfish, 0.015 mg/L in sheepshead minnows, 0.024 mg/L in channel catfish, and 0.042 mg/L in carp. Its 48-hour LC₅₀ in *Daphnia magna*, a small freshwater crustacean, is 0.003 mg/L. The 96-hour LC₅₀ for Abamectin is 0.0016 mg/L in pink shrimp, 430 mg/L in eastern oysters, and 153 mg/L in blue crab. While highly toxic to aquatic organisms, actual concentrations of Abamectin in surface waters adjacent to treated areas are expected to be low. Abamectin did not bioaccumulate in bluegill sunfish exposed to 0.099 µg/L for 28 days in a flow-through tank. The levels in fish were from 52 to 69 times the ambient water concentration, indicating that Abamectin does not accumulate or persist in fish.

Effects on other organisms: Abamectin is highly toxic to bees, with a 24-hour contact LC₅₀ of 0.002 µg/bee and an oral LD₅₀ of 0.009 µg/bee.

Breakdown in soil and groundwater: Abamectin is rapidly degraded in soil. At the soil surface, it is subject to rapid photodegradation, with half-lives of 8 hours to 1 day reported. When applied to the soil surface and not shaded, its soil half-life is about 1 week. Under dark, aerobic conditions, the soil half-life was 2 weeks to 2 months. Loss of Abamectin from soils is thought to be due to microbial degradation. The rate of degradation was significantly decreased under anaerobic conditions. Because Abamectin is nearly insoluble in water and has a strong tendency to bind to soil particles, it is immobile in soil and unlikely to leach or contaminate groundwater. Compounds produced by the degradation of Abamectin are also immobile and unlikely to contaminate groundwater.

Breakdown in water: Abamectin is rapidly degraded in water. After initial distribution, its half-life in artificial pond water was 4 days. Its half-life in pond sediment was 2 to 4 weeks. It undergoes rapid photodegradation, with a half-life of 12 hours in water. When tested at pH levels common to surface and groundwater (pH 5, 7, and 9), Abamectin did not hydrolyse.

Breakdown in vegetation: Plants do not absorb Abamectin from the soil. Abamectin is subject to rapid degradation when present as a thin film, as on treated leaf surfaces. Under laboratory conditions and in the presence of light, its half-life as a thin film was 4 to 6 hours.

Section 13 - Disposal Considerations

Disposal: Dispose of this product as you would for registered Abamectin based products.

Section 14 - Transport Information

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

UN Number: 2902, PESTICIDE, LIQUID, TOXIC, N.O.S.

Hazchem Code: 2X

Special Provisions: 61, 223, 274

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 6.1, Toxic Substances.

Packing Group: III

Packing Instruction: P001, IBC03, LP01

Class 6 Toxic Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids where the Flammable Liquid is nitromethane), 5.1 (Oxidising Agents where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides where the Toxic Substances are Fire Risk Substances), 8 (Corrosive Substances where the Toxic Substances are cyanides and the Corrosives are acids), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes, 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Toxic Gases), 3 (Flammable liquids, except where the flammable liquid is nitromethane), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents except where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides except where the Toxic Substances are Fire Risk

SAFETY DATA SHEET

Substances), 7 (Radioactive Substances), 8 (Corrosive Substances except where the Toxic Substances are cyanides and the Corrosives are acids), 9 (Miscellaneous Dangerous Goods)

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredients: Abamectin, N-Methyl-2-pyrrolidone, are mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

Contact Points:

Call Adama on (02)9431 7800 and ask for the technical manager.

Fax: (02)9431 7700

Police and Fire Brigade:	Dial 000
Emergency contact:	1800 024 973 (24 hours)

If ineffective:

**Dial Poisons Information Centre
(13 1126 from anywhere in Australia)**

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Copyright © Kilford & Kilford Pty Ltd, May, 2017.

<http://www.kilford.com.au/> Phone (02)8321 8866

SAFETY DATA SHEET