



GB

Page 1 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Omaha 2

400 g/l Pendimethalin CAS 40487-42-1

40 g/l Diflufenican CAS 83164-33-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Herbicide

Uses advised against:

Not applicable

1.3 Details of the supplier of the safety data sheet

Adama Agricultural Solutions UK Ltd, Unit 15, Thatcham Business Village Colthrop Way, Thatcham Berkshire RG19 4LW, UK
Telephone: 01635 860555, Fax: 01635 861555
ukenquiries@adama.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone

Emergency information services / official advisory body:

National Chemical Emergency Centre (UK): 01865 407333 (24 hours)

Telephone number of the company in case of emergencies:

Tel.: --

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Aquatic Acute	1	H400-Very toxic to aquatic life.
Aquatic Chronic	1	H410-Very toxic to aquatic life with long lasting effects.

ADAMA



GB

Page 2 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 12.01.2015 / 0002

Replaces revision of / Version: 08.01.2015 / 0001

Valid from: 12.01.2015

PDF print date: 13.01.2015

Omaha 2

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments)

N, Dangerous for the environment, R50/53

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H410-Very toxic to aquatic life with long lasting effects.

P102-Keep out of reach of children.

P501-Dispose of contents/container to special waste collection point.

EUH208-Contains Pendimethalin (ISO), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401-To avoid risks to human health and the environment, comply with the instructions for use.

SP 1 Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

Formulation:

Suspension concentrate

3.1 Substance

n.a.

3.2 Mixture

Pendimethalin (ISO)	
Registration number (REACH)	--
Index	609-042-00-X
EINECS, ELINCS, NLP	254-938-2

ADAMA



GB

Page 3 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

CAS	CAS 40487-42-1
content %	30-40
Classification according to Directive 67/548/EEC	Sensitizing, R43 Dangerous for the environment, N, R50 Dangerous for the environment, R53
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

Ethoxylated polyaryl phenol	
Registration number (REACH)	--
Index	---
EINECS, ELINCS, NLP	-
CAS	CAS 99734-09-5
content %	1-5
Classification according to Directive 67/548/EEC	Dangerous for the environment, R52 Dangerous for the environment, R53
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Chronic 3, H412

Diflufenican	
Registration number (REACH)	--
Index	616-032-00-9
EINECS, ELINCS, NLP	-
CAS	CAS 83164-33-4
content %	1-5
Classification according to Directive 67/548/EEC	Dangerous for the environment, R52 Dangerous for the environment, R53
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Chronic 3, H412

1,2-benzisothiazol-3(2H)-one	
Registration number (REACH)	--
Index	613-088-00-6
EINECS, ELINCS, NLP	220-120-9
CAS	CAS 2634-33-5
content %	0,005-<0,05
Classification according to Directive 67/548/EEC	Harmful, Xn, R22 Irritant, Xi, R38 Irritant, Xi, R41 Sensitizing, R43 Dangerous for the environment, N, R50
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10)

For the text of the R-phrases / H-phrases and classification codes (GHS/CLP), see Section 16.



GB

Page 4 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

The substances named in this section are given with their actual, appropriate classification!
For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove person from danger area.
Supply person with fresh air and consult doctor according to symptoms.
If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.
Give copious water to drink - consult doctor immediately.
Never pour anything into the mouth of an unconscious person!

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

Antidote:

None known

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO₂/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Oxides of phosphorus

Hydrofluoric acid

Toxic gases

5.3 Advice for firefighters

ADAMA



GB

Page 5 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.
Avoid contact with eyes or skin.
If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.
Fill the absorbed material into lockable containers.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.
Avoid contact with eyes or skin.
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
Observe directions on label and instructions for use.
Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.
Observe regulations for keeping separated.
Store product closed and only in original packing.
Not to be stored in gangways or stair wells.



GB

Page 6 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

Under all circumstances prevent penetration into the soil.
Only store at temperatures from 0°C to 35°C.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

GB	Chemical Name	Glycerine	Content %:
	WEL-TWA: 10 mg/m3 (mist)	WEL-STEL: ---	---
	BMGV: ---	Other information: ---	

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:
Chemical resistant protective gloves (EN 374).
If applicable
Protective Neoprene® / polychloroprene gloves (EN 374).
Protective nitrile gloves (EN 374)
Protective PVC gloves (EN 374)
Minimum layer thickness in mm:
0,5
Permeation time (penetration time) in minutes:
120



GB

Page 7 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions.
The recommended maximum wearing time is 50% of breakthrough time.
Protective hand cream recommended.

Skin protection - Other:
Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection:
Normally not necessary.
with formation of mist.
Filter A2 P2 (EN 14387), code colour brown, white
Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:
Not applicable

Additional information on hand protection - No tests have been performed.
In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.
Selection of materials derived from glove manufacturer's indications.
Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.
The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid, Suspension
Colour:	Orange, Brown
Odour:	Solvent
Odour threshold:	Not determined
pH-value:	6,75 (20°C, CIPAC MT 75.3)
pH-value:	6,19 (1 %, 20°C, CIPAC MT 75.3)
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	>100 °C (Regulation (EC) 440/2008 A.9. (FLASH-POINT))
Evaporation rate:	Not determined
Flammability (solid, gas):	n.a.
Lower explosive limit:	n.a.
Upper explosive limit:	n.a.
Vapour pressure:	Not determined
Vapour density (air = 1):	Not determined

ADAMA



GB

Page 8 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

Density:	1,1225 g/ml (20°C, Regulation (EC) 440/2008 A.3. (RELATIVE DENSITY))
Bulk density:	n.a.
Solubility(ies):	Not determined
Water solubility:	Not determined
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	395 °C (Regulation (EC) 440/2008 A.15. (AUTO-IGNITION TEMPERATURE (LIQUIDS AND GASES)))
Decomposition temperature:	Not determined
Viscosity:	0,834 Pas (20°C, OECD 114 (Viscosity of Liquids))
Viscosity:	0,637 Pas (30°C, OECD 114 (Viscosity of Liquids))
Viscosity:	0,476 Pas (40°C, OECD 114 (Viscosity of Liquids))
Explosive properties:	Product is not explosive. (Regulation (EC) 440/2008 A.14. (EXPLOSIVE PROPERTIES))
Oxidising properties:	No
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	40,3 mN/m (0 %, 20°C, Regulation (EC) 440/2008 A.5. (SURFACE TENSION))
Solvents content:	Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Protect from frost.

Strong heat

10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

Avoid contact with strong alkalis.

Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

ADAMA



GB

Page 9 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Possibly more information on health effects, see Section 2.1 (classification).

Omaha 2						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000		Rat	OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method)	
Acute toxicity, by dermal route:	LD50	>2000		Rat	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Slightly irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizing
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Respiratory tract irritation:						n.d.a.
Repeated dose toxicity:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification based on toxicological analyses.

Pendimethalin (ISO)						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit		
Acute toxicity, by inhalation:	LC50	>320	mg/l	Rat		
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:				Rabbit		Slightly irritant
Respiratory or skin sensitisation:						Yes (skin contact)
Respiratory or skin sensitisation:					OECD 406 (Skin Sensitisation)	Not sensitizing
Germ cell mutagenicity:						Negative



GB

Page 10 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Carcinogenicity:	NOEL	100	mg/kg			Negative
Reproductive toxicity:	NOAEL	250	mg/kg/d	Rat		
Reproductive toxicity:	NOAEL	250	mg/kg bw/d	Rat		(maternal teratogenicity)
Reproductive toxicity:	NOAEL	60,4 - 90,7	mg/kg/d	Rat		
Other information:						ADI 0,125 mg/kg bw/d

Ethoxylated polyaryl phenol						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Skin corrosion/irritation:				Rabbit		Not irritant
Serious eye damage/irritation:				Rabbit		Not irritant
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative

Diflufenican						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	>4,94	mg/l/4h	Rat		

1,2-benzisothiazol-3(2H)-one						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	375	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	500	mg/kg			
Acute toxicity, by dermal route:	LD50	4115	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	0,25	mg/l/4h	Rat		Dust, Does not conform with EU classification.
Skin corrosion/irritation:						Irritant
Serious eye damage/irritation:						Intensively irritant
Respiratory or skin sensitisation:				Guinea pig		Sensitizing (skin contact)
Germ cell mutagenicity:						Negative
Symptoms:						vomiting, headaches, gastrointestinal disturbances, nausea

Glycerine						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes

ADAMA



GB

Page 11 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Acute toxicity, by oral route:	LD50	>12600	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rabbit		
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	IUCLID Chem. Data Sheet (ESIS)	
Acute toxicity, by dermal route:	LD50	>10000	mg/kg	Rabbit		
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	IUCLID Chem. Data Sheet (ESIS)	
Skin corrosion/irritation:				Rabbit	IUCLID Chem. Data Sheet (ESIS)	Not irritant
Skin corrosion/irritation:					OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:				Guinea pig		Not sensitizing
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Reproductive toxicity:	NOAEL	2000	mg/kg/d			Negative
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	3,91	mg/l	Rat		14d
Aspiration hazard:						Negative
Symptoms:						abdominal pain, drowsiness, diarrhoea, vomiting, headaches, mucous membrane irritation

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Omaha 2							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	4,91	mg/l		OECD 203 (Fish, Acute Toxicity Test)	
Toxicity to fish:	NOEC/NOEL		2,24	mg/l		OECD 203 (Fish, Acute Toxicity Test)	



GB

Page 12 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Toxicity to daphnia:	EC50	48h	99	mg/l		OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to daphnia:	NOEC/NOEL		30	mg/l		OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to algae:	ErC50	72h	0,0231	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to algae:	EbC50	72h	0,0076	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to algae:	NOEC/NOEL		0,0008	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
Persistence and degradability:							n.d.a.
Bioaccumulative potential:							n.d.a.
Mobility in soil:							n.d.a.
Results of PBT and vPvB assessment							n.d.a.
Other adverse effects:							n.d.a.

Pendimethalin (ISO)							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	0,14	mg/l	Oncorhynchus mykiss		
Toxicity to fish:	LC50	96h	0,199	mg/l	Oncorhynchus mykiss		
Toxicity to fish:	LC50	96h	0,2	mg/l	Lepomis macrochirus		
Toxicity to fish:	LC50	96h	0,707	mg/l	Cyprinus caprio		
Toxicity to daphnia:	LC50	24h	0,52	mg/l	Daphnia magna		
Persistence and degradability:							DT50 3-4m
Persistence and degradability:	DT50		<21	d			Water
Bioaccumulative potential:	Log Pow		5,18				
Mobility in soil:							Kd 2,23 (0,01% o.m., pH6,6) - 1638 (16,9% o.m., pH6,8)
Toxicity to insects:			>50	µg/bee			topical



GB

Page 13 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Ethoxylated polyaryl phenol							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Persistence and degradability:		28d	16	%		OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test)	
Persistence and degradability:		28d	8	%		OECD 301 A (Ready Biodegradability - DOC Die-Away Test)	

Diflufenican							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	>0,04	mg/l			Does not conform with EU classification.
Toxicity to daphnia:	EC50	48h	0,24	mg/l	Daphnia magna		Does not conform with EU classification.
Toxicity to algae:	EC50	72h	0,0002 -0,0004	mg/l			Does not conform with EU classification.
Toxicity to birds:	LD50		>2150	mg/kg	Colinus virginianus		
Toxicity to birds:	LD50		>4000	mg/kg	Anas platyrhynchos		

1,2-benzisothiazol-3(2H)-one							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	1,3-1,6	mg/l	Salmo gairdneri		
Toxicity to fish:	LC50	96h	2,18	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
Toxicity to fish:	LC50	96h	3,4	mg/l	Lepomis macrochirus		
Toxicity to daphnia:	EC50	48h	1,5-3,3	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to algae:	EC50	72h	0,11	mg/l	Pseudokirchneriella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to algae:	EC50	72h	0,15	mg/l	Chlorella vulgaris		



GB

Page 14 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revised on / Version: 12.01.2015 / 0002
 Replaces revision of / Version: 08.01.2015 / 0001
 Valid from: 12.01.2015
 PDF print date: 13.01.2015
 Omaha 2

Toxicity to algae:	EC50	96h	0,055	mg/l	Pseudokirchnerie lla subcapitata		
Bioaccumulative potential:	Log Pow		1,11				A notable biological accumulation potential is not to be expected (LogPow 1-3).
Toxicity to bacteria:	EC50	16h	0,4	mg/l	Pseudomonas putida		

Glycerine							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	24h	>5000	mg/l	Carassius auratus		References
Toxicity to fish:	LC50	96h	> 5000	mg/l	Carassius auratus		
Toxicity to fish:	LC50	96h	>10000	mg/l	Leuciscus idus		
Toxicity to daphnia:	EC50	24h	>10000	mg/l	Daphnia magna		
Toxicity to daphnia:	EC50	24h	>10000	mg/l	Daphnia magna	IUCLID Chem. Data Sheet (ESIS)	
Toxicity to daphnia:	EC5	72h	3200	mg/l			References
Toxicity to algae:	IC5	7d	>10000	mg/l	Scenedesmus quadricauda		
Toxicity to algae:	IC5	7d	>10000	mg/l	Selenastrum capricornutum		References
Persistence and degradability:		14d	63	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	
Persistence and degradability:		14d	63	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	
Bioaccumulative potential:	Log Pow		-1,76				
Results of PBT and vPvB assessment							n.a.
Toxicity to bacteria:	EC5	16h	> 10000	mg/l	Pseudomonas putida		
Other information:	BOD5		0,87	g/g			
Other information:	COD		1,16	g/g			

SECTION 13: Disposal considerations



GB

Page 15 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 12.01.2015 / 0002

Replaces revision of / Version: 08.01.2015 / 0001

Valid from: 12.01.2015

PDF print date: 13.01.2015

Omaha 2

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

02 01 08 agrochemical waste containing dangerous substances

07 04 01 aqueous washing liquids and mother liquors

20 01 19 pesticides

Recommendation:

Pay attention to local and national official regulations

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements

UN number: 3082

Transport by road/by rail (ADR/RID)

UN proper shipping name:

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENDIMETHALIN)

Transport hazard class(es):

9

Packing group:

III

Classification code:

M6

LQ (ADR 2013):

5 L

LQ (ADR 2009):

7

Environmental hazards:

environmentally hazardous

Tunnel restriction code:

E



Transport by sea (IMDG-code)

UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENDIMETHALIN)

Transport hazard class(es):

9

Packing group:

III

EmS:

F-A, S-F

Marine Pollutant:

Yes

Environmental hazards:


environmentally hazardous



Transport by air (IATA)

UN proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (PENDIMETHALIN)



ADAMA



GB

Page 16 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

Transport hazard class(es): 9
Packing group: III
Environmental hazards: environmentally hazardous

Special precautions for user

Persons employed in transporting dangerous goods must be trained.
All persons involved in transporting must observe safety regulations.
Precautions must be taken to prevent damage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.
Minimum amount regulations have not been taken into account.
Danger code and packing code on request.
Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions:

Comply with trade association/occupational health regulations.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised sections:

2, 3, 11, 12

Observe plant protection medium law.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Aquatic Acute 1, H400	Classification based on toxicological analyses.
Aquatic Chronic 1, H410	Classification based on toxicological analyses.

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

22 Harmful if swallowed.

38 Irritating to skin.

41 Risk of serious damage to eyes.

43 May cause sensitization by skin contact.

50 Very toxic to aquatic organisms.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

ADAMA



GB

Page 17 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

52 Harmful to aquatic organisms.
53 May cause long-term adverse effects in the aquatic environment.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Aquatic Chronic — Hazardous to the aquatic environment - chronic
Aquatic Acute — Hazardous to the aquatic environment - acute
Skin Sens. — Skin sensitization
Acute Tox. — Acute toxicity - oral
Skin Irrit. — Skin irritation
Eye Dam. — Serious eye damage

Any abbreviations and acronyms used in this document:

AC Article Categories
acc., acc. to according, according to
ACGIH American Conference of Governmental Industrial Hygienists
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOEL Acceptable Operator Exposure Level
AOX Adsorbable organic halogen compounds
approx. approximately
Art., Art. no. Article number
ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
BCF Bioconcentration factor
BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)
BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)
BMGV Biological monitoring guidance value (EH40, UK)
BOD Biochemical oxygen demand
BSEF Bromine Science and Environmental Forum
bw body weight
CAS Chemical Abstracts Service
CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids
CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques
CIPAC Collaborative International Pesticides Analytical Council
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
COD Chemical oxygen demand

ADAMA



GB

Page 18 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

CTFA Cosmetic, Toiletry, and Fragrance Association
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon
DT50 Dwell Time - 50% reduction of start concentration
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EC European Community
ECHA European Chemicals Agency
EEA European Economic Area
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
EN European Norms
EPA United States Environmental Protection Agency (United States of America)
ERC Environmental Release Categories
ES Exposure scenario
etc. et cetera
EU European Union
EWC European Waste Catalogue
Fax. Fax number
gen. general
GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
HET-CAM Hen's Egg Test - Chorionallantoic Membrane
HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC Intermediate Bulk Container
IBC (Code) International Bulk Chemical (Code)
IC Inhibitory concentration
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive
IUCLID International Uniform Chemical Information Database
LC lethal concentration
LC50 lethal concentration 50 percent kill
LCLo lowest published lethal concentration
LD Lethal Dose of a chemical
LD50 Lethal Dose, 50% kill
LDLo Lethal Dose Low
LOAEL Lowest Observed Adverse Effect Level
LOEC Lowest Observed Effect Concentration
LOEL Lowest Observed Effect Level
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available

ADAMA



GB

Page 19 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 12.01.2015 / 0002
Replaces revision of / Version: 08.01.2015 / 0001
Valid from: 12.01.2015
PDF print date: 13.01.2015
Omaha 2

n.c. not checked
n.d.a. no data available
NIOSH National Institute of Occupational Safety and Health (United States of America)
NOAEC No Observed Adverse Effective Concentration
NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration
NOEL No Observed Effect Level
ODP Ozone Depletion Potential
OECD Organisation for Economic Co-operation and Development
org. organic
PAH polycyclic aromatic hydrocarbon
PBT persistent, bioaccumulative and toxic
PC Chemical product category
PE Polyethylene
PNEC Predicted No Effect Concentration
POCP Photochemical ozone creation potential
ppm parts per million
PROC Process category
PTFE Polytetrafluorethylene
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
SADT Self-Accelerating Decomposition Temperature
SAR Structure Activity Relationship
SU Sector of use
SVHC Substances of Very High Concern
Tel. Telephone
ThOD Theoretical oxygen demand
TOC Total organic carbon
TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).
WHO World Health Organization
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

ADAMA



GB

Page 20 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 12.01.2015 / 0002

Replaces revision of / Version: 08.01.2015 / 0001

Valid from: 12.01.2015

PDF print date: 13.01.2015

Omaha 2

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

ADAMA