



DARVIN[©] 50EW

GUARANTEE (DHAMANA):

Diazinon 500g/L

Public health insecticide for the control
of Cockroaches and Ants

(Dawa ya kuthibiti mende na sisimizi)



Severely irritating to eyes and a moderate skin sensitizer
Inaweza kukera macho na kuhamasisha ngozi



FLAMMABLE
LIQUID



IRRITANT
HUWASHA



SCAN FOR
WEBSITE


Commercial and Agricultural class • Kundi la bishara na kilimo
Registration number/Namba ya Usajili: PCPB (CR) 0814

READ THE LABEL BEFORE USING. KEEP LOCKED AWAY FROM
CHILDREN, FOOD AND ANIMAL FEEDSTUFF.
(SOMA MAELEZO KABLA YA KUTUMIA, WEKA MBALI NA WATOTO,
VYAKULA NA VINYWAJI)

In case of poisoning call toll free 0800 730030/720021 (24 hours)
Ikiva kuna tukio la madhara piga simu bila malipo 0800
730030/720021 (masaa 24)

1L

WHO CLASS III



INSECTICIDE



ADAMA ESSENTIALS



ADAMA



Maelezo: DARVIN 50EW ni dawa inayothibiti mende na sisimizia

JINSI INAVYOFANYA KAZI: DARVIN 50EW ni dawa ya kuangamiza wadudu kwa kudhuru kupumua na kutembea kwa wadudu hao.

JINSI YA KUTUMIA: Changanya na maji kulingana na kiwango kilichoandikwa kisha unyunyize kwenye mikuta, sakafu na samani ambazo zimeashambuliwa na mende na sisimizi.

Wadudu	Wakati wa kunyunyiza	Kipimo kwenye lita 20 za maji
Mende na sisimizi	Wadudu wanapoonekana	Mililita 25

Hadhari inapotumiwa: Weka mbali na watoto, wanyama na chakula cha watu na wanyama. Yaweza kuleta muwasho kwenye mapua, koo, macho na ngozi. Tumia 'overall', mipira ya mikono na vazi la kufunika uso. Usile, kunywa wala kuvuta sigara utumiapo dawa.

Kuchanganya kwa usalama: Epuka kugusana na dawa unapoichanganya. Vaa 'overall', mipira ya mikono na vazi la kufunika uso unapoichanganya.

Kunyunyizia kwa usalama: Vaa mavazi ya kujikinga na dawa unaponyunyizia. Usijichafue na maji ya dawa. Hakikisha upepo hauisukumi dawa upande wako.

Usalama baada ya kutumia: Nawa mikono na mwili vizuri.

UHIFADHI: Weka na kufungia DARVIN 50EW mbali na watoto na wanyama. Weka mahali pakavu ambapo kipimo cha joto hakizidi 30°C. Weka mbali na moto na ndimi zake. Hakikisha dawa hazisongomani kwenye stoo.

KUTUPA: Usitumie kifaa kilichokuwa na dawa hii kwa namna nyingine yoyote. Osha mikebe mara tatu kwa kutumia maji kisha utupe kulingana na sharia za utupaji.

Ikvuja au Ikimwagika: Funika au zika dawa iliyomwagika kwa mchanga au vumbi ya mbao. Kusanya mchanganyiko huo na utupe kulingana na sharia za utupaji. Osha kabisa sakafu iliyochofuka kwa maji na sabuni.

Madhara kwa mazingira: Dawa hii inadhuru nyuki, ndege na samaki.

Usiruhusu dawa iloweke kwenye chemicchemi za maji.

Masharti ya Huduma ya kwanza:

Simamisha kazi mara moja. Chunguza kama kuna dalili za uchovu.

Toka pahali palipo chafuliwa na dawa. Vua nguo ikiwa zimechafuliwa.



Ikimezwa, usilazimishe muathiriwa kutapika. Peleka muathiriwa hospitalini na uonyeshe daktari kibandiko hiki. Ikiingia machoni, osha mara moja kwa maji mengi. Maumivu yakizidi, mpeleke mjeruhi kwa daktari. Ikgusa ngozi, vua mavazi iliyoguzwa na uoshe kwa maji mengi na sabuni. Kisha osha tena na maji yasiyo na moto kabisa. Maumivu yakizidi, mpeleke mjeruhi kwa daktari. Ikivutwa wakati wa kupumua, mwondoe mwadhiriwa na umweke mahali penye hewa safi. Hakikisha muathiriwa hahisi baridi. Tafuta matibabu zaidi.

MAELEZO KUHUSU SUMU

Dalili za kusumika: Kuumwa na kichwa, kutoka jasho, kuhara na zingine kuingana na organophosphate.

Kiuasumu: Atropine sulfate

Maeleo kwa daktari: Timu na atropine sulfate na 1000 mg pralidoxime chloride au 250 mg of toxogonin.

PELEKA MJERUHI KWA DAKTARI

**Ikiwa kuna kusumika simu bila malipo 0800 730030/0800 720021
(masaa 24)**

ILANI KWA MUTUMIAJI

Dawa hii lazima itumike kulingana na maeleo yaliyoko katika kibandiko hiki. Ni hatia chini ya sheria za viuadudu kuitumia au huhifadhi dawa hii kwa njia nyingine kinyume na ile iliyoelezewa hapa.

THIBITISHO: Dhamana ya muuzaji imeshauriwa na masharti yaliyowekwa kwenye kijikaratasi na label. Muuzaji hahusiki kamwe na madhara yoyote yanayotokana na utumiaji wa dawa hii kwa njia zinazohatarisha maisha.

DESCRIPTION: DARVIN 50 EW is a public health insecticide for the control of Cockroaches and Ants.

Mode of action: DARVIN 50EW contains diazinon, an organophosphorous insecticide which acts by inhibiting acetylcholinesterase.

DIRECTIONS FOR USE: Mix with water at the recommended rates and apply onto infested walls, floors and furniture.



Target pests	Timing of application	RATE IN 20L of water
Cockroaches and ants	On siting of cockroaches and/or ants	25 mL

Handling precautions: Keep out of reach of children. Do not ingest. It may cause irritation of nose, throat, eyes and skin. Do not breathe spray mist. Use overall, gloves and mask when handling. Do not eat, drink or smoke while handling the product.

Safety when mixing: Wear protective clothing when mixing. Avoid contamination from spray liquid by spillage and drift.

Safety when spraying: Wear protective clothing when spraying. Avoid contamination from spray liquid by spillage and drift.

Safety after spraying: Wash hands and body thoroughly after spraying.

STORAGE: Store DARVIN 50EW under lock and key and out of reach in a cool dry place away from food, feed, children and animals and from direct sunlight. Store below 30°C.

DISPOSAL OF WASTE AND EMPTY CONTAINERS: Triple rinse the containers and dispose in accordance with national regulations. Do not re-use the empty containers for any other purpose. Do not allow material to enter sewers or bodies of water.

LEAKAGE AND SPILLAGE: If leakage of the liquid or spray mix occurs, soak up material with sand, soil or sawdust. Collect this contaminated material and dispose in accordance with national regulations.

ENVIRONMENTAL HAZARDS: The product is toxic to bees, birds and fish. Do not allow material to enter sewers or bodies of water.

FIRST AID MEASURES: If poisoning is suspected, stop work immediately. Remove victim from the area of contamination and if clothing is contaminated, remove it. In case of contact with eyes, wash off with plenty of water for at least 15 minutes, including the area under the eyelids. If irritation persists, consult an eye specialist. In case of contact with skin, remove affected clothing and wash all exposed skin area with soap and water, followed by warm water rinse. Consult a doctor if irritation persists. Wash contaminated clothing before re-use. If inhaled, remove victim to fresh air. Keep victim warm and at rest. If breathing is irregular or stopped, give oxygen. Seek medical attention. If swallowed,



do not induce vomiting. Seek medical attention immediately and show this label.

TOXICOLOGICAL INFORMATION / Note to DOCTOR:

Symptoms of poisoning: Sweating, weakness, salivation, nausea, diarrhoea, bradycardia, trachycardia, bronchorrhea, small pupils, central nervous system depression, fasciculation and convulsions.

ANTIDOTE: Atropine sulphate

NOTE TO THE PHYSICIAN: Persons with manifest peripheral symptoms should be treated with 2-4 mg of atropine sulfate and 1000 mg pralidoxime chloride or 250 mg of toxogonin (adult dose) by slow intravenous injection. More atropine may be given as needed. Persons with severe intoxication with respiratory difficulties, convulsions and unconsciousness should immediately be given atropine and a reactivator. In such severe cases 4-6 mg of atropine sulfate should be given initially followed by repeated doses of 2 mg at 5-10 min intervals. Iazepam may be given to control convulsions. The patient's condition including respiration, blood pressure, pulse frequency, salivation and convulsions should be carefully observed as a guide to further administration of atropine.

In case of poisoning call toll free 0800 730030/720021

NOTICE TO USER: This pest control product is to be used in accordance with the direction on this label. It is an offence under the pest control Products Act to use or store a pest control product under unsafe conditions



WARRANTY: Seller's guarantee is limited to the terms set out on the label and subject there to, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

SHELF LIFE: 2 years from date of manufacture if stored in a cool, dry, well-ventilated place in original unopened container.

MAISHA RAFUNI: Miaka miwili kutoka tarehe ya kutengenezwa ikiwa imewekwa katika mkoba wake halisi ambao haujafunguliwa.

In case of poisoning call toll free 0800 730030/720021 (24 hours)

Ikiwa kuna tukio la madhara piga simu bila malipo 0800 730030/720021 (masaa 24)

Manufactured by / Imetengenezwa na
Adama Makhteshim Ltd
P.O.Box 60, Beer-Sheva, 84100 - Israel
Web: www.adama.com



Registered by/Imezajiliwa na:
Adama Agriculture East Africa Ltd
P.O. BOX 40034 Nairobi 00100 Kenya

ADAMA