



Badge[®]

45EC



A Post-emergence herbicide for the control of broad-leaved weeds in wheat
(Sumu ya gugu zenye majani mapana kwenye ngano)

COMMERCIAL & AGRICULTURAL CLASS.

(KUNDI LA BIASHARA NA KILIMO.)

GUARANTEE (DHAMANA):

Bromoxynil octanoate 327.5g/l + MCPA 351.0g/l

REGISTRATION NO. (NAMBARI YA USAJILI):

PCPB (CR) 0720

READ THE LABEL BEFORE USING

(SOMA KIBANDIKO KABLA YA KUTUMIA)

KEEP OUT OF REACH OF CHILDREN

(FUNGIA MBALI NA WATOTO)

Shelf life: 2 years from date of manufacture when stored in original unopened container in a cool dry place.

Maisha Rafuni: Miaka 2 baada ya kutengenezwa kama imewekwa kwenye chombo chake halisi hakijafunguliwa mahali pakavu pasipo na joto nyingi.

In case of Emergency call toll free No.

(Wakati wa Dharura piga simu bila malipo-masaa 24):

0800720021/ 0800730030(24hrs)

Member Of
Agro Chemical
Association Of Kenya
Registration Number:
AAK 219



Mft date/Tarehe ya kutengenezwa:

Batch No./Nambari ya Kifurusi:

Expiry date/Tumia kabla ya:

Distributor / Wasambazaji:

Amiran Kenya Ltd, Old Airport Road,

P. O. Box 30327-00100 Nairobi Kenya.

Tel.: 0719 095000 Email.: fert@amirankenya.com

www.amirankenya.com



Manufacturer / Watengenezaji:

Adama Agan Ltd, Israel



Warning (Ilani)

Very toxic to aquatic life,
may cause long term adverse effects
in the aquatic environment

WHO
CLASS II

Net Contents / Ujazo **20Lt**



**CAUTION
(TAHADHARI)**



Badge® 45EC

General information: Badge 45EC is a selective post-emergence herbicide that contains Bromoxynil octanoate, a nitrile and MCPA, a phenoxy for control of broad leaved weeds in wheat.

Mode of action

Badge 45EC is a contact and systemic herbicide that inhibits photosynthesis and uncouples oxidative phosphorylation and inhibits growth by concentrating in the meristematic regions of the weed.

Direction for use

Apply Badge 45EC when the weeds are in the seedling stage and actively growth before the 4-true leaf stage.

Application Rate

CROPS	PESTS	RATE	TIMING	P.H.I
Wheat	Broad leaf weeds	1.25-1.4L/Ha in 200L of water 125-140ml in 20L of water	During favorable conditions for both weeds and crops	40 days

Re-entry interval: 6 hours.

Hazards/precautions

Wear protective clothing: overalls, footwear, gloves, and face shield when preparing and using the product. Do not eat, drink or smoke while using it. Avoid inhaling spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of the spray mist.

After work

Wash hands before breaks and at end of work. Change clothes and wash hands and face with soap and water thoroughly. Wash the spraying equipment and any contaminated clothing carefully.

Storage

Keep out of reach of children. Store in tightly closed original container in a cool dry and well ventilated place, under lock and key so that unauthorized persons do not have access. Keep away from food, drinks, animal feeds and away from sparks, open flames and direct sunlight.

Disposal

Triple rinse the bottle and puncture or perforate it and dispose off in a landfill site approved for pesticides or bury away from water resources or return to stockist/Distributor. The rinsate should be disposed off away from surface water to avoid contamination. Do not re-use the empty container for any other purpose.

Leakage and spillage

Wear protective clothing. Use sand or sawdust to absorb the chemical and collect it using a shovel. Put in authorized disposing containers. Do not contaminate waterways and rivers. In case of large spills, consult the distributor.

Wildlife and environmental protection

Badge 45EC is toxic to fish and aquatic organisms. Do not contaminate streams, rivers or waterways with the chemical or used packs.

FIRST AID INSTRUCTIONS

If poisoning is suspected, contact the doctor, or Poisons Information Centre. **Skin contact:** Take off clothing; wash the skin immediately with plenty of water and soap. **Eye contact:** Hold the eye open and rinse thoroughly with running Water for 15 minutes. **If inhaled:** Move the patient to fresh air. If the subject is not breathing, give artificial respiration, preferably mouth – to – mouth and call the doctor immediately. **If swallowed:** Wash out mouth with plenty of water. Never give anything by mouth to an unconscious person. Seek medical advice immediately.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: Headache, dizziness, cramps, nausea and vomiting

Antidote: There is no specific antidote known.

Note to physician/Treatment: Treat symptomatic and supportively

In case of emergency call toll free number(24hrs): 0800720021/0800730030.

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY: Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Maelezo: Badge 45EC ina uwezo wa kuchagua na magugu yenye majani mapana na kuyadhibiti. Ni mchanganyiko wa Bromoxynil octanoate ambayo ni nitrili na MCPA ambayo ni fenoksi inayotumika kuzuia magugu yenye majani mapana kwa ngano.

Jinsi Inavyofanya kazi:

Badge 45EC huzuia utengenezaji wa chakula wa magugu kwenye majani na kuzuia ukuaji kwa kusongomana kwenye sehemu za magugu zenye husababisha ukuaji.

Jinsi Inavyo Tumika

Nyunyizia Badge 45EC wakati magugu yanaotesha na yanadhibitisha ukuaji kabla ya kutumia majani manne ya kweli.

Vipimo

MIMEA	WAGUGU	KIPIMO CHA MATUMIZI	WAKATI	VUNA
Ngano	Magugu yenye majani pana	Lita 1.25-1.4/lita 200 za maji Mililita 125-140/lita 20 za maji	Wakati ukuaji mwema wamema na magugu unaendelea.	Baada ya siku 40

Muda salama wa kuingia shamba lililonyunyiziwa dawa: Masaa 6.

Hatari na tahadhari

Vaa ngao la kujikinga, viatu na viziuzi vya mikono na uso, unapotayarisha mchanganyiko wa dawa na maji na unaponyunyiza dawa. Jihadhari usipumue mvuke wa dawa, mchanganyiko wa dawa usingie kwenye macho au kumwagikia ngozi na nguo ulizovalia. Usinyunyizie dawa hii ukielekea upande upepo unatoka. Usivute sigara na usilie wala kunyua wakati unapotumia dawa hii.

Baada Ya Kazi

Vua nguo za kazi na viziuzi vya kujikinga, Nawa mikono kati ya mapumziko na hata baada ya kazi. Osha bomba uliyotumia kisha Oga na ufue mavazi uliyotumia kwa maji na sabuni.

Kuhifadhi

Hifadhi Badge 45EC kwenye chombo chake asili kilichofungwa vyema na kukiweka pahali pakavu, pasipo na joto na panapo hewa vizuri-kwenye ghalia lake lililofungwa ambalo watu wasioidhinishwa kuingia. Weka mbali na watoto, chakula, vinywaji, vyakula vya mifugo, motouliwazi, miale ya moto na ya jua.

Utupaji

Suza mkoba mara tatu, kitobee kisha ukitupe sehemu ambayo imetengwa na kuidhinishwa au kizike mbali na sehemu zilizoa na chemi chemi ya maji au ukirejeshe kwenye msambazaji. Msuzo unafaa umwagwe mbali na sehemu za maji kuzuia machafuko ya mazingira.

Kivuja/mwagika

Vaa mavazi ya kinga. Zuia machafuko wa maji au mchanga. Fagia kwa kutumia unga wa mbaao au mchanga. Kusanya kwa kijiko cha mchanga kisha weka ndani ya mikoba inayoidhinishwa kuondoa kemikali. Kwa wingi wa kemikali, fuata mashauri ya msambazaji.

Tahadhari kwa mazingira

Badge 45EC ni sumu kwa samaki na viumbe vya majini. Usichafue mito, mabawa au njia za maji.

MAELEZO YA HUDUMA YA KWANZA

Kwa ngonzi: Vua nguo na kuoga mara moja kwa maji mengi na sabuni.

Kwa macho: Fumbua jicho au macho na kushikilia kigubiko cha jicho kisha tiririsha maji mengi ndani ya macho au jicho kwa muda wa dakika 15. Muone daktari.

Ikivutwa: Mpeleke mjeruhi palipo na hewa safi, ikiwa anaugumu akivuta hewa, mpe hewa kwa kutumia mdomo wako na wake. Muone daktari.

Ikimezwa: Tumia maji mengi kusukutua mdomo. Kamwe usimpe kitu chochote mjeruhiwa aliyezirai. Muone daktari. PELEKA MJERUHIWA KWA DAKTARI.

TIBA: Tibu kulingana na dalili za ugonjwa

Kwa hali ya dharura, piga simu bila malipo masaa 24, 0800720021/0800730030 ILANI KWA MTUMIAJI

Dawa hii sharti itumwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyu salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mhunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo.