



# GALIGAN

GUARANTEE (DHAMANA):  
Oxyfluorfen 240g/l, EC

An emulsifiable concentrate herbicide for use in sugarcane and onions to control a variety of annual broadleaf and grass weeds

Mchanganyiko wenye kuyeyuka Kiuagugu kitumikacho kwenye miwa na vitunguu kwa kuua au kuangamiza magugu mapana ya msimu pamoja na nyasi



OPEN HERE

HERBICIDE



FLAMMABLE LIQUID



IRRITANT HUWASHA



SCAN FOR WEBSITE



Commercial and Agricultural class • Kwa biashara na kilimo  
Registration number/Namba ya Usajili: TPRI HE/0125

READ LEAFLET BEFORE USING • KEEP OUT OF REACH OF CHILDREN  
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

1 L

S2 148A/3

# ADAMA

ESSENTIALS



CAUTION



# ADAMA



## **NAMNA YA KUTUMIA**

Maelezo ya jinsi ya kutumia GALIGAN 240 EC kwa miwa na vitunguu, na lazima yafuatwe kwa uangalifu mkubwa. Tumia lita 3 kwa hekta katika lita 200 - 500 za maji baada ya kupanda au maotea kuota. Kwa vitunguu, Tumia lita 1 kwa hekta katika lita 200-500 za maji, baada kitunguu kuwa na majani 4-5, wiki 2-3 baada ya kupanda miche.

### **Uchanganyikaji:**

Galigan inaweza kuchanganywa na Glyphosate mwezi mmoja kabla ya kupanda mbegu wakati wa maandalizi ya shamba  
Tumia maji safi kwa kunyunyizia.

Wakati wa kuchanganya na kunyunyizia dawa, mchanganyiko wa dawa ni lazima uendelee kukorogwa.

Nyunyiza GALIGAN 240 EC kwa kutumia bomba la kukokotwa na trekta au bomba la kubeba mgongoni lenye nozeli maalum iliyoundwa ili kutoa mnyunyizo unaotakiwa kwa mgandamizo wa 100 - 200 kPa.

Nyunyiza GALIGAN 240 EC kwenye uso wa udongo ambao hauna vi-asilia au mabaki ya mazao yoyote ambavyo vitaathiri uuaji wa magugu.

Usitifue udongo baada ya kunyunyiza GALIGAN 240 EC, kwani utifuaji wowote utaathiri matokeo.

Kwa matokeo bora, nyunyiza GALIGAN 240 EC kwenye udongo wenye unyevu na hakikisha hapakauki kwa muda mrefu inavyowezekana.

## **TAHADHARI**

Epuka isigusane na ngozi au macho. Ikigusana, osha na maji mengi.

Usivute mvuke au harufu ya dawa.



Osha mkono vizuri na sabuni baada ya kutumia na kabla ya kuvuta, kula au kunywa.

Epuka isigusane na vyakula, vyombo ya kulia na maji ya kunywa.

Epuka dawa inayonyunyizwa isigusane na mazao mengine, malisho, mabwawa au maeneo mengine yasiyohusika.

Usichafue manzingira na mabaki ya dawa au vyombo vitupu suuza na hifadhi vyombo vya kunyunyizia.

Osha vyombo vilivyoisha dawa mara tatu na maji ya kutosha ndani ya chombo. Ongeza mchanganyiko huo kwenye bomba la dawa. Toboa na tupa chombo hicho tupu. Usitumie chombo hicho kwa shughuli yeyote.

Usitifue udongo baada ya kunyunyiza GALIGAN 240 EC kwa vile itaathiri matokeo.

## **ONYO**

Epuka isiguse macho na ngozi kwani inaweza kusababisha muwasho. Ni sumu ikimezwa.

Weka mbali na watoto, watu wasioielewa na wanyama.

Hifadhi sehemu yenye baridi, na mbali na chakula na vyakula vya wanyama.

Inalipuka, usiweke karibu na miale ya moto au joto.

Ni sumu kwa samaki, usiimwage kwenye mabwawa, maziwa, mito au katika vyanzo vyovyote vya maji.

# **ADAMA**



### **DIRECTIONS FOR USE**

Use recommendations of GALIGAN 240 EC for sugarcane and Onions should be followed. In sugarcane Use 3 Lt/Ha in 200-500 Lt water per hectare after planting or ratooning. For onions use 1Lt/Ha in 200-500 Lt of water after 4-5 onion leaves, about 2-3 weeks after Transplanting.

### **Compatibility:**

Galigan can be tank mixed with Glyphosate 1 month before seeding, as field preparation.

Use clean water for spraying.

When mixing and spraying, the spray mix must be agitated continuously. Apply GALIGAN 240 EC with a tractor mounted spray boom or knapsack sprayer with flat fan nozzles calibrated to spray the recommended spray volume at a pressure of 100-200 kPa.

Apply GALIGAN 240 EC to a clean soil surface free from any organic material or crop residues which will adversely affect the weed control.

Do not disturb the soil surface after GALIGAN 240 EC has been applied as any soil disturbance will reduce the weed control efficacy.

For optimum weed control, GALIGAN 240 EC should be applied to moist soil which remains moist for as long as possible without drying out.

### **PRECAUTIONS**

Avoid contact with skin and eyes. In the case of eye contact, wash with plenty of water.

Do not breath spray mist or fumes.

Wash hands thoroughly with soap and water after use and before smoking, eating or drinking.



Avoid contamination of foodstuffs, feed, eating utensils and drinking water.

Prevent spray drift onto adjacent crops, grazing, rivers, dams and any area not under treatment.

Do not contaminate any water source when cleaning spray equipment nor when disposing of any waste product. After use, immediately rinse all spraying systems with clean water.

Empty product containers should be rinsed three times with a volume of water equal to a minimum of 10 % of the container. Add the rinsing to the spray tank before destroying the container by perforation and flattening. Do not use the container for any other use.

## **WARNINGS**

Harmful if swallowed. Avoid eye and skin contact as this may cause irritation.

Keep out of reach of children, uninformed persons and animals.

Store in a cool place away from food and feedstuffs.

Flammable - do not expose to heat and flames.

Toxic to fish - do not contaminate dams, lakes, rivers or any other water body.

**ADAMA**

**WARRANTY**

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**Shelf Life:** 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

**Maisha rafuni:** Miaka miwili baada ya tarehe ya kutengenezwa iwapo dawa hii itahifadhiwa kwa chombo chake asili bila kufunguliwa na iwe mahali pakavu na pasipo na joto.

**Manufactured by / Imetengenezwa na:**

Adama-Agan Ltd. P. O. Box 262 Ashdod 77102

Northern Industrial Zone, Israel

Web: [www.adama.com](http://www.adama.com)

**Approved by / Imethibitishwa na:**

Tropical Pesticides Research Institute (TPRI) P.O. Box 3024,  
ARUSHA – TANZANIA

TEL: 255 27 2508813/15, 255 27 2505871 Fax: 255 27 2505871

**Distributed By / Inasambazwa Na:**

Balton Tanzania Ltd

P.O.Box 712, Dar Es Salaam, TANZANIA

Tel.: (255) 22-2772831

Fax.: (255) 22-2775989

Web: <http://balton-tanzania.com/>



**Balton**  
Tanzania

Expiry date

Date of Manufacture SEE PACKING

Batch Number

**ADAMA**