



Apollo[®]

Apollo[®] is a long lasting residual contact acaricide, which is effective against eggs and first motile stages of spider mites in French Beans, Roses and Strawberries

ADAMA

Heavy mite populations cause:

- Decrease of yield
- Damage of Chlorophyll and absorption of nutrients
- Stress to the crop
- Reduction of following years production



Male



Female

Untreated




7 days



1st Generation

1 Mite


7 days



2nd Generation

120 Mites


7 days



3rd Generation

72,000 Mites


7 days



4th Generation

432,000 Mites

7 days



5th Generation

26,000,000 Mites



Apollo®

controlling mite population through life cycle interruption.

Apollo® is a proven, long lasting, miticide, providing consistent residual control for 60 days or longer. Apollo's unique mode of action provides effective ovidical and immature stage control. Adult female mites exposed to sprays or foliar deposits lay non-viable eggs.



Treated with Apollo®

Apollo® Features

Excellent Mite control

Broad spectrum of action

Suitable to many crops

Crop safety

Long residual control

Unique mode of Action

Safe to beneficial and non-target species

Cost effective control

Growers Benefits

You get higher yields with higher quality

One product controls many different types of mites

One product can be used for many different crops

Your crops are safe with Apollo

Fewer sprays in your crop

A powerful tool to counter resistance development

Minimal effect on the environment

Apollo reduces your total miticide costs



Tank Mixtures

If adult stages are present, it is advisable to tank-mix Apollo® with an appropriate adulticide.

Pest Resistance Management

Apollo® is particularly useful if application starts early in the season. In order to prevent buildup of resistance to Apollo®, it is recommended not to apply this product more than twice per season.



Find us on Facebook
ADAMA East Africa

Application rates

Crop	Insect pest	Rate	Remarks
French Beans	Spider mites	70 ml per	Eggs and first motile stages
Rose	Panonychus	100 Lt water	
Strawberry	Tetranychus	Or 700 ml/Ha. 14 ml in 20 Lt water	

Pre Harverst Interval on French Beans - 7 days

Always read the label carefully before use

Manufactured by:



ADAMA

For further information please contact:
Robert Wachira
Tel: +254 713 463 937
www.adama.com/east-africa

Distributed by:



Amiran Kenya
Old Airport North Rd.
P.O Box 30327-00100 Nairobi,
Kenya Tel: 0719 095000
Fert@amirankenya.com
www.amirankenya.com

ADAMA