

General Information

DIAZOL 60EC is a non-systemic insecticide for control of leafminer, scales, mealy bug, leafhoppers, aphids, caterpillars, moths on pineapples, coffee and roses

Mode of Action

DIAZOL 60EC acts mainly as a contact toxicant, but is also active by ingestion against chewing insects. In addition DIAZOL 60EC has a fumigant effect which, combined with its penetrative activity, grants it acaricidal and insecticidal properties. Plant tolerance is excellent at recommended rates of application.

Direction for use

Crop	Pest	Application Rate	P.H./R.E.I
Pineapples	leafminers, scales,	1-1.5L / Ha,	21 days
Coffee	mealy bugs, leafhoppers,	100L-150ml/100L of water,	7 days
Roses	caterpillars, aphids, caterpillars, moths	20-30ml/20L of water	6 hrs/when spray dries

Application Timing

Spray at first sign of infestation. Repeat application after 10 - 14 days intervals. For scale insect control, an addition of medium light white oil at 1.2% of the total spray volume enhances control.

Preparation of Spray Mixture

Dilute recommended amount of DIAZOL 60EC with required amount of water in the spraying tank stirring well. Do not allow the spray mixture to stand. For high volume application, use 100 - 1000L. Spray mixture/ Ha.

Note: On Roses, a trial application is recommended to check for plant tolerance of species and varieties prior to large scale treatment.

Hazards/precautions

Wear protective clothing, hand gloves, face shield, and impermeable boots when preparing the spray mixture and when spraying. Avoid breathing the spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of spray mist. Do not smoke, drink or eat while handling the product.

After Work

Change clothes and wash hands and face thoroughly with soap and water. Wash the spray equipment and any contaminated clothing carefully. Do not enter treated areas for at least 24 hours.

Disposal

Triple rinse, puncture or crush empty containers before disposal in a safe and authorized place in accordance with National regulations on chemical disposal. Do not re-use empty containers for any other

purpose. Pesticide spray mixture or rinsate that cannot be used must be disposed where it cannot contaminate surface water and ditches.

Wildlife And Environmental Protection

DIAZOL 60EC is harmful to game, wild birds and animals. Keep livestock out of treated area. DIAZOL 60EC is toxic to fish. Do not contaminate ponds, waterways or ditches by direct application, cleaning of equipment or disposal of waste. DIAZOL 60EC is toxic to honey bees and should not be applied at flowering stage. Apply in late evening after bees have stopped foraging. Wash treated vegetables and fruits before use.

FIRST AID INSTRUCTIONS

Eye contact: Rinse immediately with gently running water for about 15 minutes, maintaining the eyelids open and consult an ophthalmologist or a physician. Get medical attention if irritation persists. **Skin contact:** Remove the contaminated clothes immediately and wash thoroughly with plenty of soap and water. If a skin rash develops see a doctor. **Ingestion:** If swallowed, give victim 1 teaspoon of common salt in a glass of water or milk and induce vomiting by gently touching the back of the throat with a finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Apply artificial respiration if necessary. Get medical attention. **Inhalation:** Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. seek medical attention where needed.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: Headache, dizziness, blur vision, nausea, diarrhoea, discomfort in the chest, sweating, salivation, weakness, nervousness, uncontrollable muscle twitch, convulsion and coma.

Antidote: Use 2mg of atropine intravenously every 15 to 30 minutes if necessary. To PAM may also be given to severe cases provided therapy begins within 36 hours of exposure. Morphine and its derivatives, spinephrine and noradrenaline are contraindicated.

Note to physician/Treatment

Treat symptomatically and supportively.

In case of emergency call toll free number(24 hrs): 0800720021/0800730030.

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.



An insecticide / Acaricide for control of leafminer, scales, mealy bug, leafhoppers, aphids, caterpillars, moths on pineapples, coffee and roses (Kiua dudu kinacho dhibiti lifumaina, aina ya kunguni, lifuhopa, afidi, viwavi, nondo kwenye nanasi, kahawa na waridi).

NOT FOR USE IN DOMESTIC ANIMALS (USITUMIE KWA MIFUGO)

COMMERCIAL & AGRICULTURAL CLASS. (KUNDI LA BIASHARA NA KILIMO.) GUARANTEE (DHAMANA): Diazinon ... 600g/l REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR). 0184

READ THE LABEL BEFORE USING (SOMA KIBANDIKO KABLA YA KUTUMIA)

KEEP OUT OF REACH OF CHILDREN (FUNGIA MBALI NA WATOTO)

In case of Emergency call toll free No. (Wakati wa Dharura piga simu bila malipo-masaa 24): 0800720021/0800730030(24hrs)

Distributor / Wasambazaji: Amiran Kenya Ltd. Tel: 0719 095000 Fert@amirankenya.com www.amirankenya.com

Member Of Agro Chemical Association Of Kenya Registration Number. AAK. 219

Manufacturer / Watengenezaji: Adama Makhteshim Ltd, Israel.

WHO CLASS II

Net Contents / Ujazo 1Lt



Maelezo kwa jumla

DIAZOL 60EC ni kiua dudu kinacho dhibiti lifumaina, aina ya kunguni, lifuhopa, afidi, viwavi, nondo kwenye nanasi, kahawa na waridi.

Jinsi inavyofanya kazi

DIAZOL 60EC ni sumu ya mguso, pia ni sumu dhidi wadudu wa kutafuna. Diazol 60EC ina athari ya fumigant ambayo pamoja na shughuli za kupenya inakua acaricidal na kiua dudu kamili. Uvumilivu wa mimea ni bora katika viwango vya dawa vilivyopendekezwa.

Mapendekezo ya matumizi

Mimea	Wadudu	Kipimo	Vuna/subiri
Nanasi	<i>lifumaina, aina ya kunguni,</i>	Lita 1-1.5L/Hekta,	Siku 21
Kahawa	<i>mealy bugs, lifuhopa,</i>	Mililita 100-150 kwa lita 100 za maji	Siku 7
wardi	<i>afidi, nondo, viwavi</i>	Mililita 20-30 kwa lita 20 za maji	Masaa 6/ hadi kemikali ikauke

Wakati Kutumia na Jinsi ya Kutumia

Nyunyiza dawa mara tu unapona wadudu. Rudia kunyunyiza baada ya siku 10 hadi 14. Kwa kuzuia na kuangamiza scales, ongeza almia moja hadi mbili ya mafuta meupe mepepi (White oil) kwa dawa

Kutayarisha dawa

Pima kwango kinachopendekeza cha DIAZOL 60EC na udhanganyie kikamilifu na kiasi cha maji kinachohitajika kwenye bomba ya kunyunyiza. Usiache mchanganyiko wa dawa ukae kwa muda mrefu bila kunyunyiza. Kwa wanyunyuzaji wa kiwango cha juu cha dawa, tumia lita 100 hadi 1000 ya mchanganyiko wa dawa ya kunyunyiza kwa kila hektari.

Hatari na tahadhari

Vua ngao la kujikinga, viatu na viziwi vya mikono na osho (face shield), unapotayarisha mchanganyiko wa dawa na maji na unaponyunyiza dawa. Jihadhari usipumue mvuke wa dawa, mchanganyiko wa dawa usingie kwenye macho au kumwagikia ngozi na nguo ulizovalia. Usinyunyizie dawa hii ukielekea upande upepo unatoka. Usivute sigara na usile wala kunyua wakati unapotumia dawa hii.

Baada ya kazi

Vua nguo za kazi na viziwi vya kujikinga, oga mikono na usio kwa kutumia sabuni na maji. Safisha bomba la kunyunyiza dawa na mavasi yaliyomwagikiwa na dawa. Usingie katika sehemu au eneo lilionyunyuzwa dawa muda wa masaa ishirini na nne. haivesi kutumiwa ni lazima itupiliwe mbali mahali ambayo ni salama, panapokubaliwa, na mbali na maji. Usitumie mkobawa dawa kwa matumizi mengine yoyote.

Kuhifadhi

Hifadhi dawa hii katika chombo chake asili ambacho

kimefunikwa sawa sawa na kuwekwa kwenye ghala la madawa lililodhinishwa. Nilazima watoto na watu wasioruhusiwa wakatazwe kuingia kwenye ghala la madawa. **Utupaji**

Safisha mkoba wa dawa iliyoisha kwa kusunza mara tatu kisha utoboe au ubonyeze na utupilie au uzike mbali na maji ambapo ni salama na panapodhinishwa kulingana na sheria za utupaji. Mchanganyiko wa dawa ambao haujatumika au maji yaliyoosha vyombo ni lazima yatupiliwe mahali salama na ambapo pameidhinishwa. Dawa ambayo haiwesi kutumiwa ni lazima itupiliwe mbali mahali ambapo ni salama, panapokubaliwa, na mbali na maji. Usitumie mkobawa dawa kwa matumizi mengine yoyote.

Madhara kwa mazingira

DIAZOL 60EC ni sumu kwa wanyama wa pori, ndege na mifugo. Zuia mifugo kuingia katika eneo lilio nyunyuzwa dawa. DIAZOL 60EC ni sumu kwa nyuki. Usinyunyuzie dawa wakati mimea inachanua maua na iweke jioni wakati nyuki wamerudi kwenye mizinga yao. Osha matunda na mboga zilizo nyunyuzwa dawa kabla ya kula.

MAELEZO YA HUDUMA YA KWANZA

Ikingia kwa macho: safisha macho na maji mengi kwa muda wa dakika kumi na tano ikiwa umefungua macho. Pata usaidizi wa daktari. **Ikimwagikia ngozi:** vua nguo zilozomwagikiwa na dawa mara moja na uoge kwa maji na sabuni. Kama kitokwa na harara ngozini, mwone daktari. **Ikimeweza:** kama mgogjwa ana fahamu mpe maji mengi na kumtanya atapike kwa kuingiza kidole kwenye koo lake kwa utaratibu. Usimpe mgogjwa chochote kupitia kwa mdomo ikiwa amezirai. Msaidie apumue kwa kumungeza heva. Muite daktari mara moja apeane matibabu. **Ikipumuliwa:** Muondoe mgogjwa na kumpeleka mahali penye hewa safi. Kiwa hapumui, msaidie kwakungeza pumzi kwa mdomo. Muite daktari mara moja.

IMELEKE MUJERUHI KWA DAKTARI

Tiba: Tibu kulingana na dalili za ugonjwa

Kwa hali ya dharura piga simu bila malipo(masaa 24) : 0800720021/0800730030 ILANI KWA MTUMIAJI

Dawa hii sharti itumive kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyu salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mhunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au maji na lazima akubali dawa hii katika hali hiiyo.