



GALIL

An insecticide for the control of thrips, aphids and whitefly nymphs on roses and aphids, thrips and whiteflies on tomatoes

Sumu ya kuua wadudu aina ya thrips, aphids na whitefly nymphs kwenye maua aina ya rosa na aphids, thrips na whiteflies kwenye nyanya




SCAN FOR
WEBSITE



FLAMMABLE
LIQUID



IRRITANT
HUWASHA



INSECTICIDE



GUARANTEE (DHAMANA):

Imidacloprid 250g/l and Bifenthrin 50g/L, SC

Commercial and Agricultural class • Kwa biashara na kilimo
Registration number / Namba ya Usajili: PCPB (CR) 1314

READ THE LABEL BEFORE USING • KEEP OUT OF REACH OF CHILDREN
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

In case of poisoning call toll free 0800 730030/720021 (24 hours)
Ikwi kuna tukio la dharura piga simu bila malipo (masaa 24)

1 Liter

ADAMA



HARMFUL
INADHURU



ADAMA



MAELEZO

GALIL ni sumu inayoangamiza wadudu kama vile thrips, aphids na whitefly nymphs katika maua aina ya rosa na aphids, thrips na whiteflies kwenye nyanya.

Jinsi inavyofanya kazi

Imidacloprid na bifenthrin ni dawa za kuua wadudu kwa kupitia kinywani au kwa kushika ngozi.

Jinsi ya kutumia

Changanya na maji kulingana na kiwango kilichoandikwa kisha unyunyize kwenye majani ya rosa na kwa nyanya.

Mmea	Wadudu	Kipimo kwa hektari kwa lita 1000 zamahi	Kiasi kwa lita 20 za maji
Rosa	Thrips, aphids, whitefly nymphs	Mililita 250	Mililita 5
Nyanya	Aphids, thrips and white flies	Mililita 250	Mililita 15

Wakati wa kunyunyizia

Nyunyizia GALIL ukiona wadudu. Tumia mara mbili peke yake katika msimu.

Kuchanganya na wakati wa kutumia

Weka kipimo cha dawa ya GALIL kwenye maji na unyunyizie ukiona wadudu.

Tahadhari ya utumiaji

GALIL ni dawa ya kuangamiza wadudu wa mashambani. Haistahili kutumiwa kwa njia nyingine. Usinyunyizie wakati kuna joto jingi.

Uchanganyikaji na madawa mengine

GALIL ni mchanganyiko wa dawa mbili na hivyo haitakikani kutumiwa pamoja na dawa zingine.



Hadhari inapotumiwa

Weka mbali na watoto, wanyama na chakula cha watu na wanyama. Yaweza kuleta muwasho kwenye mapua, koo, macho na ngozi. Tumia 'overall', mipira ya mikono na vazi la kufunika uso. Usile, kunywa wala kuvuta sigara utumiapo dawa.

Kuchanganya kwa usalama

Epuka kugusana na dawa unapoichanganya. Vaa 'overall', mipira ya mikono na vazi la kufunika uso unapoichanganya.

Kunyuyizia kwa usalama

Vaa mavazi ya kujikinga na dawa unaponyuyizia. Usijichafue na maji ya dawa. Hakikisha upopo hauisukumi dawa upande wako.

Usalama baada ya kutumia

Nawa mikono na mwili vizuri. Usitumie mkebe mtupu kwa kazi ingine yoyote. Tupa vyema mkebe mtupu kulingana na sheria za utupaji.

Muda kabla ya kurudi shambani

Unatakiwa kungoja masaa 24 kabla ya kuingia kwa shamba.

Uhifadhi

Weka na kufungia GALIL mbali na watoto na wanyama. Weka mahali pakavu ambapo kipimo cha joto hakizidi 30°C. Weka mbali na moto na ndimi zake.

Hakikisha dawa hazisongomani kwenye stoo.

Kutupa

Usitumie kifaa kilichokuwa na dawa hii kwa namna nyingine yoyote. Osha mikebe mara tatu kwa kutumia maji kisha utupe kulingana na sharia za utupaji.

Ikuvuja au Ikimwagika

Funika au zika dawa iliyomwagika kwa mchanga au vumbi ya mbao. Kusanya mchanganyiko huo na utupe kulingana na sharia za utupaji. Osha kabisa sakafu iliyochafuka kwa maji na sabuni.



Madhara kwa mazingira

Imidacloprid na Bifenthrin ni sumu kwa nyuki.

MASHARTI YA HUDUMA YA KWANZA

Simamisha kazi mara moja. Chunguza kama kuna dalili za uchovu. Toka pahali palipo chafuliwa na dawa. Vua nguo ikiwa zimechafuliwa.

Ikimezwa, osha mdomo kwa kutumia maji mengi. Usilazimishe muathiriwa kutapika. Usimpe mtu aliyezimia kitu chochote kuititia mdomo. Peleka muathiriwa hospitalini.

Ikiingia machoni, osha mara moja kwa maji mengi kwa dakika 15.

Ikigusa ngozi, osha kwa maji mengi na sabuni. Kisha osha tena na maji yasiyo na moto kabisa.

Ikivutwa wakati wa kupumua, mwondoe mwadhiriwa na umweke mahali penye hewa safi. Hakikisha muathiriwa hahisi baridi. Tafuta matibabu zaidi.

PELEKA MJERUHI KWA DAKTARI

Ikiwa kuna tukio la dharura piga simu bila malipo 0800 730030/720021 (masaa 24).

ILANI KWA MUTUMIAJI

Dawa hii lazima itumike kulingana na maelezo yaliyoko katika kibandiko hiki. Ni hatia chini ya sheria za viuadudu kuitumia au huhifadhi dawa hii kwa njia nyingine kinyume na ile iliyoelezewa hapa.

THIBITISHO

Dhamana ya muuzaji imeshauriwa na masharti yaliyowekwa kwenye kijikaratsa na label. Muuzaji hahusiki kamwe na madhara yoyote yanayotokana na utumiaji wa dawa hii kwa njia zinazohatarisha maisha.

ADAMA



Description

GALIL is an agricultural systemic and contact insecticide for the control of thrips, aphids and whitefly nymphs on roses and aphids, thrips and whiteflies on tomatoes.

Mode of action

GALIL contains Imidacloprid and Bifenthrin. Imidacloprid , a systemic insecticide with translaminar activity and with contact and stomach action. Bifenthrin is a synthetic pyrethroid with contact and stomach action.

Directions for use

Crop	Pests	Rate/ha in 1000 L of water	Rate in 20 L of water
Roses	Thrips, aphids, whitefly nymphs	250 mL	5 mL
Tomato	Aphids,thrips and white flies	250 mL	15 mL

Mixing and Timing of Application

Mix the required amount of GALIL with sufficient water and apply on sighting of insects and thereafter once more during the growing season of the crop.

Re-Entry Interval: 24 hours

Pre-Harvest Interval in tomatoes: 3 days

Use limitations

GALIL is an agricultural systemic and contact insecticide. It should be used only as recommended. To avoid possibility of phytotoxicity, do not apply in hot weather.

Handling precautions

Keep out of reach of children. Do not ingest. It may cause irritation of nose, throat, eyes and skin. Do not breathe spray mist. Use overall, gloves and mask when handling. Do not eat, drink or smoke while handling the product.

Safety when mixing

Wear protective clothing when mixing. Avoid contamination from spray liquid by spillage and drift.



Safety when spraying

Wear protective clothing when spraying. Avoid contamination from spray liquid by spillage and drift.

Safety after spraying

Wash hands and body thoroughly after spraying. Do not reuse the empty container. Dispose the container safely and according to national regulations.

Storage

Store GALIL under lock and key and out of reach in a cool dry place away from food, feed, children and animals and from direct sunlight. Store below 30°C.

Disposal of waste and empty containers

Dispose in a pesticide approved landfill or in a chemical incinerator equipped with scrubbers, and in accordance with national regulations. Do not allow material to enter sewers or bodies of water. Triple rinse the containers. Do not re-use the empty containers for any other purpose.

Leakage and spillage

If leakage of the liquid or spray mix occurs, soak up material with sand or soil. Collect this contaminated material and dispose according to national regulations.

Environmental hazards: Imidacloprid and Bifenthrin are toxic to bees.

FIRST AID MEASURES

If poisoning is suspected, remove victim from the area of contamination and if clothing is contaminated, remove it.

In case of contact with eyes, wash with plenty of water for at least 15 minutes keeping the eyelids open. **In case of contact with skin**, wash thoroughly with soap and water, followed by a warm water rinse. If **inhaled**, move patient to fresh air. Keep victim warm and at rest. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. **If swallowed**, wash out mouth with plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.



TOXICOLOGICAL INFORMATION / NOTE TO DOCTOR

Symptoms of poisoning: Vomiting, nausea, headache, respiratory tract irritation, salivation, facial flushing and swelling, burning and itching sensations.

ANTIDOTE

No specific antidote.

NOTE TO THE PHYSICIAN

Treat symptomatically and give supportive therapy

In case of poisoning call toll free 0800 730030/720021 (24 hours).

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

In case of Emergency call toll free No. 0800720021/ 0800730030 (24hrs)

SHELF LIFE: 2 years from date of manufacture if stored in a cool, dry, well-ventilated place in original unopened container.

MAISHA RAFUNI: Miaka miwili kutoka kutengenezwa ikiwa imewekwa katika mkoba wake halisi ambao haujafunguliwa.

ADAMA



Manufactured by / Imetengenezwa na:

ADAMA Makhteshim Ltd
P.O.BOX 60 Beer Sheva
84100 Israel
Web: www.adama.com

Agent/Ajenti:

Adama Agriculture East Africa Ltd
P.O. BOX 40034 Nairobi 00100 Kenya
Web: www.adama.com

Distributed by/Wazambazaji:

Amiran Kenya Ltd, Old Airport North Road
P.O.Box 30327-00100 Nairobi, Kenya
Tel. 0719095000
Email: fert@amirankenya.com
Web: www.amirankenya.com



Expiry date
Date of Manufacture SEE PACKING
Batch Number

ADAMA