

General Information

Pyrinex 48EC is an insecticide for control of cotton scales on cotton & armyworm control.

Mode of Action

Pyrinex 48EC is effective by contact, ingestion and fumigant action. It has little systemic activity but its fumigant action is sufficient to give good protection or nearby untreated surfaces.

Direction for use

Crop	Pest	Application Method	Application rate
Cotton	Cotton scales	Foliar Spray	2.5L/Ha, 50ml/20 litres

*Armyworm control use 2L in 1000L of water.

Re-Entry Interval: 6 hours.

Application Timing and Technique: Apply Pyrinex 48EC when a first sign of pest attack is noticed, ensure good coverage. Ensure good coverage of the crop canopy by using a spray volume of 1000 L per Ha.

Preparation of Spray Mixture: Half fill the spray tank (knapsack) with water. Add the required amount of Pyrinex 48EC, then fill the water to the required level and mix or agitate thoroughly to uniformity. Ensure that the mixture is used the same day.

Hazards/precautions: Hazardous if swallowed, inhaled or absorbed through the skin. Wear approved pesticide respirator if exposed to higher concentrations of Pyrinex 48EC for extended period of time.

Handling: Wear protective clothing, hand gloves, face shield, and impermeable boots when preparing the spray mixture and when spraying. Avoid breathing the spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of spray mist. Do not smoke, drink or eat while handling the product.

After Work: Change clothes and wash hands and face thoroughly with soap and water. Wash the spray equipment and any contaminated clothing carefully.

Disposal: Triple rinse, puncture or crush empty containers before disposal in a safe and authorized place in accordance with National regulations on chemical disposal. Do not re-use empty containers for any other purpose. Pesticide spray mixture or rinsate that cannot be used must be disposed where it cannot contaminate surface water and ditches.

Wildlife and Environmental Protection: Pyrinex 48EC is toxic to fish and other aquatic organisms. Do not contaminate ponds and water ways by direct application, cleaning of equipment, disposal of wastes and empty container. A band width of 15m should be observed. Toxic to bees- Do not spray in full bloom

FIRST AID INSTRUCTIONS: **If inhaled:** Remove the patient to fresh air. **If in contact with skin:** Take off contaminated clothing. Wash the skin with plenty of water and soap. **If in contact with eye:** Rinse thoroughly with running water for at least 15 minutes, see a doctor. **If swallowed:** Do not induce vomiting. Wash (rinse) the mouth immediately and keep the subject calm and then give plenty of water if able to swallow. In all cases seek medical attention where needed.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning: Pyrinex 48EC causes headache, dizziness, blurred vision, nausea, diarrhea, and discomfort in the chest, weakness, nervousness, salivation, uncontrollable muscle twitchiness, convulsion, and coma.

Antidote: Alpine Sulphate

Note to physician:

Treatment: Use 2mg of atropine intravenously

In case of emergency call toll free number: 0800720021/0800730030.

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Distributor / Wasambazaji:
Amiran Kenya Ltd.
Tel: 0719 095000
Email: Fert@amirankenya.com
www.amirankenya.com

Manufacturer / Watengenezaji:
Adama Makhteshim Ltd, Israel

Net Contents / Ujazo
1 Lt

WHO CLASS II

HARMFUL (INADHURU)

1. Lt

Maelezo

Pyrinex 48EC ina uwezo wa kuua wadudu kwa njia ya mguso ikiliwa, na pia kwa harufu.

Jinsi Inavyofanya kazi:

Pyrinex 48EC ina uwezo wa kuua wadudu kwa njia ya mguso ikiliwa, na pia kwa harufu.

Mapendekezo ya matumizi

Minea	Wadudu	Namma ya utumizi	Kiwango
Pamba	"Cotton scales"	Kunyuniiza kwa matawi	Lita 2.5 kwa Hekta, Miliita 50 kwa lita 20 ya maji

*Kuzuia viwavi turnia Lita 2 kwa Lita 1000 za maji.

Muda salama wa kuungia shamba liilonyonyiziva dawa: masaa 6.

Wakati Kutumia na Jinsi ya Kutumia: Itumie zionekanazo dallii za mwanzo za shambulizi la wadudu na unyonyize kwa matawi kwa kutumia kiwango cha lita 1000 za mchanganyiko wa dawa na maji kwa hekti.

Kutayariisha dawa: Changanya kiasi kinachohitajika cha Pyrinex 48EC kwa kiasi kidogo cha maji. Ongeza kiasi cha maji kilichosalia na uendele kutingisa bomba au kukoroga mchanganyiko wa dawa.

Hatari na tahadhi: Pyrinex 48EC ni sumu ikimezwaa, ukipumua pamoa na hewa usimemeza na isiguve mwili au macho, vaa chombo maalum cha kuchuja hewa usipumue dawa ikiwa unakaa katika eneo lillo la dawa kwa muda mrefu.

Matumizi: Vaa ngao la kujikinga, viatu na viziuzi ya mikono na osho (face shield), unapotayarisha mchanganyiko wa dawa na maji na unaponyonyiza dawa. Jihadhari usipumue mvuke wa dawa, mchanganyiko wa dawa usingie kwenye macho au kumwagikia ngozi na nguo ulizovalia. Usinnyonyizie dawa hii ukielekea upande upendo unatoaka. Usivute sigara na usile walaa kunya wakati unapontumia dawa hii.

Baada ya kazi: Vua nguo za kazi na viziuzi ya kujikinga, oga mikono na uso kwa kutumia sabuni na maji. Safisha bomba la kunyonyiza dawa na mavasi ya iliyomwagikilia na dawa.

Kuhifadhi: Hifadhi dawa hii katika chombo chake asili ambacho kimefunikwa sawa sawa na kuweka kwenye ghalaa la madawa liiloidhinishwa. Nilazima watoto na watu wasioruhusuwa wakatazwe kuingia kwenye ghalaa la madawa.

Utupaji: Safisha mkoba wa dawa iliyosha kwa kusunza mara tatu kisha utoboe au ubonyeze na utupilie au uzike mbali na maji ambapo ni salama na panapoidhinishwa kulingana na sheria za utupaji. Mchanganyiko wa dawa ambaa haujatumika au maji yaliyoosha vyombo ni lazima yatupiliwe mahali salama na ambapo parimeidhinishwa. Dawa ambayo haliesi kutumiva ni lazima utipilive mbali mahali ambapo ni salama, panapokubaliwa, na mbali na maji. Usitumie mkobawa dawa kwa matumizi mengine yoyote.

Madhara kwa mazingira: Pyrinex 48EC ni sumu kwa samaki na viumbwe vingene wa maji. Usichafue mazingira kwa kunyonyiza, kumwaga makabi ya dawa, kutupa, au kusunza mkoba wa dawa kwa mito, visimai au vidimbwi na chemichemi. Ubana wa mita 15 inahimizwa. Pia ni sumu kwa nyuki wa asali, tumia dawa wakati mimea hajaotia maula.

MAELEZO YA HUDUMA YA KWANZA

Ikipumuliwa: Pumzisha mgonjwa mahali ambapo ni salama. **Ikimwigakia ngozi:** Osha kwa kutumia maji na sabuni. **Ikincia kwa macho:** Fungu macho na uyasafishe kwa maji yanayotiririka kwa muda wa dakika 15.

Ikimezwaa: Usimfanye mgonjwa atapike. Muoshe mjeruhi mdomoo mara moja na umumpumize. Mpe mgonjwa maji ya kunyua iwapo atawea kumeza. **MPELEKE MJERUHI KWA DAKTARI:**

Maelezo kuhusu sumu: Dalili za kusunika: Kichefuchefu, kutoone vizuri, mbano kifuanii, kuumwa na kichwa, uleguevi viungoni na makizo wa misuli ya tunbo. **Makata:** Atropine Sulphate.

Ilani kwa Dakarti: Pyrinex 48EC ni dawa yenye mseto wa madini ya fosforasi, sumu ikishukiwa dawa ya kuondio la atropine idhingwa sidano ya mishipa 2-5mg.

Wakati wa dharura piga simu bila malipo(masaa 24) : 0800720021/0800730030

ILANI KWA MTUMIAJI: Dawa hii sharti itumiwe kulingana na maagizo yaliyu kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza waharibifu kutumia au kuhifadhi dawa hii katika hali isyo salama.

THIBITISHO: Dhamana ya muuzaji ni maelezo yaliyu kwenye kibandiko ambayo ni lazima yaquatwe kikamilifu. Mnunii lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo.