



PYRINEX

GUARANTEE (DHAMANA):
Chloropyrifos 480 g/l, EC

A broad spectrum Insecticide/Acaricide with contact, ingestion and fumigant action for control of a wide range of pests on Maize, Coffee, Rice, Mango and Cocoa.

Kiua dudu chenye wigo mpana Kinachoua wadudu wa aina nyingi kwa mguso, ikiliwa na kwa mfukizo kwenye mahindi, kahawa, mpunga, maembe na kakao.



FLAMMABLE
LIQUID



IRRITANT
HUWASHA



SCAN FOR
WEBSITE

Commercial and Agricultural class • Kwa biashara na kilimo
Registration number/Namba ya Usajili: TPRI RE/0054

READ LEAFLET BEFORE USING • KEEP OUT OF REACH OF CHILDREN
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

1 Liter


97070625D/201409



CAUTION



OPEN HERE



INSECTICIDE



ADAMA

ESSENTIALS

ADAMA



MAELEZO

Ina uwezo mkubwa wa kuua wadudu au jamii ya mchwa na hufanya kazi kwa njia ya mguso, ikiliwa na pia kwa mfukizo. Ingawa hufanya kazi taratibu lakini ule uwezo wake wa kuua kwa harufu huiwezesha kutoa ulinzi kwa sehemu za karibu za mimea ambayo haijatiwa dawa.

JINSI YA KUTUMIA

Itumie mara tu uonapo dahli za mwanzo wa shambulizi la wadudu. Kwa kila hekta kutegemea ihvyo mimea changanya kiasi kinachotosha cha PYRINEX katika maji lita 200-1000. Kwa upakaji dawa kwenye shina la mti itumie mara moja au mbili kila mwaka.

VIPIMO VYA KUTUMIA

Zao	Kiwango cha Matumizi (Lt/Ha)	MAELEZO
Mahindi	Tumia Lita 1.5-2 kwa hekta au mililita 20-30 kwa bomba la lita 20	Rudia baada ya siku 14
Kahawa	1.5-2	
Mpunga	2	
Maembe	1.5	
Kakao	1.5	

KUUA WADUDU KWENYE UDONGO

Tumia lita moja ya Pyrinex kwa hekta.

Mchwa

Tumia 80 ml/ lita moja ya maji

USALAMA WA KUSUBIRI

Hakuna athari za sumu zilizo wahi kuonekana kwenye mimea dawa ilipotumika kulingana na mapendekezo.

MUDA WA KUSUBERI

Ng'ombe, mbuzi n.k wasilishwe katika majani yaliyotiwa dawa muda wa siku 14 baada ya kutumia Pyrinex.



KUCHANGAMANA

Pyrinex huchanganyika na madawa mengine yatumikayo sana kua wadudu, lakini kamwe isichanganywe na vitu vyenye alkali nyingi kama vile maji maalum meupe kama chokaa yenye morututu Sulfur pia michanganyiko ya Bordeaux.

MADHARA NA HATUA ZA KUCHUKULIWA

Pyrinex ni sumu ikimezwa, ikivutwa pamoja na hewa au ikiingia mwilini kupitia kwenye ngozi. Usivute pamoja na hewa, usiimeze na isiguse mwili au macho. Vaa mavazi ya kinga. Vaa glavu mikononi. Vaa viatu visivyo ingiza maji kuzuia miguu, vaa miwani ya kuzuia macho, vaa chombo maalumu cha kuchuja hewa (maski). Usile, usinywe wala kuvuta sigara unapofanya kazi na dawa. Osha mikono na sehemu nyingine yoyote ya mwili iliyo athiriwa na dawa kabla ya kula kunywa au kuvuta sigara. Baada ya kazi oga na sabuni na ubadilishe nguo na kufua zile zilizotumika kabla ya kuzitumia tena. Usiingie katika sehemu au eneo lililonyunyizwa dawa kwa masaa ishirini na manne. Osha matunda na mboga zilizonyunyiziwa dawa kabla ya kula.

KUHIFADHI

Iweke katika chombo chake asili kilichofungwa sawa sawa na weka mbali na watoto au vyakula. Iweke sehemu vuguvugu na pakavu. Weka mbali na moto. Usitumie tena chombo kilichokwisha dawa kwa kazi nyingine yoyote. Kitoboe na fukia mbali na vyanzo vyamaji. Dawa iliyobakia au misuuzo toka kwenye bomba imwagwe mbali na vyanzo vya maji.

KWA MAZINGIRA

Pyrinex ni sumu kwa wanyama wa pori, ndege na mifugo. Zuia mifugo kuingia katika eneo lililonyunyizwa dawa. Pyrinex ni sumu kwa samaki. Pyrinex ni sumu kwa nyuki wa asali. Usinyunyize wakati wa maua.

MAELEZO YA HUDUMA YA KWANZA

Ikiingia kwenye macho: Macho yaoshwe kwa maji mengi kwa muda wa dakika 15. Maumivu yakizidi muone daktari.

Ikimwagikia kwenye ngozi: Osha haraka kwa maji na sabuni. Ondoa nguo zilizo mwagikiwa dawa.



Ikimezwa: Usimlazimishe mgonjwa atapike kwani uchafu wa dawa unaotoka unaweza kudhuru mapafu yake. Mwondoe haraka katika sehemu iliyotiwa dawa. Mpumzishe mahali atulie na kupoa kisha muone daktari.

KWA DAKTARI

Pyrinex ni dawa yenye mchanganyiko wa sumu ya organophospate. Sumu ikishukiwa, dawa ya kuondoa ni Atropine. Mdunde sindano ya mishipa 2-5mg.

DALILIZA SUMU

Kichefuchefu, kutoona vizuri, mbano kifuani, kuumwa na kichwa, ulegevu viungoni na mikazo wa misuli ya tumbo.



GENERAL INFORMATION

Pyrinex 48EC has a broad range of insecticidal/acaricidal activity and is effective by contact, ingestion and fumigant action. It has little systemic activity but its fumigant action is sufficient to give good protection to nearby untreated surfaces.

DIRECTION FOR USE

Apply at first signs of insect. Mix the required amount of Pyrinex 48EC in 200 - 1000 Litres of water per hectare depending on crop. For stem banding apply once or twice a year.

RATES OF APPLICATION

Crop	Dosage (Lt/Ha)	Remarks
Maize	1.5-2 Or 20-30 mls/20 litres of water	Repeat after 14 days if necessary
Coffee	1.5-2	
Rice	2	
Mango	1.5	
Cocoa	1.5	

SOIL PESTS

Spray once against soil pest at 1 Lt/Ha

Termites

Apply 80ml/1 Liter

COMPATIBILITY

Pyrinex 48EC is compatible with most commonly used pesticides but should not be mixed with highly alkaline materials such as liquid lime sulphur and bordeaux mixtures.



HAZARDS/SAFETY PRECAUTION

Hazardous if swallowed, inhaled or if absorbed through skin. Avoid inhaling, swallowing and contact with skin and eyes. Wear suitable protective clothing, rubber clothes, water -proof boots, safety goggles, and an approved pesticide respirator if exposed to higher concentrations of Pyrinex 48EC for an extended period of time. Do not eat, drink or smoke when working with this product.

Wash hands and exposed skin before eating, drinking or smoking. After work wash thoroughly with soap and water. Change clothing and clean thoroughly with soap and water. Change clothing and clean thoroughly the protective gear after use. Do not enter treated areas for at least 24 hrs. Wash treated fruits and vegetables before use.

ENVIRONMENTAL HAZARDS

Toxic to fish - Do not spray over water. Toxic to bees - Do not spray plants in full bloom. Do not contaminate ponds, waterways, or ditches with chemical or used container.

STORAGE

Keep out of reach of children, away from food, drink animal feedstuffs, in original tightly closed containers in a well-ventilated, cool dry place, under lock and key. Store away from fire or heat sources

DISPOSAL

Do not re-use container for any other purpose. Puncture and bury away from water courses. Remainder of product, if unused, or washing from sprayers should be disposed of away from water sources. If concentrate is spilled, absorb with saw dust or soil which should be buried away from water sources.

FIRST AID INSTRUCTIONS

Contact with eyes: Wash away with plenty of clean water or eye wash for 15 minutes. See a doctor.

On skin: Wash off immediately with plenty of water and soap. Remove contaminated clothing.

If swallowed: Do not make patient vomit as solvents can damage lungs. Remove patient immediately from treated area. Keep him cool and comfortable and contact a doctor.



TOXICOLOGICAL INFORMATION

Symptoms of poisoning Headache, dizziness, blurred vision, nausea, diarrhea, discomfort in the chest, weakness, nervousness, sweating, salivation, uncontrollable muscle twitchiness, convulsion coma.

ANTIDOTE

Atropine sulphate

NOTE TO PHYSICIAN

Use 2mg of atropine intravenous every 15-30 minutes.

NOTICE TO USER

This pest control product is to be used in accordance with the direction on this labels. It is an offence under the Pest Control Products act to use or store a pest control products under unsafe conditions.



WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Shelf Life: 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

Maisha rafuni: Maisha Rafuni: Miaka miwili baada ya kutengenezwa kama imewekwa kwenye chombo chake halisi ambacho hakijafunguliwa, mahali pakavu pasipo na joto nyingi.

Manufactured by / Imetengenezwa na:

ADAMA Makhteshim Ltd
P.O. Box 60, industrial zone
Beer-Sheva 84100, israel
Tel: 972 - 8 - 6280304
Fax: 972 - 8 - 6280304 6296602
Web: www.adama.com

Approved by / Imethibitishwa na:

Tropical Pesticides Research Institute (TPRI) P.O. Box 3024,
ARUSHA – TANZANIA
TEL: 255 27 2508813/15, 255 27 2505871 Fax: 255 27 2505871

Distributor / Msambazaji:

BaltonTanzania Limited, DAR ES SALAAM OFFICE
23 Coca Cola road, Mikocheni Light
Industrial Area, P.O.BOX 712 Dar Es Salaam
Tel: +255 22 2772826 / 2772831 Fax: + 255 2775989
Mob: + 255 658 332 241 / +255 658 320 925
Email: balton@baltontz.com



Expiry date
Date of Manufacture SEE PACKING
Batch Number

ADAMA