



PYRINEX QUICK

GUARANTEE (DHAMANA):

Chlorpyrifos 250g/l

Deltamethrin 6g/l, ZC

A broad spectrum Insecticide/Acaricide with contact, ingestion and fumigant action for control of a wide range of pests on Cabbage, Tomato, Pepper, Eggplant, Carrot, Onion, Asparagus, Potato and Tobacco.

Kiua dudu chenye wigo mpana kinachoua kwa mguso ikiiliwa na kwa mfukizo kuzuia wadudu wa aina nyingi kwenye Nyanya, Pilipili, Kabichi, Bilingani, Karoti, Vitunguu, Asparagus, Viazi na Tumbaku.



FLAMMABLE
LIQUID



IRRITANT
HUWASHA




SCAN FOR
WEBSITE

Commercial and Agricultural class • Kwa biashara na kilimo IN/0297 Registration number /Namba ya Usajili: TPRI IN/0297

READ LEAFLET BEFORE USING • KEEP OUT OF REACH OF CHILDREN
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

1 Liter

97070622D/201408



INSECTICIDE



ADAMA
ESSENTIALS



CAUTION



ADAMA

OPEN HERE



MAELEZO

PYRINEX QUICK 256 Ina uwezo mkubwa wa kuua wadudu au jamii ya mchwa na hufanya kazi kwa njia ya mguso, ikiliwa na pia kwa mfukizo. Ingawa hufanya kazi taratibu, uwezo wake wa kuua kwa harufu huiwezesha kutoa ulinzi kwa sehemu za karibu za mimea ambayo haijatiwa dawa.

JINSI YA KUTUMIA

Itumie mara tu uonapo dalili za mwanzo wa shambulizi la wadudu. Kwa kila hekta, kutegemea mimea, changanya kiasi kinachotosha cha PYRINEX QUICK 256 katika maji lita 200-1000. Kwa upakaji dawa kwenye shina la mti, itumie mara moja au mbili kila mwaka.

VIPIMO VYA KUTUMIA

Tumia Lita Moja na nusu hadi lita mbili kwa hekta au mililita 20-30kwa bomba la lita 20 kwenye mahindi. Rudia baada ya siku 14.

KUUA WADUDU KWENYE UDONGO

Tumia lita moja kwa hekta.

USALAMA WA MIMEA

Hakuna madhara ya sumu yatakayoonekana kwenye mimea dawa inapotumika kulingana na mapendekezo.

MUDA WA KUSUBIRI

Ng'ombe, mbuzi n.k wasilishwe katika majani yaliyotiwa dawa kwa muda wa siku 14 baada ya kutumia PYRINEX QUICK 256.

KUCHANGANYA

PYRINEX QUICK 256 huchanganyika na madawa mengine yanayotumika sana kuua wadudu, lakini kamwe isichanganywe na vitu vyenye alkali nyingi kama vile maji ya salfa, chokaa yenye salfa na pia michanganyiko ya Bordeaux.



LOCALITY /CROP	KIWANGO CHA DAWA Lt/Ha	REMARKS/ PEST
Kabichi, Nyanya, Pilipili, Bilingani, Karoti, Vitunguu, Asparagus	1.3	Moth, Noctuids, Tortricids, Miner larvae, Hyphantria, Inzi Weupe, Tentredinidae, Coleoptera, Spider Mites
Viazi	1.3	Colorado Beetle, Moths, Noctuids, Aphids
Tumbaku	1.3	Noctuids, Wanao Fyonza, Tripids, Flea Beetle



MADHARA NA HATUA ZA KUCHUKULIWA

PYRINEX QUICK 256 ni sumu ikimezwa, ikivutwa pamoja na hewa au ikiingia mwili kuitia kwenye ngozi. Usivute pamoja na hewa, usiimeze na isiguse mwili au macho. Vaa mavazi ya kinga. Vaa glavu mikononi. Vaa viatu visivyo ingiza maji kuzuia miguu, vaa miwanî ya kuzuia macho, vaa chombo maalumu cha kuchuja hewa. Usile, usinywe wala kuvuta sigara unapofanya kazi na dawa. Osha mikono na sehemu nyingine yejote ya mwili iliyo mwagikiwa na dawa kabla ya kula, kunywa au kuvuta sigara.

Baada ya kazi oga na sabuni na ubadilishe nguo na kufua zile zilizotumika kabla ya kuzitumia tena. Usiingie katika sehemu au eneo lililonyunyizwa dawa kwa masaa 24. Osha matunda na mboga zilizonyunyiziwa dawa kabla ya kula.

KUHIFADHI

Iweke katika chombo chake asili kilichofungwa sawa sawa na weka mbali na watoto au vyakula. Iweke sehemu vuguvugu napakavu. Weka mbali na moto.

Usitumie tena chombo kilichokwisha dawa kwa kazi nyingine yoyote. Kitoboe na fiikia mbali na vyanzo vya maji. Dawa inayobakia au misuuzo toka kwenye bomba umwagwe mbali na vyanzo vya maji.

KWA MAZINGIRA

PYRINEX QUICK 256 ni sumu kwa wanyama wa pori, ndege na mifugo. Zuia mifugo kuingia katika eneo lililonyunyizwa dawa.

PYRINEX QUICK 256 ni sumu kwa samaki.

PYRINEX QUICK 256 ni sumu kwa nyuki wa asali.

Usinyunyize wakati wa maua.

MAELEZO YA HUDUMA YA KWANZA

Ikiingia kwenye macho: Macho yaoshwe kwa maji mengi kwa muda wa dakika 15.

Maumivu yakizidi muone daktari.



Ikimwagikia kwenye ngozi: Osha haraka kwa maji na sabuni. Ondoa nguo zilizo mwagikiwa dawa.

Ikimezwa: Usimlazimishe mgonjwa atapike kwani uchafu wa dawa unaotoka unaweza kudhuru mapafu yake. Mwondoe haraka katika sehemu iliyotiwa dawa.

Mpumzishe mahali atulie na kupoa kasha muone daktari.

KWA DAKTARI

PYRINEX QUICK 256 ni dawa yenyewe mchanganyiko wa sumu ya organophosphate. Sumu ikishukiwa, dawa ya kuondoa ni Atropine. Mdunge sindano ya mishipa 2-5 mg.

DALILI ZA SUMU

Kichefuchefu, kutoona vizuri, kifua kitabana, kuumwa na kichwa, ulegevu viungoni na mikazo wa misuli ya tumbo.



WARNINGS

Handle with care.

Harmful if swallowed, inhaled or absorbed through the skin.

May cause irritation of the skin, eyes, mucus membranes and may cause skin sensitivity.

Toxic to fish, bees and wild life.

Do not spray over food or feed or surfaces where food is prepared, eaten or stored.

Store in a cool, dry place away from food and feedstuff.

Keep out of reach of children, uninformed persons and animals.

Re-entry interval

Do not allow humans or animals to come into contact with treated area before the spray has thoroughly dried.

Do not use as a space treatment.

Do not apply to animals.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be effective under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest to the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal, or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions, or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Do not use in presence of persons with known sensitivity to pyrethroids. In the case of signs of sensitivity, obtain medical advice.

Do not eat, drink or smoke while handling this product or before washing hands and face and changing clothing.

Prevent contamination of food, feedstuff, drinking water and eating utensils as well as all surfaces where food may come in direct contact with spray residues.



Wear rubber gloves and a face shield when handling the concentrate and during application. If you get it in your eyes wash it out at once. If you get it on your skin wash it off immediately. If you spill it on your clothes, take them off immediately and wash them thoroughly.

Cover fish tanks and remove all pets from the area to be treated. Do not spray over electrical equipment, sockets, switches or electrical motors.

Do not touch or walk over treated areas before spray is completely dry.

Empty container over the spray tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Rinse the container three times with a volume of water of at least 10% of that of the container. Add the rinsings to spray tank before destroying the empty container by perforating and flattening.

Never use the empty container for my other purpose.

Change and wash your work clothes. Wash yourself.

Resistance warning

For resistance management, PYRINEX QUICK 256 is a group code 1B + 3A insecticide. Any insect population may contain individuals naturally resistant to PYRINEX QUICK 256 and other group code 1B + 3A insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. These resistant insects may not be controlled by **PYRINEX QUICK**
256 or any other group code 1B + 3A insecticide.

To delay insecticide resistance

Avoid exclusive repeated use of insecticides from the same insecticide group code. Alternate or tank-mix with products from different insecticide group codes.

Integrate the control methods (chemical, cultural, biological) into insect control programmes.

For specific information on resistance management contact the registration holder of this product.



DIRECTIONS FOR USE

Use only as indicated.

Mixing instructions

Shake the concentrate well before use. Half fill the spray tank with clean water. Pre-mix the required volume of PYRINEX QUICK 256 with a small volume of water and add to the spray tank while agitating. Fill the spray tank with water to the required level while agitating continuously. Agitate sprayer during use or in the case of the interruption of the spray process. To facilitate pouring, wet the sides of the measuring cup with water before adding the PYRINEX QUICK 256.

Application

PYRINEX QUICK 256 can be applied by any suitable knapsack sprayer which is able to distribute the spray mixture evenly and effectively over the target area. Depending on the nature of the target that has to be covered, use can be made of cone or solid stream nozzles. In the case of coarse droplet applications use can be made of a paint brush. Where there is insufficient or no agitation the mixture must be shaken every 5 minutes.



APPLICATION RATES:

LOCALITY /PEST	DOSAGE Lt/Ha	REMARKS
Cabbage, Tomato, Pepper, Eggplant, Carrot, Onion, Asparagus	1.3	Moth, Noctuids, Tortricids, Miner larvae, Hyphantria, Whyteflies, Tentredinidae, Coleoptera, Spider Mites
Potato	1.3	Colorado Beetle, Moths, Noctuids, Aphids
Tobacco	1.3	Noctuids, Aphids, Tripids, Flea Beetle

ADAMA



WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Shelf Life: 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

Maisha rafuni: Maisha Rafuni: Miaka miwili baada ya kutengenezwa kama imewekwa kwenye chombo chake halisi ambacho hakijafunguliwa, mahali pakavu pasipo na joto nyangi.

Manufactured by / Imetengenezwa na:

ADAMA Makhteshim Ltd
P.O. Box 60, industrial zone
Beer-Sheva 84100, israel
Tel: 972 - 8 - 6280304
Fax: 972 - 8 - 6280304 6296602
Web: www.adama.com

Approved by / Imethibitishwa na:

Tropical Pesticides Research Institute (TPRI) P.O. Box 3024,
ARUSHA – TANZANIA
TEL: 255 27 2508813/15, 255 27 2505871 Fax: 255 27 2505871

Distributed By / Inasambazwa Na:

TriaChem (T) Ltd.
P.O.Box 2750, Arusha-Tanzania
PLOT NO 49AA, Esso Road,
Tel/Fax: +255272548774
Web: www.triachem.com



Expiry date
Date of Manufacture SEE PACKING
Batch Number

ADAMA