



PYRINEX QUICK

PYRINEX QUICK is a broad spectrum Insecticide with contact, ingestion and fumigant action for control of a wide range of pests on Cabbage, Tomato, Pepper, Eggplant, Carrot, Onion, Asparagus, Potato and Tobacco.

ADAMA





PYRINEX QUICK is a combination of two different molecules and therefore has efficient systemic and contact activity against a wide spectrum of pests:

Chewing insect pests - termites, grasshoppers, army worms, grubs and other defoliators.

Sucking insect pests - whiteflies, aphids and thrips.

1 PRODUCT + 2 MODES OF ACTION = EXCELLENT, QUICK AND LONG LASTING ACTIVITY DUE TO ITS **UNIQUE MICRO-ENCAPSULATED FORMULATION** AGAINST MANY PESTS



BENEFITS FOR THE FARMER:

- ✓ Excellent Knock-down effect – within a few hours the pests stop feeding on your crop
- 👍 **Your crop is protected for a long period due to the strong residual effect.**
The capsules are carried by insects and transferred to other insects in their nests
- 🔄 PYRINEX QUICK can be used against different pests due to its broad spectrum activity
- ☁️ Rain fast- The product is absorbed in the plant within a few hours
- 🌱 Safe for your crop

DIRECTIONS FOR USE:

Mixing instructions: Shake the concentrate well before use. Half fill the spray tank with clean water. Pre-mix the required volume of PYRINEX QUICK with a small volume of water and add to the required level while agitating continuously. Agitate sprayer during use or in the case of the interruption of the spray process. To facilitate pouring, wet the sides of the measuring cup with water before adding the PYRINEX QUICK.

Application: PYRINEX QUICK can be applied by any suitable knapsack sprayer which is able to distribute the spray mixture evenly and effectively over the target area. Depending on the nature of the target that has to be covered, use can be made of cone or solid stream nozzles. In the case of coarse droplet applications use can be made of paint brush. Where there is insufficient or no agitation the mixture must be shaken every 5 minutes.

APPLICATION RATES:

LOCALITY/PEST	DOSAGE Lt/Ha	PESTS
Cabbage, Tomato, Pepper, Eggplants, Carrot, Onion, Asparagus	1.3	Moth, Noctuids, Tortricids, Miner larvae, Hyphantria, Whyteflies, Tentredinidae, Coleoptera, Spider Mites
Potato	1.3	Colorado Beetle, Moths, Noctuids, Aphids
Tobacco	1.3	Noctuids, Aphids, Tripids, Flea Beetle

Always read the label carefully before use

For more information please contact:

TriaChem (T) Ltd.

P.O.Box 2750, Arusha, TANZANIA

PLOT NO 49AA, Esso Road

Tel/Fax: (255) 27-2548774

www.triachem.com

Mobile: 0767869869 (sales)

The product is distributed by: TriaChem (T) Ltd.



ADAMA