


Azimut®

Best disease control, resistance management and yield increase with the best fungicide combination in the market.

Azimut® targets Yellow and Stem Rust:



2 different modes of action help to prevent the development of fungal pathogens resistance:



Plant's defence mechanisim activated (energy demanding) Haustorium



Benefits for the farmer:

- Broad spectrum Single application controls multiple diseases
- Preventive, Curative and Eradicative Action Broader window of application
- Long duration of residual control Reduced Number of sprays
- **1+1** Two different Modes of Action Good Resistance Management
- () Unique systemic and Translaminar activity Protects the new growth after spraying
- Penetrates quickly into the leaf tissue Reaches fast to the target site and enables early protection
 - Yield Enhancement & Quality of produce Better price and revenue

DIRECTIONS FOR USE:

Mix with water at the recommended rates and foliar apply on wheat. Do not apply when dew is present or at dough growth stage. Do not exceed 2 applications per season.



MODE OF ACTION:

AZIMUT contains tebuconazole that disrupts normal cell functions and Azoxystrobin that inhibits spore germination and mycelia growth.



MIXING AND TIMING OF APPLICATION

Find us on Facebook ADAMA East Africa

Crop	Disease	Stage	Rate/ha in 200 L of water	Rate/20 L of water
Wheat	Yellow Rust and Stem Rust	On siting of disease, repeat after 2 - 3 weeks	1 L	100 ml
Barley*	Yellow Rust and Stem Rust	On siting of disease, repeat after 2 - 3 weeks	1 L	100 ml

Always read the label carefully before use

* Under label extension for Barley

Manufactured by:



ADAMA
For further information please contact:
Robert Wachira
Tel: +254 713 463 937
www.adama.com/east-africa

Distributed by:



Grebe Enterprises Limited
Hoska Plaza, Pandit Nehru Road
P.O. Box 14828-20100
Nakuru, Kenya
Mobile: +254(0)722603054
www.grebeenterprises.co.ke

