



MIRAGE

GUARANTEE (DHAMANA):
Prochloraz 450g/l, EC

Broad Spectrum FUNGICIDE Effectively Controls Fungal Diseases in: Maize, Millet, Rice, Sorghum, Tropical and Subtropical Fruits, Green Grass, Vegetables, Ornamentals, Mango, Pineapple, Citrus, Avocado, Watermelon, Tomato, Onion, Pepper, Soybean, Peas, Beans, Alfalfa, Groundnuts, Coffee, Forage, Mango, Cashew, Pawpaw and Banana.



OPEN HERE

FUNGICIDE



SCAN FOR WEBSITE



IRRITANT HUWASHA



FLAMMABLE LIQUID



READ LEAFLET BEFORE USING • KEEP OUT OF REACH OF CHILDREN
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

1 Liter

ADAMA

ESSENTIALS



ADAMA



First aid measures/Medical instructions

Inhalation: Remove victim to fresh air. Consult a Medical Doctor in the event of any complaints.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Wash out mouth with water. Consult a doctor.

Skin contact: Remove contaminated clothing. Wash off with plenty of water and soap. Consult a doctor in the event of any complaints.

Eye contact: Wash off with plenty of water for at least 15 minutes. Consult an eye specialist. If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.

ANTIDOTE -

Treat symptomatically and give supportive therapy.

USE & DOSAGE:

Seeds and seedlings 30-80 ml/15L of water

Bulb and maize seed treatment 30-50 ml/15L of water

CONTROLS DISEASES caused by :

Septoria, Fusarium, Monilia, Cercospora, Anthracnose, Botrytis, Powdery mildew, Ring spot, Grey mould.

Dosage : 0.5-1.5 L/ha

SAFETY

Harmful by inhalation and if swallowed. Toxic to aquatic organisms, may cause long-term adverse effects in aquatic environment. Keep away from food, drink and animal feed. When using, do not eat, drink or smoke. Wear suitable protective clothing and gloves. Use only in well-ventilated areas. This material and its container must be disposed of as hazardous waste.

Avoid release into the environment.

Refer to your nearest EPA or MOFA office.

Toxicity Data

LD 50 acute oral: 664mg/kg(rats)

LD 50 acute dermal: >2000mg(rats)

WHO HAZARD CLASS: III (Slightly Toxic)

ADAMA



WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Shelf Life: 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

Maisha rafuni: Miaka 2 baada ya kutengenezwa ikiwa kwenye chombo chake halisi, na hakijafunguliwa, ni ikiwa imewekwa mahali pakavu pasipo na joto nyingi.

In case of Emergency call toll free No.

**(Wakatiwa Dharura piga simu bila malipo): 0800720021/
0800730030(24hrs/ masaa 24)**

Manufactured by / Imetengenezwa na:

ADAMA Makhteshim Ltd
P.O. Box 60, industrial zone
Beer-Sheva 84100, israel
Tel: 972 - 8 - 6280304
Fax: 972 - 8 - 6280304 6296602
Web: www.adama.com

Approved by / Imethibitishwana:

Tropical Pesticides Research Institute (TPRI) P.O. Box 3024,
ARUSHA – TANZANIA
TEL: 255 27 2508813/15, 255 27 2505871 Fax: 255 27 2505871

Distributor / Inasambazwa Na:

BaltonTanzania Limited, DAR ES SALAAM OFFICE
23 Coca Cola road, Mikocheni Light
Industrial Area, P.O.BOX 712 Dar Es Salaam
Tel: +255 22 2772826 / 2772831 Fax: + 255 2775989
Mob: + 255 658 332 241 / +255 658 320 925
Email: balton@baltontz.com



Expiry date
Date of Manufacture SEE PACKING
Batch Number

ADAMA