



# ODEON

**GUARANTEE (DHAMANA):**  
Chlorothalonil 720 g/l, SC

A suspension concentrate contact fungicide for the preventive control of diseases in crops and ornamentals as indicated.

Kiuakuvu cha kuzuia magonjwa mbalimbali ya mazao na mapambo kilicho katika hali ya kimiminika.



**FUNGICIDE**

OPEN HERE



FLAMMABLE LIQUID



IRRITANT HUWASHA



SCAN FOR WEBSITE



Commercial and Agricultural class • Kwa biashara na kilimo  
Registration number/Namba ya Usajili: TPRI FU/0142

READ LEAFLET BEFORE USING • KEEP OUT OF REACH OF CHILDREN  
SOMA KIBANDIKO KABLA YA KUTUMIA • WEKA MBALI NA WATOTO

**1 Liter**

97070504D/201409

# ADAMA

ESSENTIALS



# ADAMA



### **MAELEZO YA JUMLA**

ODEON 720 SC, Kiuakuvu cha kuzuia magonjwa mbalimbali ya mazao na mapambo kilicho katika hali ya kimiminika.

### **MATUMIZI NA WAKATI WAKE**

ODEON 720 SC itumike tu kama dawa ya kuzuia ugonjwa. Hakikisha majani yanapata dawa juu na chini. Rudia dawa kama mvua ya 12mm inanyesha mara baada ya kunyunyiza au kumwagilia maji katika masaa 72. Kama hali ya hewa inaendelea kuwa rahisi kwa magonjwa kutokea tumia dawa zinazopenya na kutibu ugonjwa.

### **MATUMIZI YA KAWAIDA**

Tumia vyombo ilivyopendekezwa kwa shughuli hiyo usinyunyize wakati wa upepo mkali.

<b>ZAO</b>	<b>VIPIMO</b>	<b>MAELEZO</b>
Mapambo na waridi	Lita 1.55/ha kwa ndege au umwagiliaji 190 ml/lita 100 za maji kwenyewaridi	Nyunyiza angalau lita 50 za maji kwa ndege. Lita 1500 za maji kwa bomba kwa hekta. Nyunyiza hadi ilowanishe majani rudia siku 7-14 baadae.
Kahawa	2 - 2.5 Lt/Ha	Nyunyiza hadi ilowanishe majani rudia.
Mboga	2 - 2.5 Lt/Ha	Nyunyiza hadi ilowanishe majani rudia.

### **NAMNA YA KUCHANGANYA**

Jaza maji nusu bomba. Changanya kiasi cha kutosha cha ODEON 720 SC kwenye chombo tofauti na maji kidogo. Changanya vizuri kabla ya kuweka kwenye bomba au pipa la kukorogea dawa.

Unapochanganya na dawa nyingine, fuata utaratibu ufuatao: Adjuvant, dawa za maji, sumu za maji n.k. Jaza sasa bomba lako na maji vizuri na tikisa mara kwa mara. Mchanganyiko usilale masaa mengi bila kutumiwa.



Muda wa kusubiri kabla ya kuvuna:

Maharage (mbegu).....	Siko 3
Maharage (majani ya malisho).....	Siko 42
Matango an jamii yake.....	Siko 3
Karanga (kwa malisho ya mifugo).....	Siko 42
Viazi.....	Siko 3
Nyanya.....	Siko 3

### **ONYO LA USUGU**

Usugu waweza kutokea kama matumizi ya ODEON hayatazingatia

**ushauri:** Ili kuchelewesha usugu:

Eupuka matumizi ya mara nyingi ya dawa moja. Badilisha au changanya na dawa za aina na jamii tofauti na ODEON.

Tumia mbinu mbadala pia pamoja:- Mfano dawa pamoja na utunzaji bora au viasili mbali mbali.

Wasiliana na mtengenezaji kwa maelezo zaidi juu ya kuzuia usugu.

Kama unatumia ODEON kwenye umwagiliaji, usichanganye na dawa au mbolea nyingine.

### **ONYO**

- Hudhuru kama mnyunyizo wa dawa utavutwa pwani au kumezwa tumboni.
- ODEON 720SC huwasha macho, pua na koo.
- Ni sumu kwa samaki na wanyama wengine wa kwenye maji.
- Hifadhi sehemu tulivu kavu mbali na vyakula na malisho.
- Weka mbali na watoto, watu wasiohusika na wanyama.
- Kuingia sehemu iliyonyunyuziwa dawa; usiingie eneo lililonyunyuziwa dawa kabla ya kukauka dawa vininginevyo uwe umevaa mavazi ya kinga.

**Kunyunyiza kwa ndege:** (Viazi maharage na karanga pekee) Toa taarifa kwa watu wote wanaokuzunguka kwenye eneo la kunyunyizwa dawa. Hakikisha dawa haiendi mbali na eneo hilo na hagusani na maji.

### **TANGAZO LA MTENGENEZAJI**

Ingawa mtengenezaji amehakikisha tahadhari ya kutosha, hatahusika kwa namna yeyote ile matokeo yasiyozingatia maelezo kwenye kibandiko. Muone msambazaji kwa maelezo zaidi ikiwa una wasiwasi.

**ADAMA**



**TAHADHARI:**

- Usivute puani mvuke wa dawa inayonyunyizwa.
- Vaa kinga ya uso na macho na glavu za mpira wakati wa kuchanganya dawa
- Safisha kwa maji mengi na sabuni endapo dawa itagusana na -ngozi, Fua nguo zilizogusana na dawa kila siku.
- Usile, usinywe au kuvuta sigara wakati wa kuchanganya au kunyunyiza pia kabla ya kunawa mikonono na uso.
- Epuka unaponyunyiza isigusane na mazao ya jirani malisho, mito, mabwawa au maeno mengine yasiyokusudiwa.
- Epuka isigusane an vyakula, malisho, maji ya kunywa au vyombo vya kulia.
- Safiasha barabara vyombo vilivyotumika na mwaga msuuzo mbali na sehemu isiyohitajika ila isigusane na vyanzo vya maji na mabwawa n.k.

**CAUTION/ TAHADHARI**

Vyombo vilivyoisah dawa lazima visuuzwe na kutobolewa kabla ya kuvitupa. Usitumie vyombo vilivyoisha dawa kwa shughuli yeyote ile.



## GENERAL INFORMATION

Odeon 720 SC, a suspension concentrate contact fungicide for the preventive control of diseases in crops and ornamentals as indicated.

### Application

ODEON 720 SC must be applied as a preventive application. Good coverage on both upper and lower surfaces of leaves should be ensured. Repeat application if 12 mm or more rain or irrigation is received within 72 hours after application. If weather conditions favorable for the development of disease prevail for long periods, it should be considered to alternate ODEON 720 SC with registered systemic fungicides.

## APPLICATION RATES

CROP	DOSAGE	REMARKS
ROSES Black spot	190 ml/100 Lt water	Apply as a preventive full cover spray programme at intervals of 7 - 14 days.
Coffee/ CBD 65ml/ 16L	2 - 2.5 Lt/Ha	Apply as preventative full cover spray
Vegetables	2 - 2.5 Lt/Ha	Apply as preventative full cover spray

### Mixing instructions

Half fill the spray tank with clean water. Mix the required volume of ODEON 720 SC separately in a small volume of water before adding to the spray tank while agitating.

When ODEON 720 SC is used in a tank mixture with other products, add the products in the following sequence: adjuvant/acidifier, wettable powder, suspension concentrate, emulsifiable concentrate. Fill the spray tank to the required volume with water while agitating the spray mixture. It is important to maintain agitation during mixing and application. Prepared spray mixtures must not be left for any length of time, e.g. overnight.



With holding periods: Minimum number of days between the last application and harvest:

Beans .....	3 days
Beans (Hay) .....	42 days
Cucurbits .....	3 days
Groundnuts (Hay) ....	42 days
Potatoes .....	3 days
Tomatoes.....	3 days

**Resistance warning**

To delay fungicide resistance avoid exclusive repeated use of fungicides from the same fungicide group code. Alternate or tank-mix with products from different fungicide group codes. Integrate the control methods (chemical, cultural, biological) into fungicide control programmes.

**WARNINGS**

Harmful if spray mist is inhaled or if the concentrate is swallowed.  
ODEON 720 SC may irritate eyes, nose and throat.  
Toxic to fish and very toxic to other aquatic organisms.  
Store in a cool, dry place away from food and feed.  
Keep out of reach of children, uninformed persons and animals.

**Re-entry interval:** Do not enter treated field until spray deposit has dried unless wearing protective clothing.

**Aerial application:** (Potatoes, beans and groundnuts only). Inform all inhabitants in the immediate vicinity of the area to be sprayed and issue the necessary warnings.

Do not spray over or allow spray drift to contaminate water.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant or accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier for any uncertainty.



### **PRECAUTIONS**

Do not inhale spray mist.

Wear a face shield and rubber gloves when mixing the concentrate.

Wash with soap and water after accidental skin contact.

Wash contaminated work clothes daily.

Do not eat, drink or smoke while mixing or spraying or before hands and face are washed.

Avoid drift of spray onto other crops, grazing, rivers, dams or any other area not under treatment.

Prevent contamination of food, feed, drinking water and eating utensils.

Clean applicator after use and dispose of wash water where it will not contaminate other crops, grazing, rivers or dams.

### **WARRANTY**

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**Shelf Life:** 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

**Maisha rafuni:** Miaka miwili baada ya kutengenezwa kama imewekwa kwenye chombo chake halisi ambacho hakijafunguliwa, mahali pakavu pasipo na joto nyingi.



**Manufactured by / Imetengenezwa na:**

ADAMA Makhteshim Ltd  
P.O. Box 60, industrial zone  
Beer-Sheva 84100, israel  
Tel: 972 - 8 - 6280304  
Fax: 972 - 8 - 6280304 6296602  
Web: [www.adama.com](http://www.adama.com)

**Approved by / Imethibitishwana:**

T.P.R.I - ARUSHA, ARUSHA Office  
Sakina - Azimio , Nairobi Road, P.O.BOX 14666 ARUSHA  
Tel: +255 732 979905 Fax + 255 732 979905  
Mob: +255 719 222 722  
Email: [baltonarusha@baltonz.com](mailto:baltonarusha@baltonz.com)

**Distributor / Msambazaji:**

BaltonTanzania Limited, DAR ES SALAAM OFFICE  
23 Coca Cola road, Mikocheni Light  
Industrial Area, P.O.BOX 712 Dar Es Salaam  
Tel: +255 22 2772826 / 2772831 Fax: + 255 2775989  
Mob: + 255 658 332 241 / +255 658 320 925  
Email: [balton@baltontz.com](mailto:balton@baltontz.com)

Expiry date  
Date of Manufacture SEE PACKING  
Batch Number



**ADAMA**