

CORN SOLUTIONS

	PRODUCT (GROUP #)	ACTIVE INGREDIENT	KEY BENEFITS AND USES	RATE	ADJUVANT REQ'D?*	PACKAGING ACRES TREATED	COST/ACRE
IN-CROP							
WEED CONTROL							
*	BADGE [®] (4 & 6)	Bromoxynil & MCPA Ester	Proven control of almost 30 broadleaf weeds in corn with easy-to-use tank-mix options for one-shot weed control	500 ml/ac	No	Case: 2 x 10 L jugs 20 ac∕jug	
*	BROMOTRIL®(6)	Bromoxynil	Tough broadleaf weed control with tank- mix flexibility and excellent crop safety with a wide window of application	490–570 ml/ac	No	Case: 2 x 9.7 L jugs 17−20 ac/jug	
DISEASE CONTROL							
ତ	BUMPER® 432 EC (3)	Propiconazole	Wide window of application to protect against multiple leaf diseases including rusts, Northern corn leaf blight, Southern corn leaf blight, helminthosporium leaf spot, eye spot and grey leaf spot	120 ml/ac	No	Case: 2 × 4.8 L jugs 40 ac∕jug	
ତ		Prothioconazole	Advanced disease protection with a built- in surfactant – powered by Asorbital™ Formulation Technology Applied as a preventive foliar spray for the control of rusts, eyespot, northern blight, grey leaf spot and suppression of fusarium and gibberella ear rots	323 ml/ac	Built into formulation	Case: 2 × 9.6 L jugs 30 ac∕jug	
PEST CONTROL							
Ø	CORMORAN [®] (4 & 15)	Novaluron & acetamiprid	Control of aphids NOTE: Adequate spray coverage is essential to obtain optimum control and product should be applied when thresholds have been met.	200–280 ml/ac	No	Case: 2 x 10.08 L jug 36–50 ac/jug	
Þ	SILENCER® 120 EC (3)	Lambda- cyhalothrin	Flexible, broad-spectrum insect control for soybean aphids, grasshoppers and cutworms	33–75 ml/ac	No	Case: 4 × 3.785 L jugs 50 –113 ac/jug	
₽	ZIVATA (3)	Lambda- cyhalothrin	Same trusted active but in a renewable sourced formulation with low volatile organic properties that improves the user experience and reduces drift potential and product volatility	34 ml/ac	No	Case: 2 × 4.08 L jugs 120 ac/jug	

* These products must be used with a labelled surfactant or adjuvant. See product label for rates.



*





¹ Drop nozzles required once the corn is past the 8-leaf stage.

² Dependent on PHI (Pre-harvest Interval)

SORATEL[™] —

Timing based on using the product alone. Please refer to tank-mix partner labels for crop timing.

 \triangle Always read and follow label directions.

*/TM BADGE, BUMPER, BROMOTRIL, CORMORAN, SILENCER and SOMBRERO are registered trademarks and ASORBITAL, SORATEL and ZIVATA are trademarks of ADAMA Agricultural Solutions Canada Ltd.
© 2022 ADAMA Agricultural Solutions Canada Ltd.

Listen - Learn - Deliver ADAMA.COM