



WE ARE

Active
Ingredients



ADAMA Rainfast Chart – Eastern Canada

| Herbicides | Rainfastness |
|--------------------------|--|
| 2,4-D Ester 600 | Avoid applying when rain is forecast. |
| ADAMA GLUFOSINATE 150 SL | 4 hours |
| ARMORY® 240 | 30 minutes |
| ARROW ALL IN® | 1 hour |
| BADGE® | 1 hour |
| BISON® 400 L | 1 hour |
| BROMOTRIL® | 30 minutes |
| DAVAI® 80 SL | 3 hours |
| DAVAI A PLUS® | 3 hours |
| DAVAI Q PLUS® | 3 hours |
| EMPHASIS® | 6 hours |
| ESTEEM ALL IN® | 4 hours |
| FORCEFIGHTER ALL IN® | 1 hour |
| INVOLVE® 50 WDG | Rain within 6 hours may reduce control. |
| LEOPARD® | 1 hour |
| MCPA ESTER 600 | Avoid applying when rain is in forecast. |
| PHANTOM® 240 SL | 3 hours |
| PYTHON® | 6 hours |
| RUSH 24 ALL IN® | 1 hour |



WE ARE

Active Ingredients



| | |
|-----------|---------|
| SQUADRON® | 6 hours |
| THRASHER® | 1 hour |

| Insecticides | Rainfastness |
|------------------|--|
| CORMORAN® | Avoid application when heavy rain is in forecast. |
| NIMITZ® 480 EC | Avoid application during rain or when rain is forecasted within the next 24 hours. |
| SILENCER® 120 EC | 1 hour |
| SOMBRERO® 600 FS | N/A |
| ZIVATA® | 1 hour |

| Fungicides | Rainfastness |
|----------------|---|
| BUMPER® 432 EC | 1 hour |
| CAPTAN 480 SC | Avoid application when heavy rain is in forecast. |
| CAPTAN 80 WSP | N/A |
| CUSTODIA® | Avoid application when heavy rain is in forecast. |
| FOLPAN® 80 WDG | N/A |
| MAXENTIS® | Avoid applying when rain is forecast. |
| ORIUS® 430 SC | Avoid application when heavy rain is in forecast. |



WE ARE

Active Ingredients



| | |
|-----------|---|
| SORADUO™ | Avoid application when heavy rain is in forecast. |
| SORATEL® | Avoid application when heavy rain is in forecast. |
| TOPNOTCH™ | Avoid application when heavy rain is in forecast. |
| VANTANA™ | Avoid application when heavy rain is in forecast. |

Always Read and follow label directions.