

FORCEFIGHTER® M

3 active ingredients and 2 modes of action to fight herbicide resistance and provide post-emergent control of broadleaf weeds in wheat and barley.



Active Ingredients:

Fluroxypyr, Bromoxynil and MCPA 2 EH Ester

Herbicide Groups:

Group 4 (MCPA Ester, Fluroxypyr) and Group 6 (Bromoxynil)

Formulation:

Fluroxypyr 180 g/L, Bromoxynil 225 g/L, MCPA 2 EH Ester 225 g/L = EC

Application Rates and Packaging:

Co-pack:

2 × 10 L Bromoxynil/MCPA Ester + 9.6 L Fluroxypyr treats 40 acres

Co-pack:

2 × 120 L Bromoxynil/MCPA Ester + 115.2 L Fluroxypyr treats 480 acres

REGISTERED CROPS:

- Wheat (spring, durum)
- Barley

WEEDS CONTROLLED:

- · American nightshade
- Bluebur
- Burdock
- Canada thistle¹
- Chickweed
- Cleavers (including Group 2 resistant biotypes)
- Cocklebur
- Common groundsel
- Cow cockle
- Flixweed
- Hempnettle
- Kochia (including Group 2 and glyphosate-resistant biotypes)
- Lady's thumb
- Lamb's quarters
- ¹Top growth control.

- Night-flowering catchfly
- Perennial sow thistle
- Redroot pigweed
- · Russian thistle
- · Shepherd's purse
- SmartweedStinkweed
- Vetch
- · Volunteer canola
- Volunteer sunflower
- Wild buckwheat
- Wild mustard (including Group 2 resistant biotypes)
- Wild radish
- Wormseed mustard

HOW IT WORKS:

Quickly causes plants to stop growing. Convenient co-pack controls a wide range of weeds, including glyphosate-resistant and Group 2 resistant kochia, Group 2 resistant cleavers and Group 2 resistant wild mustard.



FORCEFIGHTER® M

CROP STAGING:

Crop	Stage
Wheat	2 leaf to early flag leaf
Barley	2 leaf to early flag leaf

WATER VOLUME:

- Ground: 20 40 L/ac
- · Do not apply by air.

RAINFASTNESS:

1 hour

REGISTERED AND SUPPORTED TANK MIXES:

Spring Wheat:

- BISON® 400 L
- BRAZEN™ II
- LADDER ALL IN®
- PICKET[™] 75 WDG (for suppression of narrow-leaved hawk's beard)
- · Simplicity®
- Refine® SG
- Traxos®

Durum wheat:

- LADDER ALL IN®
- Simplicity®
- Traxos®

Barley:

- BISON® 400 L
- BRAZEN™ II
- PICKET™ 75 WDG (for suppression of narrow-leaved hawk's beard)

MIXING INSTRUCTIONS:

- 1. Fill spray tank ½ full with water.
- 2. Add the required amount of FORCEFIGHTER® M and agitate thoroughly.
- 3. Add any tank-mix partners.
- 4. Fill the tank and agitate again before use.

CROP ROTATIONS:

Can be seeded the following year to barley, canola, flax, forage grasses, lentils, mustard, field peas, rye, and wheat.

PRE-HARVEST INTERVAL:

60 days

GRAZING RESTRICTIONS:

30 days

STORAGE:

Store in a heated facility. If product is frozen, bring to room temperature and agitate well before use.

QUICK TIPS:

FORCEFIGHTER® M's activity is influenced by weather conditions. The optimal temperature is 12 - 24° C. Avoid application 3 days before or after frost. Do not apply before the 2-leaf stage as crop injury may occur. Use 38 L/ac application volume when there is a heavy canopy or when most weeds are at an advanced stage of growth. Do not apply by air.



Always read and follow registered product label instructions. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. Toll-free: 1.855.264.6262

Website: ADAMA.COM/CANADA