

Active Ingredients:

Fluroxypyr 80 g/L Bromoxynil 200 g/L MCPA 200 g/L

Application Rates and Acres Treated:

Rate: 567 ml/ac

Acres Treated: 20 ac/jug;

160 ac/drum; 802 ac/drum

Packaging:

Case: 2 x 11.37 L jugs Bulk: 90.96 L drums

Tote: 454.8 L

Water Volume:

20-40 L/ac (5-10 US gal/ac)

Rainfastness:

1 hour

REGISTERED CROPS:

Barley

WEEDS CONTROLLED:

- American nightshade*
- Bluebur (up to 4-leaf)
- Canada thistle*
- Cleavers** (up to 4 whorls)
- · Cocklebur*
- Common groundsel (up to 8-leaf)
- Cow cockle (up to 4-leaf)
- Flixweed (up to 4-leaf)
- Kochia*** (up to 5 cm)
- Lady's thumb (up to 4-leaf)
- Lamb's quarters (up to 8-leaf)
- Night-flowering catchfly (up to 4-leaf)
- Perennial sow thistle*
- Redroot pigweed (up to 4-leaf)

- Wheat (spring, durum)
- Russian thistle (up to 5 cm)
- Shepherd's purse (up to 4-leaf)
- Smartweed green (up to 4-leaf)
- Smartweed pale (up to 4-leaf)
- Stinkweed (up to 8-leaf)
- Volunteer canola (up to 4-leaf)
- Volunteer sunflower (up to 4-leaf)
- Wild buckwheat (up to 8-leaf)
- Wild mustard** (up to 8-leaf)
- Wild radish
- Wormseed mustard (up to 8-leaf)

HOW IT WORKS:

Quickly causes plants to stop growing. This convenient all in one formulation controls a wide range of weeds, including glyphosateresistant and Group 2 resistant kochia, Group 2 resistant cleavers and Group 2 resistant wild mustard.

^{*}Top growth control.

^{**} Including Group 2 resistant biotypes

^{***} Including Group 2 and glyphosate-resistant biotypes



FORCEFIGHTER ALL IN™

CROP STAGING:

Crop	Stage
Barley	2-leaf to early flag leaf
Wheat (spring & durum)	2-leaf to early flag leaf

REGISTERED AND SUPPORTED TANK MIXES:

Spring wheat:

- BISON® 400 L
- BRAZEN® II Herbicide
- LADDER ALL IN®
- Simplicity® GoDRI Herbicide
- Refine® SG Herbicide
- Traxos® Herbicide

Durum wheat:

- LADDER ALL IN®
- Simplicity® GoDRI Herbicide
- Traxos® Herbicide

Barley:

- BISON[®] 400 L
- BRAZEN® II Herbicide

MIXING INSTRUCTIONS:

- 1. Fill spray tank ½ full with water.
- 2. Add the required amount of FORCEFIGHTER ALL IN™ and agitate thoroughly.
- 3. Add any tank-mix partners.
- 4. Fill the tank and agitate again before use.

CROP ROTATIONS:

Can be seeded the following year to barley, canola, flax, forage grasses, lentils, mustard, oats, peas, rye and wheat or fields can be summerfallowed.

GRAZING RESTRICTIONS:

30 days

STORAGE:

Do not freeze.

PRE-HARVEST INTERVAL:

60 days

QUICK TIPS:

FORCEFIGHTER ALL IN™ combines three active ingredients and two modes of action to deliver more broadleaf weed killing power per acre than comparable products. In fact FORCEFIGHTER ALL IN™ has 13% more active ingredient per acre than the competitive product.

Do not apply before the 2-leaf stage as crop injury may occur. Use 38 L/ac application volume when there is a heavy canopy or when most weeds are at an advanced stage of growth. Activity is influenced by weather conditions. Optimal application temperature is 12 – 24° C. Avoid application 3 days before or after frost and do not apply by air.



Always read and follow label directions. Toll-free: 1.855.264.6262 Website: ADAMA.COM

