



PHANTOM® 240 SL

Flexible pre-plant, pre-plant incorporated, pre-emergent or post-emergent broadleaf and grassy weed control in soybeans, dry beans, peas and alfalfa, with residual control to eliminate early season weed competition.

GROUP 2

Active Ingredient:

Imazethapyr 240 g/L = SL

Application Rates and Acres Treated:

Rate: 85 ml/ac

Acres Treated: 40 ac/jug

Packaging:

Case: 2 × 3.3 L jugs

Water Volume:

Ground: 40 L/ac

(10 US gal/ac)

Aerial: Do not apply.

Rainfastness:

3 hours

REGISTERED CROPS:

Use PHANTOM® 240 SL at 126 mL-170 mL in 160 L of water per acre. For post-emergent application to glyphosate tolerant soybeans, 85 mL-126 mL per acre may be applied in tank mix with glyphosate. See appropriate rate tables in the label for specific application rates for each crop.

CROP	APPLICATION TIMING				
	PRE-PLANT	PRE-PLANT INCORPORATED	PRE- EMERGENT	POST- EMERGENT	
Adzuki Beans		•	•		
Alfalfa (grown for seed)		•	•		
Dry Common Beans (black, cranberry, Dutch brown, kidney, white, yellow eye)		Cranberry Kidney White	•		
Lima Beans (Ontario only)			•		
Processing Peas		•	•		
Snap Beans		•	•		
Snow Peas		•	•		
Soybeans	•	•	•	•	

WEEDS CONTROLLED:

Check label as weeds controlled vary by crop.

Broadleaf weeds:

- Cocklebur
- Common Ragweed
- Eastern Black Nightshade¹
- Lady's Thumb
- Lamb's-Quarters
- Ragweed¹
- Redroot Pigweed¹
- Smartweed
- Velvetleaf
- Wild Buckwheat
- Wild Mustard

Grasses:

- Barnyard Grass
- Crabgrass
- · Foxtail (Green, Yellow)
- Witch Grass
- Proso Millet

HOW IT WORKS:

PHANTOM® 240 SL is a selective herbicide that can be applied as an early pre-plant, pre-plant incorporated, pre-emergent or post-emergent treatment in various crops. The application method depends upon the crop, anticipated weed spectrum and the preference of the applicator. With early pre-plant and pre-emergent treatments, susceptible weeds emerge, are present as stunted plants and then die. When PHANTOM® 240 SL is applied post-emergence, absorption may occur through both the roots and foliage. Susceptible weeds stop growing and eventually die.

¹Excluding Group 2-resistant weeds



REGISTERED AND SUPPORTED TANK MIXES:

TANK-MIX OPTION	APPLICATION TIMING				
	PRE-PLANT	PRE-PLANT INCORPORATED	PRE-EMERGENT	POST-EMERGENT	
Glyphosate	•			• 1	
Glyphosate + FirstRate®	•				
Trifluralin		•			
Edge [®]		•			
Lorox®/Linuron			•		
Basagran®				•	
Basagran® Forte				•	
ARROW® 240 EC, ARROW ALL IN®				•	
LEOPARD®				•	
SQUADRON®			•	•	

¹Glyphosate-tolerant soybeans only (i.e. varieties with the Roundup Ready®).

This product may be tank mixed with a fertilizer, a supplement, or with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact ADAMA Agricultural Solutions Canada Ltd. at 1-855-264-6262 for information before applying any tank mix that is not specifically recommended on this label.

MIXING INSTRUCTIONS:

- 1. Fill clean spray tank $\frac{1}{2}$ to $\frac{3}{4}$ full of clean water and turn agitation on.
- 2. Add the required amount of PHANTOM® 240 SL and continue agitation.
- **3.** If necessary, add any required adjuvants or surfactants for tank-mix partners.
- **4.** Complete filling tank with water with agitation on.

NOTE: If tank-mixing, please reference the label of the partner for specific mixing order or follow W.A.M.L.E.G.S or W.A.L.E.S. for proper mixing protocol.

CROP ROTATIONS:

These crops may be planted the season following a PHANTOM® 240 SL application:

- Adzuki Beans
- Black Beans
- Cranberry Beans
- Dutch Brown Beans
- Field Corn
- Imazethapyr-Tolerant Canola
- Imazethapyr-Tolerant Corn
- Kidney Beans
- Lima Beans
- Processing Peas
- Soybeans

- · Spring Barley
- · Spring Wheat
- White Beans
- Winter Wheat
- Yellow Eye Beans

PRE-HARVEST INTERVALS:

- Snap Peas: 40 days
- Processing Peas: 50 days
- Snow Peas: 60 days
- Lima Beans: 90 days
- Dry Beans², Soybeans: 100 days
- ² Kidney, adzuki, Dutch brown, black, yellow eye, white and cranberry beans.

RE-ENTRY INTERVAL:

12 hours.

STORAGE:

Do not freeze.

CLICK HERE FOR FULL PRODUCT DETAILS.



GRAZING RESTRICTIONS:

Do not graze treated crops or cut for hay.



Always read and follow label directions.
Toll-free: 1.855.264.6262 | Website: ADAMA.COM

ARROW®, ARROW ALL IN®, DAVAI®, LEOPARD®, PHANTOM® and SQUADRON® are registered trademarks of an ADAMA Group Company. All other products are trademarks of their respective companies. © 2025 ADAMA Agricultural Solutions Canada Ltd.

QUICK TIPS:

PHANTOM® 240 SL requires moisture for activation. Soil-applied PHANTOM® 240 SL requires sufficient water within 7 days of application to moisten the soil to a depth of 2 inches for activation. If adequate moisture is not received within 7 – 10 days of application, perform a shallow inter-row cultivation 2 – 3 inches deep using a roller or S-tine cultivator to control escaped weeds until the field receives adequate moisture. For early pre-plant applications (soybeans only), more than 7 – 10 days may elapse before the receipt of adequate precipitation to activate the herbicide and reduce the risk of weed escapes.