

## **Active Ingredients:**

Fluroxypyr 59.7 g/L Clopyralid 40.00 g/L MCPA 2 EH Ester 240.5 g/L = EC

# Application Rates and Acres Treated:

Rate: Low: 730 ml/ac High: 970 ml/ac

Acres Treated: 11-15 ac/jug

## Packaging:

**Case:** 2 x 10.93 L jugs

## Water Volume:

Ground: 20 - 40 L/ac

(5-10 US gal/ac)

**Aerial:** 12-20 L/ac

(3-5 US gal/ac)

### Rainfastness:

4 hours

## **GROUP 4**

#### **REGISTERED CROPS:**

- Barley
- Oats

## WEEDS CONTROLLED\*:

## At the low rate of 730 ml/ac:

- Burdock
- Canada Thistle (low infestations)
- Cleavers
- Cocklebur
- Field Horsetail (top growth)
- Flixweed
- Kochia
- Lamb's Quarters
- Plantain (top growth)

Prickly Lettuce

• Wheat (spring, winter)

- Ragweed
- Shepherd's Purse
- Stinkweed
- Stork's Bill
- Wild Buckwheat
- Wild Mustard
- Vetch

## At the high rate of 970 ml/ac, the above weeds plus:

- Annual Sow Thistle
- Canada Thistle (medium to high infestations, season long control)
- Chickweed
- Common Groundsel
- Dandelions (spring rosettes only)
- Hemp-Nettle
- Perennial Sow Thistle (season long control)

- Redroot Pigweed
- Russian Pigweed
- Scentless Chamomile
- Smartweed
- Tartary Buckwheat
- Volunteer Canola

<sup>\*</sup>For complete list of weeds controlled, refer to the label.



## **ESTEEM ALL IN®**

#### **HOW IT WORKS:**

Moves within the plant to control exposed and underground plant tissues. It mimics naturally occurring plant hormones which control weeds by disrupting normal plant growth patterns. Symptoms of effect include epinasty (twisting of the stems) and swollen nodes.

#### **CROP STAGING:**

Spring Wheat, Barley and Oats: 3-leaf to just before the flag leaf. Winter Wheat in the spring: 3 tiller stage to just before the flag leaf.

## **REGISTERED AND SUPPORTED TANK MIXES:**

- Liquid Achieve™ SC¹
- · Puma® Advance

- Traxos®
- Varro<sup>®</sup>

This product may be tank mixed with a fertilizer, a supplement, or with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact ADAMA Agricultural Solutions Canada Ltd. at 1-855-264-6262 for information before applying any tank mix that is not specifically recommended on this label.

#### **MIXING INSTRUCTIONS:**

- 1. Fill sprayer tank ½ full of water.
- 2. Start sprayer tank agitation.
- 3. Add the required amount of ESTEEM ALL IN®.
- **4.** If necessary, add any required adjuvants or surfactants for tank-mix partners.
- 5. Complete filling tank with water.

NOTE: If tank-mixing, please reference the label of the partner for specific mixing order or follow WAMLEGS or WALES for proper mixing protocol.

#### **PRE-HARVEST INTERVAL:**

Wheat, Barley or Oats: 60 days

Forage: 7 days

#### y or Oats: ou days Adjuvant only

Adjuvant only required, if tank-mixing with Liquid Achieve™ SC: Turbocharge® @ 0.5% v/v

#### **GRAZING RESTRICTIONS:**

Do not cut or graze treated fields of wheat, barley or oats within 7 days after application.

Withdraw meat animals from treated fields at least 3 days before slaughter.

## **RE-ENTRY INTERVAL:**

**ADJUVANT RATE:** 

12 hours

## STORAGE:

Do not freeze.

## **CROP ROTATIONS:**

Fields previously treated with ESTEEM ALL IN® can be seeded to wheat, barley, oats and rye (not underseeded to forage legumes, clover or alfalfa), canola, field peas, flax, forage grasses, mustard, or can be summerfallowed.

For field peas: A rainfall of 140 mm (5.5") between herbicide application and August 31, (in the year of application), as well as an annual precipitation greater than 175 mm (6.9") is required.





Flexible rates available - choose what works best for you: 970 ml/ac for heavy weed pressure OR hard-to-control weeds; 730 ml/ac for standard weed pressure.



Always read and follow label directions.
Toll-free: 1.855.264.6262 | Website: ADAMA.COM

<sup>&</sup>lt;sup>1</sup>Tank mixes with Liquid Achieve™ SC may cause temporary injury if applied before the 4-leaf stage, however, yield will not normally be affected.