



Bumper™

250 EC





Propiconazole 250 g/L

ADAMA




BUMPER™ 250 EC is a systemic fungicide providing curative and preventive action against leaf and stem disease in wheat. BUMPER is quickly absorbed through the leaves and stems and is rapidly translocated in the plants and protects the new growing tissues of the leaves and stems.

BUMPER™ 250 EC Target weeds






Disease name	Symptom on plant	Timing of application	Application rate
Stem rust		BBCH 31-49 = From tillering stage to when head is visible	0.5 L/ha = 40 ml in 16L napsack
Yellow rust			
Powdery mildew			
Septoria			

Application Timing:

BUMPER™ 250 EC should to be applied from tillering stage up to when head is visible. Protection of the flag leaf is the most important




BUMPER™ 250 EC Benefits

-  Ensure Yield & Quality – protection of the wheat flag leaf
-  Best Cost-effective fungicide for wheat
-  Broad spectrum activity against many diseases
-  Curative and preventive action
-  Excellent rain fastness

Directions for Use:

- Ground application - spray volume of 200 liters/Ha.
- Aerial application - spray volume of 30 liters/Ha.

Up to 80% of wheat yield comes from the top three level, so it is vital to protect them





0.5L

1L



1 Bottle = 250 ml
1 Bottle = 10 Knapsacks sprays



Crop	Target Pest	App rate L/ha	App rate ml/16L knapsack
Wheat	Leaf & stem diseases	0.5 L/ha	40 ml x 16 sprays



አምራች



አዳማ

ለበለጠ መረጃ
ተስፋሁን ፈንታ ጅምቦሬ
ቴሌ.: +251911649912

ኢ-ሜይል: tesfahun.fenta@adama.com
ድረ-ገፅ: adama.com/ethiopia
የፊስቲክ ቡክ ገፅ ADAMA East Africa

ወኪል



ጂ.ሲ.ቲ
ቦሌ መንገድ፣ ወረዳ 18
የቤት ቁጥር: 933/01
የሙሣቁ: 5620
ኢትዮጵያ፣ አዲስ አበባ
ቴሌ.: 00251 1 150080/81;
002511514979
ኢ-ሜይል: GCT@telecom.net.et

ADAMA