
FUNGICIDE

Maincop™

Copper Oxychloride 50% WP

- Maincop belongs to inorganic group.
- **Maincop** is a foliar fungicide with contact and preventive action.
- ▶ Maincop is highly soluble in water and produces uniform distribution on plant.



Available Pack sizes:

500g, 1kg

Antidote:

Dimercaprol is given in the dose of 3 mg/kg every four hours for first four days



Recommendation for use:

Crop	Disease	Dosage	
		kg/Hectare	kg/Acre
Banana	Leaf spot, Fruit rot	2.5	1
Betel	Leaf spot, Foot rot	2.5	1
Chilli	Fruit rot, Leaf spot	2.5	1
Citrus	Canker, Leaf spot	2.5	1
Cardamom	Clump rot	3.75-5.5	1.5-2
	Leaf spot	2.5	1
Coffee	Black rot, Rust	3.75-5.5	1.5-2
Coconut	Bud rot	2.5	1
Potato	Early blight, Late blight	2.5	1

FUNGICIDE

Maincop[™] Copper Oxychloride 50% WP

Recommendation for use:

Crop	Disease	Dos	Dosage	
		kg/Hectare	kg/Acre	
Tobacco	Frog eye leaf spot, Black sank, Downy mildew	2.5	1	
Tomato	Early blight, Late blight, Leaf spot.	2.5	1	
Grapes	Downy mildew	2.5	1	