



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 1/12

9220185 - CARAKOL

Safety Data Sheet

According to Annex II to REACH – Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 9220185
Product name: CARAKOL
Chemical name and synonym: Metaldehyde-Denatonium benzoate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Antiparasitic.

Identified Uses	Industrial	Professional	Consumer
Consumer uses: Private households (= general public = consumers)	-	-	✓

1.3. Details of the supplier of the safety data sheet

Name: Kollant S.r.l.
Full address: Via C. Colombo, 7/7A
District and Country: 30030 Vigonovo (VE)
Italia
Tel. +39 049 9983000
Fax +39 049 9983005

e-mail address of the competent person responsible for the Safety Data Sheet

info@kollant.it

1.4. Emergency telephone number

For urgent inquiries refer to

CAVp Osp. Pediatrico Bambino Gesù - Tel. 06-68593726
Az. Osp. Univ. Foggia - Tel. 0881-732326
Az. Osp. 'A. Cardarelli' - Tel. 081-7472870
CAV Policlinico 'Umberto I' - Tel. 06-49978000
CAV Policlinico 'A. Gemelli' - Tel. 06-3054343
Az. Osp. 'Careggi' U.O. Tossicologia Medica - Tel. 055-7947819
CAV Centro Nazionale di Informazione Tossicologica - Tel. 0382-24444
Osp. Niguarda Ca' Granda - Tel. 02-66101029
Azienda Ospedaliera Papa Giovanni XXIII - Tel. 800883300

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.

Hazard classification and indication:



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 2/12

9220185 - CARAKOL

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements:

P102 Keep out of reach of children.

P501 Dispose of contents / container conforming to the current national regulation.

Contains: DENATONIUM BENZOATE

SP1 Do not contaminate water with the product or its container.

2.3. Other hazards

Vapours may glow and form explosive mixtures with air.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
CALCIUM CARBONATE		
CAS 471-34-1	$5 \leq x < 9$	
EC 207-439-9		
INDEX -		
METALDEHYDE		
CAS 108-62-3	$5 \leq x < 9$	Flam. Sol. 2 H228, Acute Tox. 3 H301
EC 203-600-2		
INDEX 605-005-00-7		

The full wording of hazard (H) phrases is given in section 16 of the sheet.



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 3/12

9220185 - CARAKOL

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Consult a doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

In case of fire toxic gases may develop, as nitrogen oxides (NOx), carbon monoxide (CO), formaldehyde.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 4/12

9220185 - CARAKOL

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail 2014. / Grenzwerte am Arbeitsplatz
GBR	United Kingdom	EH40/2005 Workplace exposure limits
IRL	Éire	Code of Practice Chemical Agent Regulations 2011
NLD	Nederland	Databank of the social and Economic Council of Netherlands (SER) Values, AF 2011:18
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 7 czerwca 2017 r

CALCIUM CARBONATE

Threshold Limit Value

Type	Country	TWA/8h	STEL/15min
------	---------	--------	------------

**9220185 - CARAKOL**

		mg/m3	ppm	mg/m3	ppm
MAK	CHE	3			RESP
WEL	GBR	4			
OEL	IRL	4			
MAC	NLD	10			
NDS	POL	10			

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

Idoneous materials: nitrile rubber.

Thickness: 0,4 mm.

Penetration time: > 480 minutes.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166), for the risk of a potential irritation in case of contact.

RESPIRATORY PROTECTION

In case of powders or aerosols, use a respirator with an approved filter. Mask nose-mouth with P2 microporous filter (European rule 143).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	solid
Colour	blue
Odour	Slightly acrid
Odour threshold	Not available
pH	5,0 - 6,5 (1% aqueous dispersion)
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation Rate	Not available

**9220185 - CARAKOL**

Flammability of solids and gases	not flammable
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0,60 - 0,65 (poured)
Solubility	Partially hydrosoluble
Partition coefficient: n-octanol/water	0,12 @ pH = 6,7 (metaldehyde)
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not explosive
Oxidising properties	Not oxidant

9.2. Other information

VOC (Directive 2010/75/EC) :	0
VOC (volatile carbon) :	0

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

CALCIUM CARBONATE

Decomposes at temperatures above 800°C/1472°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Strong oxidant and strong reducing agents.

CALCIUM CARBONATE

Incompatible with: acids.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, nitrogen oxides (NO_x), carbon monoxide (CO), formaldehyde may be released.

CALCIUM CARBONATE

May develop: calcium oxides, carbon oxides.



SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

LD50 (oral - rat): > 2000 mg/kg [OECD 423] (from experimental studies of ADAMA group property: ref. R-30582).

LD50 (dermal - rat): >2000 mg/kg [OECD 402 B.3 - OPPTS 870.1200] (from experimental studies of ADAMA group property: ref. R-30584).

CALCIUM CARBONATE

LD50 (Oral) 6450 mg/kg Rat

METALDEHYDE

LD50 (Oral) 283 mg/kg Rat (OECD Test Guideline 401)

LD50 (Dermal) > 5000 mg/kg Rat (exposition time: 24 h)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

METALDEHYDE

Non irritant - rabbit [OECD Test Guideline 404 – exposition time: 4 h]

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class



9220185 - CARAKOL

METALDEHYDE

Slightly irritant - rabbit [OECD Test Guideline 405]

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

METALDEHYDE

Not sensitizing - mouse [OECD Test Guideline 429]

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

METALDEHYDE

Not carcinogenic - oral, mouse, exposition time: 540 d [OECD Test Guideline 451]

Not carcinogenic - oral, mouse, exposition time: 728 d [OECD Test Guideline 453]

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

METALDEHYDE

Not toxic for reproduction – diet, rat [OECD Test Guideline 415 & OECD Test Guideline 416]

Adverse effects on development of the offspring

METALDEHYDE

Not teratogenic – oral, rabbit [OECD Test Guideline 414 & US-EPA]

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class



SECTION 12. Ecological information

To avoid risks to human health and the environment, comply with the instructions for use.

12.1. Toxicity

METALDEHYDE

LC50 - for Fish

75 mg/l/96h Oncorhynchus mykiss [OECD TG 203]

EC50 - for Crustacea

> 90 mg/l/48h Daphnia magna [OECD TG 202]

EC50 - for Algae / Aquatic Plants

> 200 mg/l/72h Desmodesmus subspicatus [OECD Test Guideline 201]

Chronic NOEC for Fish

8,9 mg/l Pimephales promelas - 33 d [OECD 210]

Chronic NOEC for Crustacea

90 mg/l Daphnia magna - 21 d [OECD Test Guideline 202]

12.2. Persistence and degradability

CALCIUM CARBONATE

Solubility in water

0,1 - 100 mg/l

METALDEHYDE

NOT rapidly degradable

12.3. Bioaccumulative potential

METALDEHYDE

BCF

11 Lepomis macrochirus - 28 d [OECD Test Guideline 305]

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 10/12

9220185 - CARAKOL

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 11/12

9220185 - CARAKOL

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Sol. 2	Flammable solid, category 2
Acute Tox. 3	Acute toxicity, category 3
H228	Flammable solid.
H301	Toxic if swallowed.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road



Kollant S.r.l.

Revision nr. 5

Dated 27/02/2019

Printed on 27/02/2019

Page n. 12/12

9220185 - CARAKOL

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 07 / 08 / 09 / 10 / 11 / 12.