

SUMITOMO CHEMICAL AGRO EUROPE S.A.S.

SAFETY DATA SHEET

Etoxazole 11 SC

According to Regulation (EC) No 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

Etoxazole 11 SC

Name

Etoxazole, 110 g/l suspension concentrate

GIFAP Code

SC

Reference of the SDS

S128311SCphPHIL9803V2EU/430gb

Product number

PHIL 98/03 V2

Synonyms; trade names

BORNEO 11 SC, BORNEO, ZOOM 11 SC, ZOOM 110 SC, ARABELLA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Acaricide (agricultural use)

Uses advised against

Not for public use

1.3. Details of the supplier of the safety data sheet

Supplier

SUMITOMO CHEMICAL AGRO EUROPE S.A.S

Parc d'affaires de Crécy 10A rue de la voie lactée

69370 Saint-Didier-Au-Mont-D'Or

France

+33 (0)4 78 64 32 60 sds@sumitomo-chem.fr

1.4. Emergency telephone number

Emergency telephone

24 hours/24

Europe: +44 (0) 1235 239 670

Middle East & Africa: +44 (0) 1235 239 671

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Classified as hazardous

regulation (EC) No 1272/2008 (CLP)

according to

Physical hazards

Not Classified

Health hazards

Not Classified

Environmental hazards

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

Pictogram



Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label information

General provisions

EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Special Risks and safety precautions (Commission Regulation (EU) 547/2011) :

SP1: Do not contaminate water with the product or its container (Do not clean application

equipment near surface water).

Special Risks and safety precautions (Commission Regulation (EU) 547/2011): Specific safety precautions SPe 3: To protect aquatic organisms respect an unsprayed buffer zone of (as indicated on the label) to surface water bodies.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Classification according to

Regl 1272/2008

3.2. Mixtures

Classification according to

Regl 1272/2008

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-

11.0%

oxazol-4-yl] phenetole

CAS number: 153233-91-1

M factor (Acute) = 100

M factor (Chronic) = 100

Classification

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

1,2-benzisothiazolin-3-one

> 0.005 - < 0.1%

CAS number: 2634-33-5

EC number: 220-120-9

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Skin Sens. 1 - H317

Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Other information

Code ID: PHIL 98/03 V2

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If in doubt, get medical attention promptly.

Inhalation

Move affected person to fresh air at once. If symptoms persist, seek medical advice.

Ingestion

Rinse mouth. Never induce vomiting in unconscious or confused persons. Get medical

attention.

Skin contact

Remove contaminated clothing and rinse skin thoroughly with water.

Eye contact

Rinse immediately and as long as possible with plenty of water. Eyelids should be held away

from the eyeball to ensure thorough rinsing. Seek medical advice if irritation develops.

4.2. Most important symptoms and effects, both acute and delayed

General information

No typical symptoms and effects known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry chemical powder. Carbon dioxide (CO2). Sand. Water.

Unsuitable extinguishing

None known.

media

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

In case of fire: No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during

Water used to extinguish a fire should not be allowed to enter the drainage system or water

firefighting courses.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective gloves, safety goggles or face shield, and suitable protective clothing.

Remove of ignition sources. Evacuate the danger area.

For emergency responders Wear protective gloves (nitrile), safety goggles or face shield, and suitable protective clothing.

Remove of ignition sources. Evacuate the danger area or consult an expert.

6.2. Environmental precautions

Environmental precautions Do not allow to escape into sewage system or water courses. Do not wash residues into

drains or other waterways.

6.3. Methods and material for containment and cleaning up

Containment of a spill

Do not allow to escape into sewage system or water courses.

Revision date: 12/07/2017 Revision: 4.30

Supersedes date: 07/03/2016

Etoxazole 11 SC

Methods for cleaning up

In case of spill (liquid) soak it up immediately with suitable absorbent, such as sawdust or granular absorbent clay. Sweep up and place into sealable containers. Dig up heavily contaminated soil and place into drums. Use a damp cloth to clean floors and other objects, and also place in sealable container. Dispose of all waste and contaminated clothing in the same manner as waste chemicals (i.e. via an authorized disposal facility). Do not wash residues into drains or other waterways.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Fire and explosion prevention No specific recommendations.

Usage precautions

Follow precautions for safe handling described in this safety data sheet.

Avoid spilling.

Do not allow to escape into sewage system or water courses.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original contain

Store in tightly-closed, original container in a dry and cool place. Keep container in a well-

ventilated place. Keep away from food, drink and animal feeding stuffs.

Other information

Do not mix with water (except for the normal preparation).

Store away from incompatible materials (see Section 10).

7.3. Specific end use(s)

Specific end use(s)

See label on the container.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

According to local regulations.

No chemical safety report is required for this kind of product.

8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation.

controls

Wear safety goggles or face shield.

Hand protection

Eye/face protection

Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash contaminated clothing before reuse.

Respiratory protection The usual precautions for handling chemicals should be observed.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Name

Etoxazole, 110 g/l suspension concentrate (Code ID: PHIL 98/03 V2)

Revision date: 12/07/2017 Revision: 4.30 Supersedes date: 07/03/2016

Etoxazole 11 SC

Appearance

Homogeneous liquid. (Visual assessment)

Colour

White opaque. (Visual assessment)

Odour

No characteristic odour. (Olfactory assessment)

Odour threshold

Not determined.

рΗ

pH (diluted solution): 9.29 (1%) @ 21°C (CIPAC MT 75.3)

Melting point

Not determined.

Initial boiling point and range

Not determined.

Flash point

> 93°C CC (Closed cup). (EEC A.9)

Evaporation rate

Not applicable.

Flammability (solid, gas)

Not flammable.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure

Not determined.

Vapour density

Not applicable.

Relative density

1.03 g/ml @ 20°C (CIPAC MT 3.3.2 handbook F) (density bottle)

Bulk density

Not applicable.

Solubility(ies)

Dispersible in water. (Etoxazole : Solubility : 0.0704 mg/l water @ 20°C (column elution

method) (EEC A.6))

Solubility in other solvents

Not applicable.

Partition coefficient

Not applicable. (Etoxazole : log Pow: 5.5 @ 20°C (EEC A.8))

Auto-ignition temperature

Not auto-flammable up to 600°C (EEC A.15)

Decomposition Temperature

Not determined. (Etoxazole : The substance decomposed during the boiling point test, with

onset at 293°C (EEC A.2))

Viscosity

23-395 mPa s, Dynamic viscosity @ 20°C 19-323 mPa s, Dynamic viscosity @ 40°C (shear rate 665.0-10.58 s-1) (CIPAC MT 192)

Kinematic viscosity: Not determined.

Explosive properties

Not explosive. Expert judgement.

Oxidising properties

Not oxidising. Expert judgement.

9.2. Other information

Relative vapour density (air =

Not determined.

1)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

Stable under recommended storage and handling conditions. See also section 7.

10.2. Chemical stability

Stability

Stable for a minimum of 2 years under recommended storage and handling conditions. See

section 7.

Revision date: 12/07/2017 Revision: 4.30 Supersedes date: 07/03/2016

Etoxazole 11 SC

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid high temperature, light, humidity.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

In case of fire: No known hazardous decomposition products. See also section 5.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No experimental toxicological data are available on the preparation as such.

Name Etoxazole, 110 g/l suspension concentrate (Code ID : PHIL 98/03) (close formulation)

Acute toxicity - oral

Acute toxicity oral LD₅₀ > 5000 mg/kg, Oral, Rat (EEC B.1)

Acute toxicity - dermal

Acute toxicity dermal LDso > 2000 mg/kg, Dermal, Rat (EEC B.3)

Acute toxicity - inhalation

Acute toxicity inhalation LC₅o, 4 hours: > 1.09 mg/l, maximum feasible concentration, whole body, Inhalation, Rat

(OECD 403)

Skin corrosion/irritation

Skin corrosion/irritation Not irritating. (EEC B.4)

Serious eye damage/irritation

Serious eye damage/irritation Mildly irritating. (EEC B.5)

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. (EEC B.6)

General information Based on the available data of these ingredients, no classification criteria are met for any of

these hazard classes.

Route of entry

This product is for agricultural use; therefore the most probable routes of exposure are via

skin or inhalation.

Toxicological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name Etoxazole, technical grade

Acute toxicity - oral

Acute toxicity oral LDso > 5000 mg/kg, Oral, Rat (OECD 401)

Acute toxicity - dermal

Acute toxicity dermal LDso > 2000 mg/kg, Dermal, Rat (OECD 402)

Revision date: 12/07/2017 Revision: 4.30 Supersedes date: 07/03/2016

Etoxazole 11 SC

Acute toxicity - inhalation

Acute toxicity inhalation

LC₅₀, 4 hours: > 1.09 mg/l, maximum feasible concentration, whole body, Inhalation,

Rat (OECD 403)

Skin corrosion/irritation

Skin corrosion/irritation

Not irritating. (OECD 404)

Serious eye damage/irritation

Serious eye

Not irritating. (OECD 405)

damage/irritation

Skin sensitisation

Skin sensitisation

Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. (EEC B.6)

Germ cell mutagenicity

Genotoxicity - in vitro

Negative.

Genotoxicity - in vivo

Negative.

Carcinogenicity

Carcinogenicity

(rats, mice): No carcinogenic effect. (OECD 451, 453)

Reproductive toxicity

Reproductive toxicity -

fertility

Multi-generation study, Rat: Negative. (OECD 416)

Reproductive toxicity -

development

Teratogenicity: Negative. (OECD 414)

Acute Neurotoxicity

NOAEL = 2000 mg/kg, Oral, Rat (OECD 424)

Acute Phototoxicity

Negative. (in vitro) (OECD 432)

90d-neurotoxicity

NOAEL = 858 mg/kg bw/day, Oral, Rat (OECD 424)

General information

Based on the available data of these ingredients, no classification criteria are met

for any of these hazard classes.

Route of entry

This product is for agricultural use; therefore the most probable routes of exposure

are via skin or inhalation.

SECTION 12: Ecological Information

Ecotoxicity No experimental ecological data are available on the preparation as such.

12.1. Toxicity

Name

Etoxazole, 110 g/l suspension concentrate (Code ID: PHIL 98/03) (close formulation)

Acute toxicity - aquatic

invertebrates

ECso, 48 hours: 0.019 mg/l, Daphnia magna

(OECD 202)

Acute toxicity - terrestrial

LD_∞, 48 hours, oral: > 100 μg a.s/bee, Apis Mellifera (Honeybee) LD_∞, 48 hours, contact: > 100 μg a.s/bee, Apis Mellifera (Honeybee)

(EPPO 170)

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name

Etoxazole, technical grade

Acute aquatic toxicity

LE(C)₅₀

 $0.001 < L(E)C50 \le 0.01$

M factor (Acute)

100

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.0071 mg/l, Daphnia magna

(OECD 202)

LC_∞, 10 days: > 56 mg/kg, Chironomus riparius (Sediment dwelling midge)

(ASTM Guideline E 1706-95b)

Acute toxicity - fish

LC∞, 96 hours: 2.8 mg/l, Onchorhynchus mykiss (Rainbow trout)

(OECD 203)

LC∞, 96 hours: 1.4 mg/l, Lepomis macrochirus (Bluegill)

(OECD 203)

Acute toxicity - algae

ECb50, ECr50, 72 hours: > 10 mg/l, Selenastrum capricornutum

NOEC, 72 hours: 10 mg/l, Selenastrum capricornutum

(OECD 201)

Acute toxicity -

EC₅, 3 hours: > 1000 mg/l, Activated sludge

microorganisms

(OECD 209)

Acute toxicity - terrestrial

LD₅o, single dose oral: > 2000 mg/kg, Anas Platyrhynchos (Mallard duck)

(FIFRA 71-1)

LD_{so}, 48 hours, oral: > 200 μg/bee, Apis Mellifera (Honeybee) LD_{so}, 48 hours, contact: > 200 μg/bee, Apis Mellifera (Honeybee)

(FIFRA 141-1, EPPO 170)

LC∞, 14 days, oral: > 1000 mg/kg soil, Eisenia Fetida (Earthworm)

(OECD 207)

No significant impact on carbon mineralization or nitrogen transformation at up to

0.35 mg a.s/kg dry soil, Soil micro-organisms

(SETAC - procedures for assessing the environmental fate and ecotoxicity of

pesticides)

Chronic aquatic toxicity

NOEC

 $0.0001 < NOEC \le 0.001$

Degradability

Non-rapidly degradable

M factor (Chronic)

100

Chronic toxicity - aquatic

NOEC, 21 days: 0.0002 mg/l, Daphnia magna

invertebrates

(OECD 202) NOEC, 21 days: 0.00013 mg/l, Daphnia magna

(OPPTS Draft Guideline 850.1300)

12.2. Persistence and degradability

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name

Etoxazole, technical grade

Revision date: 12/07/2017 Revision: 4.30 Supersedes date: 07/03/2016

Etoxazole 11 SC

Stability (hydrolysis)

pH5 - DT₅o: 9.6 days @ 20°C

pH7 - DT∞: 147-161 days @ 20°C pH9 - DT₅₀: 165-217 days @ 20°C

(OECD 111)

Biodegradation

Not readily biodegradable.

(OECD 301D)

(closed bottle test)

12.3. Bioaccumulative potential

Name

Etoxazole, 110 g/l suspension concentrate (Code ID: PHIL 98/03 V2)

Partition coefficient

Not applicable. (Etoxazole : log Pow: 5.5 @ 20°C (EEC A.8))

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name

Etoxazole, technical grade

Bioaccumulative potential

BCF: exposure 30 days 2500-3300, Onchorhynchus mykiss (Rainbow trout)

CT50, depuration time: 3-6 days, whole fish, Onchorhynchus mykiss (Rainbow

trout)

(OECD 305E)

Partition coefficient

log Pow: 5.5 @ 20°C (EEC A.8)

12.4. Mobility in soil

Name

Etoxazole, 110 g/l suspension concentrate (Code ID: PHIL 98/03 V2)

Surface tension

40.3 mN/m @ 25°C (Neat test item) (EEC A.5)

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name

Etoxazole, technical grade

Mobility

Low mobility.

Adsorption/desorption coefficient

Soil - Adsorption, Koc: 4910 - 11000 ml/g @ 20°C Soil - Descrption, Koc: 11850 - 40750 ml/g @ 20°C

(OECD 106)

Surface tension

Not applicable.

12.5. Results of PBT and vPvB assessment

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yi] phenetole

Name

Etoxazole, technical grade

Results of PBT and vPvB Not required. (no chemical safety report required)

assessment

12.6. Other adverse effects

Ecological information on ingredients.

(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole

Name

Etoxazole, technical grade

Other adverse effects

No other known adverse effects on the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

According to local regulations. For further advice, contact manufacturer.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)

3082

UN No. (IMDG)

3082

UN No. (ICAO)

3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (etoxazole)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (etoxazole)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (etoxazole)

14.3. Transport hazard class(es)

ADR/RID class

9

ADR/RID label

9

IMDG class

a

ICAO class/division

9

14.4. Packing group

ADR/RID packing group

Ш

IMDG packing group

Ш

ICAO packing group

Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

No other special precaution required.

EmS

F-A, S-F

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

Supersedes date: 07/03/2016

Etoxazole 11 SC

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

There is no specific regulation/legislation for this mixture.

15.2. Chemical safety assessment

No chemical safety assessment is required for this mixture.

SECTION 16: Other information

Method for evaluating

Classification based on : tests , close formulation(s) , properties of the active substance(s) .

information referred to in Article 9 of regulation (EC) No. 1272/2008 used for the purpose of classification

Classification abbreviations

Acute Tox. = Acute toxicity

and acronyms

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage

Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation

Abbreviations and acronyms used in the safety data sheet

ASTM: American Society for Testing Material

used in the safety data sheet CAS: Chemical Abstracts Service.

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

EC: European Community

EEC: European Economic Community
EPA: Environmental Protection Agency (USA)

EPPO: European and Mediterranean Plant Protection Organization

EU: European Union

GIFAP: International Group of National Associations of manufacturers of Agrochemical

Products

GHS: Globally Harmonized System.

ID: identification

i.e. : shortening of the Latin expression id est, which is translated as "that is."

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006. Regl: Regulation

US EPA: United States Environmental Protection Agency

vPvB: Very Persistent and Very Bioaccumulative.

w/w: weight per weight

FIFRA: Federal Insecticide, Fungicide and Rodenticide Act of 1972 LD₅.: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC₅: Lethal Concentration to 50 % of a test population.

EC₅: 50% of maximal Effective Concentration. NOEC: No Observed Effect Concentration. NOAEL: No Observed Adverse Effect Level.

ECb50: 50% of maximal Effective Concentration on biomass. NOECb: No Observed Effect Concentration on biomass.

EC50fd: 50% of maximal Effective Concentration on frond density.

NOECfd: No Observed Effect Concentration on frond density.

DT₅₀ : degradation time for 50% of a compound

log Pow: Octanol-water partition coefficient.
Koc: organic carbon adsorption coefficient

BCF: Bioconcentration Factor.

UN: United Nations.

No.: number

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IMDG: International Maritime Dangerous Goods.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

N.O.S.: Not Otherwise Specified

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

IBC: International Code for the Construction and Equipment of Ships carrying Dangerous

Chemicals in Bulk (International Bulk Chemical Code).

SDS : Safety Sata Sheet CT50 : clearance time

ECr&b50: 50% of maximal Effective Concentration on growth rate and biomass.

ECr50: 50% of maximal Effective Concentration on growth rate.

NOECr: No Observed Effect Concentration on growth rate.

NOECr&b: No Observed Effect Concentration on growth rate and biomass.

Vol. = volume

CIPAC: Collaborative International Pesticides Analytical Council

USP: United States Pharmacopeia

SC: Suspension concentrate (= flowable concentrate)

a.s. : active substance bw: bodyweight

OPPTS: Office of Prevention, Pesticides & Toxic Substances SETAC: Society of Environmental Toxicology And Chemistry

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

12/07/2017

Revision

4.30

Revision number of the

4.20

previous version

4.20

Supersedes date

07/03/2016

SDS number

20316

Hazard statements in full

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Reference of the SDS

S128311SCphPHIL9803V2EU/430gb

