



SAFETY DATA SHEET

Fluensulfone 480 EC

Revision Date 18-Oct-2017

Version 1.01

Product No INS00046-E
R-26530 9502528 MCW-2 480 EC

Publish Date 18-Oct-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Fluensulfone 480 EC

Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Nematicide
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address ADAMA Makhteshim Ltd
PO Box 60
Beer Sheva 8410001 Israel

For further information, please contact

Email address SDS@ADAMA.COM

Emergency Telephone

Emergency Telephone +972-03-6106666 Subscription no. 36789 (ADAMA Makhteshim Ltd.)

Section 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Aspiration toxicity	Category 1 - (H304)
Skin corrosion/irritation	Category 3 - (H316)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Label Elements

Hazard pictograms



Signal word

Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways
 H316 - Causes mild skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P102 - Keep out of reach of children
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P331 - Do NOT induce vomiting
 P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	Weight-%	CAS No
Fluensulfone	38 - 42	318290-98-1
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	35 - 38	N/A
Propylene carbonate	11 - 14	108-32-7
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1 - 2	N/A
2-Ethylhexanol	1 - 2	104-76-7

Section 4: FIRST AID MEASURES

First aid measures

General advice

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection!.

Inhalation

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms None known

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus
In the event of fire and/or explosion do not breathe fumes.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Reference to other sections

Other Information

See also section 8,13

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust ventilation.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

National occupational exposure limits

Chemical Name	European Union	United Kingdom	France	Spain	Germany
2-Ethylhexanol 104-76-7					TWA: 10 ppm TWA: 54 mg/m ³ Ceiling / Peak: 10 ppm Ceiling / Peak: 54 mg/m ³ TWA: 20 ppm TWA: 110 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
2-Ethylhexanol 104-76-7	Skin STEL 100 ppm STEL 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	STEL: 20 ppm STEL: 110 mg/m ³ TWA: 20 ppm TWA: 110 mg/m ³	STEL: 320 mg/m ³ TWA: 160 mg/m ³		

Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand Protection Gloves made of plastic or rubber.

Body Protection Suitable protective clothing, Suitable protective clothing, Apron, Gloves made of plastic or rubber.

Respiratory protection Use only with adequate ventilation.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Appearance			
Physical state	: Liquid		
Color	: Yellowish to brown		
Odor	: characteristic, oily		
Odor threshold	: No data available		
pH	: 4.7 - 5.7	CIPAC MT 75.3	1 % aqueous solution
Melting point/freezing point °C	: ----		Not Applicable
Boiling point/boiling range °C	: No data available		
Flash point °C	: 101.5	EEC A.9	
Evaporation rate	: ----		No data available
Flammability (solid, gas)	: Not applicable for liquids		
Upper/lower flammability or explosive limits	: No data available		
Vapor pressure kPa	: ----		Not Applicable
Vapor density	: No data available		
Relative density	: 1.15 - 1.25	OECD 109	20 °C
Solubility(ies) mg/l	: ----		Not Applicable
Partition Coefficient (n-octanol/water) Log Pow	:		See Section 12 for more information
Autoignition temperature °C	: > 400	EEC A.15	
Decomposition temperature °C	: No data available		
Kinematic viscosity mm ² /s 40 °C	: 8.24	OECD 114	
Explosive properties	: Not an explosive	EEC A.14	
Oxidizing properties	: Not oxidizing	EEC A.21	
Other Information			
Bulk density g/ml	: ----		Not Applicable
Surface tension mN/m	: 49.3	OECD 115	19.5 °C

Section 10: STABILITY AND REACTIVITY

Reactivity

Not available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible Materials

No information available

Hazardous Decomposition Products

Nitrogen oxides (NO_x).

Section 11: TOXICOLOGY INFORMATION

Information on toxicological effects

Acute toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	: > 2000	Rat	OECD 423	
Dermal LD50 mg/kg	: > 2000	Rat	OECD 402	
Inhalation LC50 mg/l/4h	: > 6.0	Rat	OECD 403	
Skin corrosion/irritation	: Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	: Irritating to eyes	Rabbit	OECD 405	
Respiratory/skin sensitization	: Skin sensitizer	Guinea pig	OECD 406, (M&K test)	

Chronic toxicity

Germ cell mutagenicity

Chemical Name

Fluensulfone : Not classified

Carcinogenicity

Chemical Name

Fluensulfone : Not Carcinogenic

Reproductive toxicity .

Chemical Name

Fluensulfone : Not toxic for the reproductive system

STOT - single exposure

Chemical Name

Fluensulfone : No data available

STOT - repeated exposure

Chemical Name

Fluensulfone : Not classified

Aspiration hazard

Chemical Name

Fluensulfone : No data available

Section 12: ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Acute toxicity Fish 96-hour LC50 mg/l	: 5.6	Lepomis macrochirus	OECD 203	
Crustacea 48-hour EC50 mg/l	: 0.83	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: 0.0152	P. subcapitata	OECD 201	
Other plants EC50 mg/l	: ----			No data available

Terrestrial Toxicity

Birds Oral LD50 mg/kg

Chemical Name

Fluensulfone : 1506 Bobwhite quail EPA-OPPTS 850.2100

Bees Oral LD50 µg/bee

Chemical Name

Fluensulfone : > 197 OECD 213; OECD 214

Persistence and degradability

	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Abiotic Degradation Water DT50 days			

Chemical Name
Fluensulfone : ---- OECD 111 Stable, 50 °C

Soil DT50 days
Chemical Name
Fluensulfone : 8 - 17 EPA OPPTS 835.4100 20 °C

Biodegradation
Chemical Name
Fluensulfone : Not readily biodegradable OECD 301 D

Bioaccumulative potential

Partition Coefficient (n-octanol/water) Partition Coefficient (n-octanol/water) Log Pow	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Chemical Name Fluensulfone	: 1.96	OECD 117	

Bioconcentration factor (BCF)
Chemical Name
Fluensulfone : ---- Low bioaccumulation potential

Mobility in soil

Adsorption/Desorption	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Chemical Name Fluensulfone	: 187	OECD 106	Mobile

Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORTATION INFORMATION

IMDG/IMO

UN/ID No * 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluensulfone)
Hazard Class 9
Packing Group III
Marine pollutant Yes
Special precautions for user

RID/ADR

UN/ID No * 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluensulfone)
Hazard Class 9
Packing Group III
Environmental hazard Yes
Special precautions for user

ICAO/IATA

UN/ID No * 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluensulfone)
Hazard Class 9
Packing Group III
Environmental hazard Yes
Special precautions for user
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not Applicable



* Note: UN3077 & UN3082 – These products may be transported as non-dangerous goods under the special provisions of IMDG Code 2.10.2.7; ADR SP375 and ICAO/IATA A197 when packed in single or inner packaging of up to 5L for liquids or 5 kg or less for solids.

Section 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 16: OTHER INFORMATION

Revision Note Changes made to the last version are labeled with this sign ***.

List of Acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CAS Number - Chemical Abstracts Service number
EC Number - EINECS and ELINCS Number
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
OECD - Organization for Economic Co-operation and Development
PBT - Persistent, Bioaccumulative and Toxic substance
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT - Specific Target Organ Toxicity
vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet