according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : INSEGAR 25 WG

Design code : A8995B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG

Postfach CH-4002 Basel Switzerland

Telephone : +41 61 323 11 11 Telefax : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone : +44 1484 538444

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

Supplemental Hazard

Statements

EUH401 To avoid risks to human health and the envi-

ronment, comply with the instructions for use.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form flammable dust-air mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
ethyl-[2-(4- phenoxyphenoxy)ethyl]carbamate	72490-01-8 276-696-7	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30
sodium dodecyl sulphate	151-21-3 205-788-1 01-21119489463-28	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

you when calling the emergency number, a poison control

centre or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for dis-

posal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flamma-

ble solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Dust explosion class : May form flammable dust-air mixture.

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep containers tightly closed in a dry, cool and well-

ventilated place. Keep out of the reach of children. Keep away

from food, drink and animal feedingstuffs.

Other data : Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at ambient

temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
silica	61790-53-2	TWA (inhalable dust)	4 mg/m3	CH SUVA

Further information	Harm to the unborn child is not to be expected when the OEL-value is respected			
ethyl-[2-(4- phenoxyphe- noxy)ethyl]carbam ate	72490-01-8	TWA	4 mg/m3	Syngenta
silica	61790-53-2	TWA (inhalable dust)	4 mg/m3	CH SUVA

Further information	Harm to the unborn child is not to be expected when the OEL-value is respected			
ethyl-[2-(4- phenoxyphe- noxy)ethyl]carbam ate	72490-01-8	TWA	4 mg/m3	Syngenta
silicic acid, calcium salt	1344-95-2		10 mg/m3 (Total dust)	
	1344-95-2		3 mg/m3 (Respirable dust)	
	1344-95-2		3 mg/m3 (Respirable dust)	
	1344-95-2		4 mg/m3 (Respirable dust)	
	1344-95-2		5 mg/m3 (Respirable dust)	
kaolin	1332-58-7	TWA (alveolate dust)	3 mg/m3	CH SUVA

Further information | If the kaoline contains quartz, take its limit value into account

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules

Colour : grey to brown Odour : weak, earthy

pH : 8 - 11

Concentration: 1 % w/v

Flammability (solid, gas) : Not classified as a flammability hazard

Bulk density : 0.4 - 0.7 g/cm3

Auto-ignition temperature : 270 °C

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Minimum ignition tempera- : 550 °C

ture

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 42.9 mN/m, 20 °C

Burning number : 2 at 20 °C

: 5 at 100 °C

Dust explosion class : May form flammable dust-air mixture.

Minimum ignition energy : 300 - 1,000 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3 "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,400 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

Assessment: The substance or mixture has no acute dermal

toxicity

sodium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat, male and female): > 1,800 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Species: Rabbit

Result: No skin irritation

sodium dodecyl sulphate:

Assessment: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Species: Rabbit

Result: No eye irritation

sodium dodecyl sulphate:

Assessment: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Species: Guinea pig

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version **Revision Date:** SDS Number: This version replaces all previous ver-

13.10.2016 S1264314 16.0 sions.

Result: Did not cause sensitisation on laboratory animals.

sodium dodecyl sulphate:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Germ cell mutagenicity- As- : Animal testing did not show any mutagenic effects.

sessment

sodium dodecyl sulphate:

Germ cell mutagenicity- As- : In vitro tests did not show mutagenic effects

sessment

Carcinogenicity

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Carcinogenicity - Assess-

: Limited evidence of carcinogenicity in animal studies

ment

Reproductive toxicity

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Reproductive toxicity - As- : No toxicity to reproduction

sessment

Repeated dose toxicity

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Remarks: No adverse effect has been observed in chronic toxicity tests.

SECTION 12: Ecological information

12.1 Toxicity

Product:

LC50 (Oncorhynchus mykiss (rainbow trout)): 9.4 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): 5.9 mg/l

Exposure time: 48 h

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.1

mg/l

Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.92

mg/l

End point: Growth rate Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.66 mg/l

Exposure time: 96 h

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.048 mg/l

Exposure time: 96 d Test Type: Early-life Stage

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.74 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0.0016 µg/l

Exposure time: 21 d

LC50 (Americamysis bahia (Mysid shrimp)): 0.35 mg/l

Exposure time: 96 h

EC50 (Daphnia magna Straus): 0.4 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 1.10 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

1

: 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

M-Factor (Chronic aquatic

toxicity)

10,000

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

13.10.2016 S1264314 16.0 sions.

10.000

sodium dodecyl sulphate:

Toxicity to fish LC50 (Fish): 3.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 48 h Test Type: static test

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Biodegradability Result: Biodegradable

12.3 Bioaccumulative potential

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Bioaccumulation : Remarks: Fenoxycarb bioaccumulates.

Partition coefficient: n-

octanol/water

log Pow: 4.07 (25 °C)

12.4 Mobility in soil

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

mental compartments

Distribution among environ- : Remarks: Fenoxycarb has low to slight mobility in soil.

Percentage dissipation: 50 % (DT50: 8.1 d) Stability in soil

Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

Classification of the product is based on the summation of the

concentrations of classified components.

Components:

ethyl-[2-(4-phenoxyphenoxy)ethyl]carbamate:

Additional ecological infor-

mation

: No data available

sodium dodecyl sulphate:

Additional ecological infor-

mation

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FENOXYCARB)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FENOXYCARB)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(FENOXYCARB)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(E)

(FENOXYCARB)

IATA : Environmentally hazardous substance, solid, n.o.s.

(FENOXYCARB)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

Tunnel restriction code

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1

Quantity 2

E1 ENVIRONMENTAL

100 t

200 t

HAZARDS

Other regulations : Take note of Directive 98/24/EC on the protection of the

health and safety of workers from the risks related to chemical

agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H351 : Suspected of causing cancer. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects. H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

according to Regulation (EC) No. 1907/2006



INSEGAR 25 WG

Version Revision Date: SDS Number: This version replaces all previous ver-

16.0 13.10.2016 S1264314 sions.

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN