

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : PRIORI XTRA

**Design code** : A12910C

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG  
Postfach  
CH-4002 Basel  
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address of person responsible for the SDS : sds.ch@syngenta.com

#### 1.4 Emergency telephone number

**Emergency telephone number** : +44 1484 538444

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
<b>Reproductive toxicity, Category 1B</b>	<b>H360D: May damage the unborn child.</b>
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.

---

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H302 + H332 Harmful if swallowed or if inhaled. H360D May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH208 Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.  EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.

Hazardous components which must be listed on the label:

azoxystrobin
C16-18 alcohols, ethoxylated
cyproconazole (ISO)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
C16-18 alcohols, ethoxylated	68439-49-6 500-212-8	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 20 - < 30

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version  
12.0

Revision Date:  
22.01.2018

SDS Number:  
S177586795

This version replaces all previous versions.

azoxystrobin	131860-33-8 607-256-00-8	Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
cyproconazole (ISO)	94361-06-5 650-032-00-X	Acute Tox. 3; H301 Repr. 1B; H360D STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10
naphthalenesulfonic acid, dimethyl-, polymer with formaldehyde and methylnaphthalenesulfonic acid, sodium salt	9084-06-4	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0.025 - < 0.05

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific  
No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.  
Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

---

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
azoxystrobin	131860-33-8	TWA	4 mg/m <sup>3</sup>	Syngenta
cyproconazole (ISO)	94361-06-5	TWA	0.5 mg/m <sup>3</sup>	Syngenta

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version  
12.0

Revision Date:  
22.01.2018

SDS Number:  
S177586795

This version replaces all previous versions.

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	30 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye protection : No special protective equipment required.

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove length : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

- The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
- Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing
- Respiratory protection** : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a particle filter (EN 143)  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Filter type** : Particulates type (P)
- Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.
- 

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- Appearance** : suspension
- Colour** : light yellow to yellow
- Odour** : sweetish
- Odour Threshold** : No data available
- pH** : 5 - 9  
Concentration: 1 % w/v
- Melting point/range** : No data available
- Boiling point/boiling range** : (1,013 hPa)  
No data available
- Flash point** :  
> 100 °C

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

Method: Pensky-Martens closed cup

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.1 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Solubility in other solvents	:	Miscible Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	455 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	124 - 657 mPa.s (40 °C) 203 - 855 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Surface tension : 29.4 mN/m, 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

: No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid

: No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid

: None known.

### 10.6 Hazardous decomposition products

Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Hydrogen cyanide (hydrocyanic acid)  
hydrochloric acid

Hazardous decomposition products

: No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure

: Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity

: LD50 (Rat, male): > 2,000 mg/kg  
LD50 (Rat, female): > 500 - < 2,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat, male and female): > 2.58 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

##### Components:

**C16-18 alcohols, ethoxylated:**

Acute oral toxicity

: Assessment: The component/mixture is moderately toxic after single ingestion.

---

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### **azoxystrobin:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

LC50 (Rat, male): 0.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **cyproconazole (ISO):**

Acute oral toxicity : LD50 (Mouse, male): 200 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat): 1,020 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Species : Rabbit  
Result : No skin irritation

#### **Components:**

##### **azoxystrobin:**

Species : Rabbit  
Result : No skin irritation

##### **cyproconazole (ISO):**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### **naphthalenesulfonic acid, dimethyl-, polymer with formaldehyde and methylnaphthalenesulfonic acid, sodium salt:**

Species : Rabbit  
Result : Irritating to skin.

### **1,2-benzisothiazol-3(2H)-one:**

Result : Irritating to skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Species : Rabbit  
Result : No eye irritation

#### **Components:**

### **C16-18 alcohols, ethoxylated:**

Result : Irreversible effects on the eye

### **azoxystrobin:**

Species : Rabbit  
Result : No eye irritation

### **cyproconazole (ISO):**

Species : Rabbit  
Result : No eye irritation

### **naphthalenesulfonic acid, dimethyl-, polymer with formaldehyde and methylnaphthalenesulfonic acid, sodium salt:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### **1,2-benzisothiazol-3(2H)-one:**

Result : Risk of serious damage to eyes.

### **Respiratory or skin sensitisation**

#### **Product:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

#### **Components:**

### **azoxystrobin:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version  
12.0

Revision Date:  
22.01.2018

SDS Number:  
S177586795

This version replaces all previous versions.

### **cyproconazole (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### **1,2-benzisothiazol-3(2H)-one:**

Result : Probability or evidence of skin sensitisation in humans

### **Germ cell mutagenicity**

#### **Components:**

#### **azoxystrobin:**

Germ cell mutagenicity-  
Assessment : Animal testing did not show any mutagenic effects.

### **cyproconazole (ISO):**

Germ cell mutagenicity-  
Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### **Components:**

#### **azoxystrobin:**

Carcinogenicity -  
Assessment : No evidence of carcinogenicity in animal studies.

### **cyproconazole (ISO):**

Carcinogenicity -  
Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

#### **Components:**

#### **azoxystrobin:**

Reproductive toxicity -  
Assessment : No toxicity to reproduction

### **cyproconazole (ISO):**

Reproductive toxicity -  
Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **STOT - repeated exposure**

#### **Components:**

#### **cyproconazole (ISO):**

Target Organs : Liver  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### Repeated dose toxicity

#### Components:

#### azoxystrobin:

Remarks : No adverse effect has been observed in chronic toxicity tests.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.2 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 4.27 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
End point: Growth rate  
Exposure time: 96 h

#### Components:

#### azoxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
Exposure time: 48 h

EC50 (Americamysis bahia (Mysid shrimp)): 0.055 mg/l  
Exposure time: 96 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.038 mg/l  
End point: Growth rate  
Exposure time: 96 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.301 mg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

Toxicity to fish (Chronic toxicity) : NOEC: 0.16 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 0.147 mg/l  
Exposure time: 33 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.044 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0.0095 mg/l  
Exposure time: 28 d  
Species: Americamysis bahia (Mysid shrimp)

M-Factor (Chronic aquatic toxicity) : 10

### **cyproconazole (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 19 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0.077 mg/l  
Exposure time: 96 h

NOEC (Desmodesmus subspicatus (green algae)): 0.021 mg/l  
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): > 0.2 mg/l  
Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.025 mg/l  
End point: Growth rate  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.305 mg/l  
Exposure time: 93 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.023 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### 1,2-benzisothiazol-3(2H)-one:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

### 12.2 Persistence and degradability

#### Components:

##### azoxystrobin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 214 d  
Remarks: The substance is stable in water.

##### cyproconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 5 d (20 °C)  
Remarks: Product is not persistent.

### 12.3 Bioaccumulative potential

#### Components:

##### azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

##### cyproconazole (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.1 (25 °C)

### 12.4 Mobility in soil

#### Components:

##### azoxystrobin:

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

##### cyproconazole (ISO):

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

Stability in soil : Dissipation time: 100 - 124 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

#### azoxystrobin:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082

---



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(AZOXYSTROBIN AND CYPROCONAZOLE)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(AZOXYSTROBIN AND CYPROCONAZOLE)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(AZOXYSTROBIN AND CYPROCONAZOLE)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(AZOXYSTROBIN AND CYPROCONAZOLE)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(AZOXYSTROBIN AND CYPROCONAZOLE)

### 14.3 Transport hazard class(es)

**ADN** : 9

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t
----	-----------------------	---------------------	---------------------

#### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP 1-7).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173).

Ordinance of the Minister of Labour and Social Policy of 6th June 2014 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (OJ 2014 No. 0 pos 817).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Ordinance of the Minister of Environment of 9th December 2014 on Waste Catalog (Dz. U. 2014 item 1923).

Government Statement of 26 July 2005 on enforcing of changes Annexes A and B of European Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. Nr. 178, item 1481, as amended).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

Ordinance of the Minister of Economy of 16th January 2007 on the detailed requirements concerning the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (Dz. U. Nr. 11, item 72, as amended)

Ordinance of the Minister of Agriculture and Rural Development of 24th June 2002 on the health and safety due to using and storage of plant protection agents and mineral and organic-mineral fertilizers (Dz. U. Nr. 99 item 896, as amended)

Act of 13th September 2002 r. on biocidal products (Dz. U. Nr. 175 item 1433, as amended, 2007 Nr. 39 item. 252 - unified text)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

### SECTION 16: Other information

#### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H360D	: May damage the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## PRIORI XTRA

Version 12.0      Revision Date: 22.01.2018      SDS Number: S177586795      This version replaces all previous versions.

---

Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Acute Tox. 4      H302

Acute Tox. 4      H332

**Repr. 1B**      **H360D**

Aquatic Acute 1      H400

Aquatic Chronic 1      H410

#### Classification procedure:

Based on product data or assessment

Based on product data or assessment

Calculation method

Calculation method

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN