according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions.

21.0 30.11.2020 S00057570111

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : REGLONE 200SL

Design code : A1412A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Herbicide

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG

Rosentalstrasse 67, Postfach

CH-4002 Basel Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address of person

responsible for the SDS

: sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone

number

: +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals. Acute toxicity, Category 4 H302: Harmful if swallowed. Acute toxicity. Category 3 H331: Toxic if inhaled.

Acute toxicity, Category 3 H331: Toxic if inhaled.

Specific target organ toxicity - single H335: May cause respiratory irritation.

Specific target organ toxicity - single exposure, Category 3, Respiratory

system

Specific target organ toxicity - repeated H372: Causes damage to organs through

exposure, Category 1 prolonged or repeated exposure.

Short-term (acute) aquatic hazard, H400: Very toxic to aquatic life.

Category 1

Long-term (chronic) aquatic hazard, H410: Very toxic to aquatic life with long lasting

Category 1 effects.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: 21.0 30.11.2020 S00057570111

This version replaces all previous versions.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H302 Harmful if swallowed. H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH208

Contains diquat dibromide. May

produce an allergic reaction.

EUH401 To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Response:

P304 + P340 + P311 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell. P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

diquat dibromide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions.

21.0 30.11.2020 S00057570111

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
diquat dibromide	85-00-7 201-579-4 613-089-00-1	Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. 21.0 30.11.2020 S00057570111

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : inflammation of the mouth, throat and oesophagus

Gastrointestinal discomfort

Diarrhoea

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Administer either activated charcoal (100g for adults or 2g/kg

body weight in children) or Fuller's Earth (15% solution; 1 litre

for adults or 15ml/kg body weight in children).

NOTE: The use of gastric lavage without administration of an

adsorbent has not shown any clinical benefit.

Eye contact:- Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should continue until complete healing has

occurred.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: 21.0 30.11.2020 S00057570111

This version replaces all previous versions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

When using do not eat, drink or smoke. For personal protection see section 8.

Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel

or fiberglass.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and

animal feedingstuffs.

Further information on

storage stability

Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient

temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions.

21.0 30.11.2020 S00057570111

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Equipment should conform to EN 166

Hand protection

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment:

Respirator with a particle filter (EN 143)

The filter class for the respirator must be suitable for the

maximum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Filter type : Particulates type (P)

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light brown to dark brown

Odour : odourless

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. 21.0 30.11.2020 S00057570111

Odour Threshold : No data available

pH : 4-8

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.174 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

: No data available

octanol/water

Auto-ignition temperature : > 650 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1.61 mPa.s (40 °C)

2.07 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 40.1 mN/m, 20 °C

Metal corrosion rate : Corrosive to metals

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: 21.0 30.11.2020 S00057570111

This version replaces all previous versions.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Corrosive in contact with metals

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Aluminium

Mild steel Iron

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of:

exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): ca. 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.64 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Nose bleeding and soreness of the throat may result from spray mist or dust trapped on the nasal mucosa.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

diquat dibromide:

Acute oral toxicity : LD50 (Rat, female): 399.75 mg/kg

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. 21.0 30.11.2020 S00057570111

LD50 (Rat, male): 414.69 mg/kg

Remarks: Lethal dose for man is approximately 4-6g of diquat (equivalent to approximately 60mg/kg). May cause nausea, vomiting, abdominal pain and diarrhoea within a few hours of swallowing. Ulceration of lips, mouth, throat and intestine may follow within 24-48 hours. Kidney failure and liver damage may occur; in severe cases circulatory collapse; coma or

death/cardiac arrest.

Acute inhalation toxicity : LC50 (Rat, male): 0.226 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 792 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

diquat dibromide:

Species : Rabbit

Result : Irritating to skin.
Remarks : Expert judgement

May also cause discoloration, cracking and loss of nails.

Normal growth follows without delay.

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

diquat dibromide:

Species : Rabbit
Result : Eye irritation
Remarks : Expert judgement

This material has a delayed eye irritation effect. May lead to ulceration of cornea and conjunctival epithelium giving rise to secondary infection. Although healing may be slow, the injury is superficial and with proper medical care recovery will be

complete, even in severe cases.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions.

21.0 30.11.2020 S00057570111

Respiratory or skin sensitisation

Product:

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Components:

diquat dibromide:

Species : Guinea pig

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

diquat dibromide:

Germ cell mutagenicity-

Assessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

diquat dibromide:

Carcinogenicity -

Assessment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

diquat dibromide:

Reproductive toxicity -

Assessment

: No toxicity to reproduction

STOT - single exposure

Components:

diquat dibromide:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Components:

diquat dibromide:

Target Organs : Eyes

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Remarks : Ocular effects (cataracts) have been reported following long

term oral exposure of laboratory animals.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version 21.0 Revision Date: 30.11.2020

SDS Number: S00057570111

This version replaces all previous versions.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 27.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.153

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.022

mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Lemna gibba G3 (gibbous duckweed)): 0.0152 mg/l

Exposure time: 7 d

NOEC (Lemna gibba G3 (gibbous duckweed)): 0.00325 mg/l

End point: Growth rate Exposure time: 7 d

Components:

diquat dibromide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): Calculated

10.46 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): Calculated 2.49 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): Calculated

0.001148 mg/l

Exposure time: 96 h

NOEC (Navicula pelliculosa (Freshwater diatom)): Calculated

0.0005945 mg/l Exposure time: 96 h

M-Factor (Acute aquatic

toxicity)

: 100

Toxicity to fish (Chronic

toxicity)

NOEC: Calculated 0.04726 mg/l

Exposure time: 34 d

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions.

21.0 30.11.2020 S00057570111

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : N

aquatic invertebrates

NOEC: Calculated 0.0504 mg/l

Exposure time: 21 d

(Chronic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

Components:

diquat dibromide:

Stability in water : Degradation half life: > 30 d

Remarks: Persistent in water.

12.3 Bioaccumulative potential

Components:

diquat dibromide:

Bioaccumulation : Remarks: Low bioaccumulation potential.

12.4 Mobility in soil

Components:

diquat dibromide:

Distribution among

Remarks: immobile

environmental compartments

Stability in soil : Dissipation time: 11 - 41 y

Percentage dissipation: 50 % (DT50)

Remarks: Persistent in soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

diquat dibromide:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

12.6 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: 21.0 30.11.2020 S00057570111

This version replaces all previous versions.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 1760
ADR : UN 1760
RID : UN 1760
IMDG : UN 1760
IATA : UN 1760

14.2 UN proper shipping name

ADN : CORROSIVE LIQUID, N.O.S.

(DIQUAT DIBROMIDE)

ADR : CORROSIVE LIQUID, N.O.S.

(DIQUAT DIBROMIDE)

RID : CORROSIVE LIQUID, N.O.S.

(DIQUAT DIBROMIDE)

IMDG : CORROSIVE LIQUID, N.O.S.

(DIQUAT DIBROMIDE)

IATA : Corrosive liquid, n.o.s.

(DIQUAT DIBROMIDE)

14.3 Transport hazard class(es)

ADN : 8
ADR : 8
RID : 8
IMDG : 8
IATA : 8

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. 21.0 30.11.2020 S00057570111

14.4 Packing group

ADN

Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

ADR

Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III Labels : 8

EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo : 856

aircraft)

Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

IATA (Passenger)

Packing instruction : 852

(passenger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. 30.11.2020 S00057570111

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European : Not applicable

Parliament and the Council concerning the export and

import of dangerous chemicals

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic : Not applicable

pollutants

PIC Ordinance, ChemPICO (814.82) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

100 t

200 t

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
H2 ACUTE TOXIC 50 t 200 t

ENVIRONMENTAL HAZARDS

E1

E1

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2): Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H290 : May be corrosive to metals. H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version Revision Date: SDS Number: This version replaces all previous versions. S00057570111

H330 : Fatal if inhaled. : May cause respiratory irritation. : Causes damage to organs through prolonged or repeated exposure. : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Met. Corr. : Corrosive to metals

Skin Irrit. : Skin irritation

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

according to Regulation (EC) No. 1907/2006



REGLONE 200SL

Version 21.0	Revision Date: 30.11.2020	SDS Number: S00057570111	This version replaces all previous versions.
Met. 0	Corr. 1	H290	Calculation method
Acute	Tox. 4	H302	Based on product data or assessment
Acute	Tox. 3	H331	Based on product data or assessment
STOT	SE 3	H335	Calculation method
STOT	RE 1	H372	Calculation method
Aquat	ic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1		H410	Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN