according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TRIGARD 75 WP

Design code : A6808A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Insecticide

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG

Postfach CH-4002 Basel Switzerland

 Telephone
 : +41 61 323 11 11

 Telefax
 : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone : +44 1484 538444

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard : EUH401 To avoid risks to human health and the

Statements environment, comply with the instructions for use.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

Precautionary statements : Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form flammable dust-air mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
cyromazine	66215-27-8	Aquatic Chronic 1;	>= 70 - < 90
	266-257-8	H410	
naphthalenesulfonic acids,	67784-97-8	Eye Irrit. 2; H319	>= 3 - < 10
polymers with formaldehyde and		Aquatic Chronic 3;	
sulfonated phenol, sodium salts		H412	
sodium dodecyl sulphate	151-21-3	Acute Tox. 4; H302	>= 1 - < 2.5
	205-788-1	Skin Irrit. 2; H315	
	01-21119489463-28	Eye Dam. 1; H318	
		Aquatic Chronic 3;	
		H412	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Dust explosion class : May form flammable dust-air mixture.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep containers tightly closed in a dry, cool and well-

ventilated place. Keep out of the reach of children. Keep away

from food, drink and animal feedingstuffs.

Other data : Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at ambient

temperatures.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
cyromazine	66215-27-8	TWA	3 mg/m3	Syngenta	
silicon dioxide, chemically prepared	112926-00- 8	TWA (inhalable dust)	4 mg/m3	CH SUVA	
Further information	Harm to the unborn child is not to be expected when the OEL-value is respected				
kaolin	1332-58-7	TWA (alveolate dust)	3 mg/m3	CH SUVA	
Further information	If the kaoline contains quartz, take its limit value into account				

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : white to tan Odour : characteristic

pH : 6 - 10

Concentration: 1 % w/v

Flammability (solid, gas) : Not classified as a flammability hazard

Bulk density : 0.30 - 0.40 g/cm3

Auto-ignition temperature : 250 °C

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Minimum ignition : 800 °C

temperature

Self-heating substances : The substance or mixture is not classified as self heating.

Burning number : 2 at 20 °C

: 3 at 100 °C

Dust explosion class : May form flammable dust-air mixture.

Minimum ignition energy : 100 - 300 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3 "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

cyromazine:

Acute oral toxicity : LD50 (Rat, male and female): 3,920 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

Assessment: The substance or mixture has no acute dermal

toxicity

sodium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat, male and female): > 1,800 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Components:

cyromazine:

Species: Rabbit

Result: No skin irritation

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Species: Rabbit

Result: No skin irritation

sodium dodecyl sulphate:

Assessment: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

cyromazine:

Species: Rabbit

Result: No eye irritation

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium salts:

Species: Rabbit Result: Eye irritation

sodium dodecyl sulphate:

Assessment: Risk of serious damage to eyes.

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version SDS Number: **Revision Date:** This version replaces all previous

17.03.2017 S1209238 9.0 versions.

Respiratory or skin sensitisation

Product:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Components:

cyromazine:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

sodium dodecyl sulphate:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

cyromazine:

Germ cell mutagenicity-

Assessment

Animal testing did not show any mutagenic effects.

sodium dodecyl sulphate:

Germ cell mutagenicity-

Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

cyromazine:

Carcinogenicity -

Assessment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

cyromazine:

Reproductive toxicity -

Assessment

: No toxicity to reproduction

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version SDS Number: **Revision Date:** This version replaces all previous

S1209238 9.0 17.03.2017 versions.

Repeated dose toxicity

Components:

cyromazine:

Remarks: No adverse effect has been observed in chronic toxicity tests.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna Straus): 90 mg/l

Exposure time: 48 h

Toxicity to algae ErC50 (Pseudokirchneriella subcapitata (green algae)): 110

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 18

End point: Growth rate Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects...

Classification of the product is based on the summation of the

concentrations of classified components.

Components:

cyromazine:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae ErC50 (Pseudokirchneriella subcapitata (green algae)): > 124

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36

mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates

NOEC: 0.31 mg/l Exposure time: 21 d

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

(Chronic toxicity) Species: Daphnia (water flea)

NOEC: 0.25 mg/l Exposure time: 28 d

Species: Americamysis bahia (Mysid shrimp)

NOEC: 0.025 mg/l Exposure time: 26 d

Species: Chironomus riparius (harlequin fly)

M-Factor (Chronic aquatic

toxicity)

1

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 45 mg/l

Exposure time: 96 h

sodium dodecyl sulphate:

Toxicity to fish : LC50 (Fish): 3.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 48 h Test Type: static test

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

cyromazine:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 94 - 254 d

Remarks: Persistent in water.

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

cyromazine:

Bioaccumulation : Remarks: Does not bioaccumulate.

11 / 16

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

12.4 Mobility in soil

Components:

cyromazine:

Distribution among

environmental compartments

Remarks: Cyromazine has low to high mobility in soil

Stability in soil : Percentage dissipation: 50 % (DT50: 50 d)

Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

cyromazine:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium

salts:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Components:

cyromazine:

Additional ecological

information

: No data available

naphthalenesulfonic acids, polymers with formaldehyde and sulfonated phenol, sodium salts:

ounto:

Additional ecological

information

: No data available

sodium dodecyl sulphate:

Additional ecological

information

: No data available

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CYROMAZINE)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CYROMAZINE)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CYROMAZINE)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CYROMAZINE)

IATA : Environmentally hazardous substance, solid, n.o.s.

(CYROMAZINE)

14.3 Transport hazard class(es)

ADN : 9 **ADR** : 9

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous 9.0 17.03.2017 S1209238 versions.

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction : 956

(passenger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or

Regulation (EC) No 649/2012 of the European : Not applicable

Parliament and the Council concerning the export and

import of dangerous chemicals

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic : Not applicable

pollutants

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations : Take note of Directive 98/24/EC on the protection of the

health and safety of workers from the risks related to chemical

agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified

applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

according to Regulation (EC) No. 1907/2006



TRIGARD 75 WP

Version Revision Date: SDS Number: This version replaces all previous

9.0 17.03.2017 S1209238 versions.

Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN