

**MONSANTO Europe S.A.**  
Material Safety Data Sheet  
Commercial Product

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name**  
**MON 77692**

**Chemical name**  
Not applicable

**Synonyms**  
Not applicable

**Company**  
MONSANTO Europe S.A., Haven 627, Scheldelaan 460, B-2040, Antwerp, Belgium  
**Telephone:** +32 (0)3 568 51 11, **Fax:** +32 (0)3 568 50 90

MONSANTO Europe S.A., Avenue De Tervuren, 270-272, 1150, Brussels, BE  
**Telephone:** +32 (0)2 776 41 11, **Fax:** +32 (0)2 776 40 40

**Emergency numbers**  
**Telephone:** Belgium +32 (0)3 568 51 23 \* U.K. +44 (0)1865 40 73 33

---

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

**Active ingredient**  
Ammonium salt of N-(phosphonomethyl)glycine; {Ammonium salt of glyphosate}

### Composition

Components	CAS No.	EINECS/ ELINCS No.	% by weight (approximate)	EU Symbols & R phrases of components
Ammonium salt of glyphosate	40465-66-5		41	
Water and minor formulating ingredients			59	

---

## 3. HAZARDS IDENTIFICATION

### Potential health effects

#### **Likely routes of exposure**

Skin contact, eye contact

#### **Eye contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

#### **Skin contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

#### **Inhalation, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

### Potential environmental effects

Not expected to produce significant adverse effects when recommended use instructions are followed.

Refer to section 11 for toxicological and section 12 for environmental information

---

## 4. FIRST AID MEASURES

### **Eye contact**

Immediately flush with plenty of water.

If easy to do, remove contact lenses.

#### **Skin contact**

Take off contaminated clothing, wristwatch, jewellery.  
Wash affected skin with plenty of water.  
Wash clothes before re-use.

#### **Inhalation**

Remove to fresh air.

#### **Ingestion**

Immediately offer water to drink.  
Do NOT induce vomiting unless directed by medical personnel.  
If symptoms occur, get medical attention.

#### **Advice to doctors**

This product is not an inhibitor of cholinesterase.

#### **Antidote**

Treatment with atropine and oximes is not indicated.

---

## **5. FIRE FIGHTING MEASURES**

#### **Flash point**

Does not flash.

#### **Extinguishing media**

Recommended: Water, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

#### **Unusual fire and explosion hazards**

Minimize use of water to prevent environmental contamination.  
Environmental precautions: see section 6.

#### **Hazardous products of combustion**

Carbon monoxide (CO), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), nitrogen oxides (NO<sub>x</sub>), ammonia (NH<sub>3</sub>)

#### **Fire fighting equipment**

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions**

Use personal protection recommended in section 8.

#### **Environmental precautions**

**SMALL QUANTITIES:**  
Low environmental hazard.  
**LARGE QUANTITIES:**  
Minimize spread.  
Keep out of drains, sewers, ditches and water ways.  
Notify authorities.

#### **Methods for cleaning up**

**SMALL QUANTITIES:**  
Flush spill area with water.  
**LARGE QUANTITIES:**  
Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.  
Collect in containers for disposal.  
Refer to section 7 for types of containers.  
Flush residues with small quantities of water.  
Minimize use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

---

## 7. HANDLING AND STORAGE

### Handling

Good industrial practice in housekeeping and personal hygiene should be followed.  
When using do not eat, drink or smoke.  
Wash hands thoroughly after handling or contact.  
Thoroughly clean equipment after use.  
Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.  
Emptied containers retain vapour and product residue.  
Refer to section 13 for disposal of rinse water.  
Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

### Storage

Minimum storage temperature: -25 °C  
Maximum storage temperature: 45 °C  
Compatible materials for storage: stainless steel, aluminium, fibreglass, plastic, glass lining  
Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.  
Keep out of reach of children.  
Keep away from food, drink and animal feed.  
Keep only in the original container.  
Minimum shelf life: 2 years.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Airborne exposure limits

Components	Exposure Guidelines
Ammonium salt of glyphosate	No specific occupational exposure limit has been established.
Water and minor formulating ingredients	No specific occupational exposure limit has been established.

### Engineering controls

No special requirement when used as recommended.

### Eye protection

No special requirement when used as recommended.

### Skin protection

If repeated or prolonged contact:  
Wear chemical resistant gloves.

### Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Yellowish - Brown
Form:	Liquid
Flash point:	Does not flash.
Specific gravity:	1.23 @ 20 °C / 4 °C
Solubility:	Water: Completely miscible.
pH:	6.5 @ 250 g/l
Partition coefficient (log Pow):	< 0.000 (active ingredient)

---

## 10. STABILITY AND REACTIVITY

### Stability

Stable under normal conditions of handling and storage.

### Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

### Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

---

## 11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on similar products and on components are summarized below.

### Similar formulation

#### Acute oral toxicity

**Rat, LD50 (limit test):** > 5,000 mg/kg body weight

No mortality.

**Mouse, LD50 (limit test):** > 5,000 mg/kg body weight

No mortality.

#### Acute dermal toxicity

**Rat, LD50 (limit test):** > 5,000 mg/kg body weight

Other effects: weight loss

No mortality.

#### Skin irritation

**Rabbit, 6 animals, OECD 404 test:**

Redness, mean EU score: 0.89

Swelling, mean EU score: 0.06

Days to heal: 10

Other effects: skin blanching

#### Eye irritation

**Rabbit, 6 animals, OECD 405 test:**

Conjunctival redness, mean EU score: 1.11

Conjunctival swelling, mean EU score: 0.33

Corneal opacity, mean EU score: 0.28

Iris lesions, mean EU score: 0.00

Days to heal: 4

#### Skin sensitization

**Guinea pig, Buehler test:**

Positive incidence: 0 %

**N-(phosphonomethyl)glycine; {glyphosate}**

### **Mutagenicity**

#### **In vitro and in vivo mutagenicity test(s):**

Not mutagenic.

### **Repeated dose toxicity**

#### **Rabbit, dermal, 21 days:**

NOAEL toxicity: > 5,000 mg/kg body weight/day

Target organs/systems: None.

Other effects: None.

#### **Rat, oral, 3 months:**

NOAEL toxicity: > 20,000 mg/kg diet

Target organs/systems: None.

Other effects: None.

### **Carcinogenicity**

#### **Mouse, oral, 24 months:**

NOEL tumour: > 30,000 mg/kg diet

NOAEL toxicity: ~ 5,000 mg/kg diet

Tumours: None.

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

#### **Rat, oral, 24 months:**

NOEL tumour: > 20,000 mg/kg diet

NOAEL toxicity: ~ 8,000 mg/kg diet

Tumours: None.

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

### **Toxicity to reproduction/fertility**

#### **Rat, oral, 3 generations:**

NOAEL toxicity: > 30 mg/kg body weight

NOAEL reproduction: > 30 mg/kg body weight

Target organs/systems in parents: None.

Other effects in parents: None.

Target organs/systems in pups: None.

Other effects in pups: None.

### **Developmental toxicity/teratogenicity**

#### **Rat, oral, 6 - 19 days of gestation:**

NOAEL toxicity: 1,000 mg/kg body weight

NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival

Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

#### **Rabbit, oral, 6 - 27 days of gestation:**

NOAEL toxicity: 175 mg/kg body weight

NOAEL development: 175 mg/kg body weight

Target organs/systems in mother animal: None.

Other effects in mother animal: decrease of survival

Developmental effects: None.

---

## **12. ECOLOGICAL INFORMATION**

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on similar products and on components are summarized below.

### **Similar formulation**

#### **Aquatic toxicity, fish**

**Common carp (Cyprinus carpio):**

Acute toxicity, 96 hours, static, LC50: 44 mg/L

**Aquatic toxicity, invertebrates**

**Water flea (Daphnia pulex):**

Acute toxicity, 48 hours, static, EC50: 3.6 mg/L

**N-(phosphonomethyl)glycine; {glyphosate}**

**Avian toxicity**

**Bobwhite quail (Colinus virginianus):**

Dietary toxicity (limit test), 5 days, LC50: > 4,640 mg/kg diet

**Mallard duck (Anas platyrhynchos):**

Dietary toxicity (limit test), 5 days, LC50: > 4,640 mg/kg diet

**Bobwhite quail (Colinus virginianus):**

Acute oral toxicity (limit test), LD50: > 3,851 mg/kg body weight

**Mallard duck (Anas platyrhynchos):**

Reproductive toxicity, 16 weeks, NOEC: >= 1,000 mg/kg diet

**Bobwhite quail (Colinus virginianus):**

Reproductive toxicity, 17 weeks, NOEC: >= 1,000 mg/kg diet

**Arthropod toxicity**

**Honey bee (Apis mellifera):**

Oral/contact, 48 hours, LD50: > 100 µg/bee

**Bioaccumulation**

**Bluegill sunfish (Lepomis macrochirus):**

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

**Dissipation**

**Soil, field:**

Half life: 2 - 174 days

Koc: 884 - 60,000 L/kg

Binds strongly to soil.

**Water, aerobic:**

Half life: < 7 days

---

## 13. DISPOSAL CONSIDERATIONS

### Product

- Recycle if appropriate facilities/equipment available.
- Burn in special, controlled high temperature incinerator.
- Dispose of as hazardous industrial waste.
- Keep out of drains, sewers, ditches and water ways.
- Follow all local/regional/national regulations.

### Container

- Triple rinse empty containers.
- Pour rinse water into spray tank.
- Store for collection by approved waste disposal service.
- Dispose of as non hazardous industrial waste.
- Do NOT re-use containers.
- Follow all local/regional/national regulations.

---

## 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not regulated for transport.

---

## 15. REGULATORY INFORMATION

**EU label (manufacturer self-classification)** - Classification following the EU Pesticides Directive 78/631/EEC.

Not classified as dangerous.

---

## 16. OTHER INFORMATION

This Safety Data Sheet has been prepared following the EU Directive 93/112.

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

All tests were conducted following OECD guidelines for Good Laboratory Practices (GLP).

Follow all local/regional/national regulations.

In this document the British spelling was applied.

Please consult Monsanto if further information is needed.

Endnotes:

{a} EU label (manufacturer self-classification)

{b} EU label (Annex I)

{c} National classification

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.