WARNING KEEP OUT OF REACH OF CHILDREN



ATRANEX[®] WG HERBICIDE

GROUP C1 HERBICIDE

Residual herbicide for the control of certain broadleaf weeds in maize, sweetcorn, linseed and established lucerne.

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient: Contains 900 g/kg ATRAZINE in the form of a water dispersible granule

ADAMA New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

NET CONTENTS 10 kg, 15 kg

REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.

HAZARD CLASSIFICATIONS: 6.1D, 6.9B, 9.1A, 9.2A, 9.3C



PCBU RESPONSIBILITES

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. *Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.*

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. *Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.*

WARNING

Harmful if swallowed. May cause damage to organs through prolonged or repeated oral exposure. Very toxic to aquatic life. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Keep out of reach of children.

Do not eat, drink or smoke when using this product.

Do not breathe dust or spray mist.

Wash exposed skin thoroughly after handling.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store in the original, tightly closed container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 kg or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves and boots. Remove protective clothing and wash hands, arms and face with soap and water thoroughly after handling and before meals. Wash contaminated clothing before reuse.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Sweep up material and place in waste containers. Dispose of the waste safely in an approved landfill.

Disposal

Container Disposal – Ensure packaging is completely empty. Crush and bury in a suitable landfill or other approved facility. Avoid contamination of any water supply with product or empty container. **Product Disposal** - Dispose of this product only by using according to the label, or through the Agrecovery[®] Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a poison centre or doctor if you feel unwell.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Registered to and distributed by: ADAMA New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P7464 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR002704 See www.epa.govt.nz for approval controls

Atranex is a registered trademark of an ADAMA Group Company



EMERGENCY RESPONSE (All hours) Ring from anywhere in New Zealand 0800 734 607 In a Transport Emergency Phone 111 Police or Fire

Batch Number: Date of Manufacture: Bar code to be inserted

ATRANEX WG HERBICIDE Herbicide Label May 2020 Page 3 of 8 HSNO classifications 6.1D, 6.9B, 9.1A, 9.2A, 9.3C

WARNING KEEP OUT OF REACH OF CHILDREN



ATRANEX[®] WG HERBICIDE

GROUP C1 HERBICIDE

Residual herbicide for the control of certain broadleaf weeds in maize, sweetcorn, linseed and established lucerne.

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient: Contains 900 g/kg ATRAZINE in the form of a water dispersible granule

ADAMA New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

NET CONTENTS 10 kg, 15 kg

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING.

HAZARD CLASSIFICATIONS: 6.1D, 6.9B, 9.1A, 9.2A, 9.3C



PCBU RESPONSIBILITES

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. *Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.*

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. *Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.*

WARNING

Harmful if swallowed. May cause damage to organs through prolonged or repeated oral exposure. Very toxic to aquatic life. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Keep out of reach of children.

Do not eat, drink or smoke when using this product.

Do not breathe dust or spray mist.

Wash exposed skin thoroughly after handling.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store in the original, tightly closed container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 kg or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves and boots. Remove protective clothing and wash hands, arms and face with soap and water thoroughly after handling and before meals. Wash contaminated clothing before reuse.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Sweep up material and place in waste containers. Dispose of the waste safely in an approved landfill.

Disposal

Container Disposal – Ensure packaging is completely empty. Crush and bury in a suitable landfill or other approved facility. Avoid contamination of any water supply with product or empty container. **Product Disposal** - Dispose of this product only by using according to the label, or through the Agrecovery[®] Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a poison centre or doctor if you feel unwell.

SAFETY DATA SHEET

A Safety Data Sheet for this product is available from ADAMA New Zealand Limited on request. Call 03 543 8275.

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

Do not apply onto or into water.

Soil conditions: To obtain maximum residual effect, ATRANEX WG HERBICIDE should be applied to smooth clod-free soil. Moisture in the surface soil is essential for good results.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

CROP	RATE	CRITICAL COMMENTS
Maize and sweetcorn		Apply as an early post-emergence spray (within 7 days of sowing). It is important that weeds are actively growing in moist soil and not more than 2 cm in height. Do not apply under dry slow-growth conditions. Application may safely be made at any growth stage of the crop. Shallow moulding to a depth of 3 cm, 7 to 10 days after spraying can improve weed control where soil moisture is low
Broadleaf weed control Broadleaf weed and annual	800 g–1.6 kg/ha 800 g 1.6 kg/ha + suitable grass	Apply in 200-400 L of water/ha as a directed band spray or as an overall spray. Weeds controlled include fathen, black nightshade, willow weed, amaranth spp. and apple of Peru. The addition of Contact [™] Low Foam wetting agent at 100 mL/100 L is recommended. Apply in 200-400 L of water/ha with a grass herbicide at the correct rate and time of application. Apply as a directed band
grass control	herbicide	spray or as an overall spray. The addition of Contact Low Foam wetting agent at 100 mL/100 L is recommended.
Linseed	500 g/ha	Recommended as an addition to 0.8 L MCPA Amine 720 per hectare where spurrey, cornbind, willow weed and fumitory are problem weeds. Apply in 150-250 L of water/ha when the crop has 2 true leaves but is not more than 6 cm high. Ideally, the weeds should not be beyond the 2 true leaf stage. ATRANEX WG HERBICIDE may cause initial crop suppression, but the crop normally recovers and yield is not affected. Do not exceed recommended rate and avoid spray overlap as severe crop damage may occur.

CROP	RATE	CRITICAL COMMENTS
Established Lucerne	800 g–1 kg/ha + suitable post emergence herbicide	A mixture of this rate with 2–2.4 L of FLASH [®] HERBICIDE in 200-300 L of water/ha controls annual grass weeds, seedling Shepherd's Purse, subterranean clover and storksbill. The higher rate of ATRANEX WG HERBICIDE should only be used where seedling storksbill is a dominant weed. Apply to closely grazed stands during the winter months when lucerne is completely dormant. Do not apply when frost is still on the ground or when ground conditions are excessively wet. Allow a few days after grazing for weed growth to freshen before spraying. Application should not be made to lucerne stands less than one year old.

MIXING

Half fill the spray tank with clean water. Commence agitation and steadily add granules. Ensure complete dispersion before filling to volume with water. Continue agitation during application. If mixing with other herbicides, add the concentrates to the water in the spray tank one at a time. When mixing with EC formulations, slowly disperse the ATRANEX WG HERBICIDE first in the half filled tank of water. When dispersed, top up with water while adding the EC. Add wetting agent last to minimise foaming.

COMPATIBILITY

ATRANEX WG HERBICIDE is compatible with commonly used herbicides. If uncertain, seek advice from your local ADAMA representative.

CROP ROTATION

Because residues resulting from the use of ATRANEX WG HERBICIDE can adversely affect certain susceptible crops such as tomatoes, cucurbits, brassicas, lettuce, beetroot and beans, do NOT plant crops other than maize and sweetcorn after applying ATRANEX WG HERBICIDE unless the area has been ploughed and cross-cultivated thoroughly and it is certain that there are no residues remaining. This can be confirmed by use of an indicator crop, e.g. radishes.

RESISTANCE MANAGEMENT

ATRANEX WG HERBICIDE contains the GROUP C1 triazine herbicide, atrazine. Naturally occurring biotypes resistant to atrazine and other triazines are known to exist. These become more prevalent after many years of continuous use of the product. Species with known resistant biotypes include fathen and willow weed. To prevent or delay the development of resistant weeds use ATRANEX WG HERBICIDE in tank mixes where appropriate, and/or rotations with herbicides having a different mode of action (e.g. CUTLASS[®] HERBICIDE) against the weed. Refer to https://resistance.nzpps.org/ for further resistance management advice.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited vithin thirty days of delivery.



Registered to and distributed by: ADAMA New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P7464 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR002704 See www.epa.govt.nz for approval controls

Atranex, Cutlass and Flash are registered trademarks of an ADAMA Group Company. ™Contact is a trade mark of Nufarm Limited