



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **Mavrik Aquaflo Insecticide**
Chemical Name of Active Ing: Tau-fluvalinate
Product Use: Insecticide
Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd
Address: Level 1/93 Bolt Road
Tahunanui, Nelson
Telephone: +64 3 543 8275
E-mail: nzorders@adama.com

**Emergency Telephone: 0800 764 766 (National Poison Centre)
0800 734 607 (24hr Emergency Response)**

Date of SDS Preparation: 29 September 2022

Section 2. Hazards Identification

This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

EPA Approval No: HSR000316

Pictograms



Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement
Acute oral toxicity Category 4	H302	Harmful if swallowed.
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Category 1	H400/H410	Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment chronic Category 1		
Hazardous to terrestrial vertebrates	H433	Harmful to terrestrial vertebrates.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe spray mist.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

P273	Avoid unintended release into the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P301 + P312 + P330	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill. Do not allow product to enter waterways. Do not burn product or container.

Section 3. Composition / Information on Ingredients

Ingredients	Wt %	CAS NUMBER.
Tau-fluvalinate	24%	102851-06-9
1,2-ethanediol	1-10	107-21-1
Other non-hazardous ingredients	To bal	-

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. If eye irritation persists: Get medical advice.
If on Skin	Remove contaminated clothing. Wash away remainder with water and soap followed by a warm water rinse. Consult a doctor in the event of any complaints.
If Swallowed	If swallowed, do NOT induce vomiting. Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if needed.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	Harmful if swallowed.
Inhalation:	Not applicable.
Skin:	Not applicable.
Eye:	Not applicable.
Chronic:	May cause damage to organs through prolonged or repeated exposure.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable/Combustible.
Hazards from combustion products	Toxic and or irritating gas.
Suitable Extinguishing media	Dry chemical, water spray, foam, carbon dioxide. Do not use direct water jets.
Precautions for firefighters and special protective clothing	Wear proper protective equipment. Self-contained breathing apparatus. Measures must be taken to prevent the contaminated extinguishing agent from seeping into the ground or from spreading uncontrollable.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Wear appropriate protective clothing. (see section 8). Evacuate all unnecessary personnel.

Environmental precautions

In the event of a major spill, prevent spillage from entering into drains and water courses.

Methods and material for containment and cleaning up

Collect and contain as much free liquid as possible. Absorb remainder in sand or other inert material. Place into a clean container and cover the container loosely for later disposal. Dispose as per Section 13.

Section 7. Handling and Storage**Precautions for Handling:**

- Read label before use.
- Do not breathe spray mist/fumes.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid unintended release into the environment.
- Wear suitable protective clothing, nitrile rubber gloves, and safety glasses or face shield.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in original, unopened container in cool, dry place, well ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. (< 40°C)

Section 8 Exposure Controls / Personal Protection**WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ventilation required.

Personal Protection Equipment



Eyes	Safety goggles.
Hands and Skin	Nitrile rubber gloves. Wear suitable protective clothing. Chemical resistant boots.
Respiratory	In case of insufficient ventilation, wear suitable respiratory equipment.
General	When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before re-use.

Section 9 Physical and Chemical Properties

Appearance	White - yellowish liquid
Odour	Charasteristic
Odour Threshold	Not applicable
pH	5.0 - 6.5 (1% solution)
Boiling Point	Not applicable
Melting Point	Not applicable
Flash Point	100°C (closed cup)
Flammability	Not flammable
Upper and Lower Exposure Limits	Not applicable
Vapour Pressure	Negligible
Density	1.07 - 1.11 g/cm ³ (20°C)
Solubilities	Miscible
Coeff Oil/water distribution:	Not applicable
Auto-ignition Temperature	Not applicable
Kinematic viscosity mm²/s 40 °C	Not applicable
Particle Characteristics	Not applicable
Volatiles	No specific data.

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Reactivity	None known.
Conditions to Avoid	Avoid temperatures above 40°C
Incompatible Materials	Avoid contact with: strong bases and strong acids.
Hazardous Decomposition Products	Emits toxic fumes.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Harmful if swallowed.
Dermal	Not applicable
Inhalation	Not applicable
Skin	Not applicable
Eye	Not applicable

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.

Preparation

Acute toxicity - Oral:	LD50 (rat) >5,000 mg/kg (male & female)
Acute toxicity - Dermal:	LD50 (rat) >2,000 mg/kg
Acute toxicity - Inhalation:	LC50 (rat) 5.5 mg/L/4h
Skin irritation:	Not irritating (rabbit).
Eye irritation:	Not Irritating (rabbit).
Sensitization:	Non Sensitizer (Guinea-pig)

Section 12. Ecotoxicological Information

HSNO Classifications: Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1, Hazardous to terrestrial vertebrates.

Ecological effects information:

96 H-LC50 – fish (rainbow trout) [mg/l]:	0.024
48 H-LC50 – Daphnia magna [mg/l]:	0.011
72 H-EC50 Algae [mg/l]:	>100

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Precautions	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method: Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers before puncturing and offering for recycling or landfill.



Precautions: Do not allow product to enter waterways.

Disposal methods to avoid: Do not burn product or container.

Section 14 Transport Information**This product is classified as a Dangerous Good for transport in NZ; NZS 5433****Road and Rail Transport**

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, (tau-fluvalinate)

Air Transport

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, (tau-fluvalinate)

Marine Transport

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, (tau-fluvalinate)
 Marine Pollutant Yes

Special Provisions:

If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information**This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020****HSNO Approval Code:** HSR000316

HSNO Classification: Acute oral toxicity Category 4, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1, Hazardous to terrestrial vertebrates.

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100 L
Emergency Response Plan	100 L
Secondary Containment	100 L
Hazardous Property Controls Notice 2017	
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 3	Hazardous substances in a place other than a workplace

HPC Notice Part 4 Subpart A	Substances that are hazardous to the environment: Site and storage controls
HPC Notice Part 4 Subpart B	Use of substances that are hazardous to the environment
HPC Notice Part 4 Clause 47	Equipment for environmentally hazardous substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of ecotoxic pesticides and plant growth regulators
HPC Notice Part 4 Clause 52	Agrichemicals that are hazardous to the aquatic environment must not be applied to water
HPC Notice Part 4 Subpart C	Qualifications required for the application of substances that are hazardous to the environment
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P7278

Section 16 Other Information

Glossary

ACVM	Agricultural Compounds and Veterinary Medicines Act 1997.
EC50	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority.
HSNO	Hazardous Substances and New Organisms Act 1996.
HSW	Health and Safety at Work Act 2015.
HSW (HS) Regulations 2017.	Health and Safety at Work (Hazardous Substances) Regulations 2017.
LC50	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level.
WES	Workplace Exposure Limit.

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer:

This document has been issued by Adama New Zealand Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which is held by Adama New Zealand Ltd or has been obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Adama New Zealand Ltd have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Adama New Zealand Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue Date: 29 September 2022

Review Date: 29 September 2027

Product Name: Mavrik Aquaflo Insecticide
Date of SDS: 29 September 2022

Issued by: Adama New Zealand Ltd
Tel: 64 3 543 8275

www.adama.com