

WARNING
KEEP OUT OF REACH OF CHILDREN



PHOENIX[®] FUNGICIDE

GROUP **M4** FUNGICIDE

*For the control of speckled leaf blotch (*Septoria tritici*) in wheat and scald and *Ramularia* in barley*

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 500 g/L FOLPET in the form of a suspension concentrate

ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
1-20 L

ADAMA

REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.**HAZARD CLASSIFICATIONS:** 6.7B, 9.1A, 9.3C**PCBU RESPONSIBILITIES**

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. *Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.*

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. *Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.*

TOXICITY**WARNING**

Suspected of causing cancer.

ECOTOXICITY

Very toxic to aquatic organisms. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Keep out of reach of children.

Read the label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.

Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 L or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills.

Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice, or if you are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Registered to and distributed by:
ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9257
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101068
See www.epa.govt.nz for approval controls

Phoenix is a registered trademark of an ADAMA Group Company.



EMERGENCY RESPONSE
(All hours)
Ring from anywhere in New Zealand
0800 734 607

In a Transport
Emergency
Phone 111
Police or Fire

Batch Number:

Bar code to be inserted

Date of Manufacture:

WARNING
KEEP OUT OF REACH OF CHILDREN



PHOENIX[®] FUNGICIDE

GROUP	M4	FUNGICIDE
-------	-----------	-----------

For the control of speckled leaf blotch (*Septoria tritici*) in wheat and scald and *Ramularia* in barley

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 500 g/L FOLPET in the form of a suspension concentrate

ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
1-20 L

ADAMA

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING.**HAZARD CLASSIFICATIONS: 6.7B, 9.1A, 9.3C****PCBU RESPONSIBILITIES**

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. Refer to *Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017* for a list of suitable qualifications.

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. Refer to *Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017* for details of information that must be recorded.

TOXICITY**WARNING**

Suspected of causing cancer.

ECOTOXICITY

Very toxic to aquatic organisms. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Keep out of reach of children.

Read the label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.

Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 L or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear

appropriate protective clothing as in the personal protection section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice, or if you are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

SAFETY DATA SHEET

A Safety Data Sheet for this product is available from ADAMA New Zealand Limited on request. Call 03 543 8275.

PRODUCT INFORMATION

PHOENIX FUNGICIDE contains folpet, a protectant fungicide from the phthalimide chemical group with multi-site activity.

For best results, thorough coverage of the crop prior to the onset of infection is recommended as PHOENIX FUNGICIDE only has activity against very early stages of infection such as spore germination. Always tank-mix PHOENIX FUNGICIDE with an alternative mode of action fungicide such as BOLIDE®.

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

This product must not be applied at rates exceeding 1.5 L/ha and must not be applied in the same area more than two times in any 365 day period.

A minimum application interval of at least 14 days must be observed.

This product must be applied by ground based application methods only.

Do not apply this substance within 2 meters of a downwind water body.

It is an offence to use this product on animals.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Barley	Ramularia Scald	1.5 L/ha plus an alternative mode of action fungicide (e.g. BOLIDE)	Always apply PHOENIX FUNGICIDE in a tank-mixture with the full label rate of an alternative mode of action fungicide registered for the control of listed diseases.
Wheat	Speckled leaf blotch	in a minimum of 150 L of water/ha	Apply up to two applications of PHOENIX FUNGICIDE per crop as part of a season-long fungicide spray program for disease management. The first application of PHOENIX FUNGICIDE should be as a preventative spray on susceptible cultivars and where conditions favour disease. Apply the first spray before disease becomes established in the crop. Re-apply in 3 - 4 weeks if disease pressure continues or if re-infection occurs.

CROP	DISEASE	RATE	CRITICAL COMMENTS
			For scald control in barley, do not apply later than GS 39.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Barley: Do not apply after emergence of inflorescence completed (GS 59).
Wheat: Do not apply after flag leaf emergence (GS 39).
Grazing/stockfood: Do not graze or harvest barley and wheat crops for green feed (including silage) for 28 days after application.

COMPATIBILITY

PHOENIX FUNGICIDE is compatible with most insecticides and fungicides.

RESISTANCE MANAGEMENT

PHOENIX FUNGICIDE contains the GROUP M4 pthalimide fungicide, folpet. Folpet is a multisite protectant fungicide at low risk of resistance development. However, unless directed, do not use another product containing a fungicide in the same group in conjunction with PHOENIX FUNGICIDE. Fungicides from different group codes should either be used alternately or mixed together to prevent the numbers of resistant individuals building up. For current advice on resistance management contact your agronomist, ADAMA representative or specialist advisor.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Registered to and distributed by:
 ADAMA New Zealand Limited
 Level 1, 93 Bolt Road
 Tahunanui, Nelson 7011
 PO Box 1799, Nelson 7040
 New Zealand
 Telephone 03 543 8275
 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9257
 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101068
 See www.epa.govt.nz for approval controls

Bolide and Phoenix are registered trademarks of an ADAMA Group Company.