

Product Name: Folpan 800 WG

Page: 1 of 9

This revision issued: March, 2022

## **SAFETY DATA SHEET**

## Section 1. Identification of the material and the supplier

Product: FOLPAN 800 WG

Product Use: Fungicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd Address: Level 1/93 Bolt Road

Tahunanui, 7011, Nelson

Telephone: +64 3 543 8275 Fax Number: +64 3 543 8274

**Emergency Telephone:** 0800 764 766 (National Poison Centre)

**0800 734 607 (24hr Emergency Response)** 

Date of SDS Preparation: 24 March 2022

#### Section 2. Hazards Identification

This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

**EPA Approval No: HSR101121** 

#### **Pictograms**







Signal Word: Warning

<b>HSNO Classification</b>	Hazard Code	Hazard Statement
Eye irritation Category 2	H319	Causes serious eye irritation.
Skin sensitisation Category 1	H317	May cause an allergic skin reaction.
Carcinogenicity Category 2	H351	Suspected of causing cancer
Hazardous to the aquatic environment acute Category 1	H400	Very toxic to aquatic life.
Hazardous to terrestrial vertebrates	H433	Harmful to terrestrial vertebrates.

<b>Prevention Code</b>	Prevention Statement
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist/spray.
P264	Wash hands or exposed skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid unintended release into the environment.
P280	Wear protective clothing and equipment as specified in Section 8.

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P308 + P313	IF otherwise exposed or concerned: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill. Do not allow product to enter waterways. Do not burn product or container.

## Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Folpet	78 - 85	133-07-3
phenolsulfonic acid-formaldehyde-	2.0-3.0	N/A
polycondensate as sodium salt		

#### Section 4. First Aid Measures

## Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: get medical advice/attention.

If Swallowed Rinse mouth. Drink plenty of water.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

#### Most important symptoms and effects, both acute and delayed

**Symptoms:** 

**Ingestion**: Not applicable.

**Skin:** May cause an allergic skin reaction

**Inhalation:** Not applicable.

**Eyes:** Causes serious eye irritation. **Chronic:** Suspected of causing cancer.

Product Name: Folpan 800 WG

Issued by: ADAMA New Zealand Ltd

## **Section 5.** Fire Fighting Measures

Hazard Type	Non-Flammable solid.
Hazards from combustion products	No specific hazard known.
Suitable Extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Precautions for firefighters and special protective clothing	In the event of fire, wear self-contained breathing apparatus In the event of fire and/or explosion do not breathe fumes.
HAZCHEM CODE	3Z

#### **Section 6.** Accidental Release Measures

Wear full protective clothing including eye/face protection. Evacuate area from unnecessary personnel.

Take up mechanically, placing in appropriate containers for disposal.

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Dispose of according to Local Regulations.

## Section 7. Handling and Storage

General Hygiene Considerations When using do not eat drink or smoke

#### **Precautions for Handling:**

- Do not handle until all safety precautions have been read and understood.
- Avoid contact with skin, eyes or clothing.
- Wash hands thoroughly after handling.
- Wash contaminated clothing before re-use.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid unintended release into the environment.
- Wear protective clothing as detailed in Section 8.

#### **Precautions for Storage:**

- Store away from incompatible materials listed in Section 10.
- Keep away from children.
- Store locked up.
- Keep container tightly closed in a dry and well-ventilated place.
- · Keep in properly labeled containers.
- As a substance with Aquatic Ecotoxicity Classifications storage of this product must be carried out in such a manner as to prevent contamination of waterways. It is recommended that the New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed.

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

## **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL
Substance ppm mg/m3 ppm mg/m3

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

## **Engineering Controls**

Ensure adequate ventilation, especially in confined areas.

## **Personal Protection**





Eyes	Protective glasses or goggles with shield shields must be worn when this product is being used.
Hands and Skin	Suitable protective clothing, Suitable protective clothing, Apron, Gloves made of plastic or rubber.
Respiratory	Not normally required. Product is a dust free granule unlikely to produce respirable dust. If however dust is seen to be present a cartridge type dust mask is recommended.
General	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. Do not allow into any sewer, on the ground or into any body of water.

## Section 9 Physical and Chemical Properties

Appearance	Beige Granules
Odour	Slight Aromatic
Odour Threshold	Not applicable
pH	8.7 - 9.7 (CIPAC MT 75.3)
<b>Boiling Point</b>	Not applicable
Melting Point	Not applicable
Crystallization	Not applicable
temperature	
Flash Point	Not applicable
Flammability	Not Flammable (EEC A10)
Upper and Lower	Not applicable
<b>Exposure Limits</b>	
Vapour Pressure	Not applicable
Density	Not applicable
Relative Density	0.56 -0.66 (CIPAC MT 186)
Solubilities	Not applicable
Partition Coefficient:	Not applicable
Auto-ignition	Not applicable
Temperature	

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

Surface tension	Not applicable
Viscosity, dynamic	Not applicable
Bulk Density	0.68 (CIPAC MT 186)

## Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
<b>Conditions to Avoid</b>	Heat, flames and sparks.
Incompatible Materials	No information available.
<b>Hazardous Decomposition</b>	None under normal use conditions.
Products	

#### Section 11 **Toxicological Information**

#### **Acute Effects:**

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes severe eye irritation.
Skin	May cause an allergic skin reaction.

## **Chronic Effects:**

Carcinogenicity	Suspected of causing cancer.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

## **Information on toxicological effects**

## **Acute toxicity**

	<u>Values</u>	<b>Species</b>	<u>Method</u>	<u>Remarks</u>
Oral LD50 mg/kg	> 2000	Rat	OECD 401	
Dermal LD50 mg/kg	> 2000	Rat	EPA 81-2	
Inhalation LC50 mg/I/4h				Not available
Skin corrosion/irritation	Non-irritating to the skin	Rabbit	OECD 404	
Serious eye damage/eye irritation	Irritating to eyes	Rabbit	OECD 405	
Respiratory/skin sensitization	Skin sensitizer	Guinea pig	USEPA 81-6	

#### **Chronic toxicity**

Germ cell mutagenicity

**Chemical Name** 

Folpet Not classified

Carcinogenicity **Chemical Name** 

**Folpet** Suspected of causing cancer Reproductive toxicity Not toxic to the reproductive

system

STOT-Single exposure

Folpet STOT repeated exposure No data available

**Folpet** 

No data available **Aspiration Hazard** 

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

No data available

Date of SDS: 24 March 2022 Tel: 64 3 543 8275 www.adama.com

Page 5

## Section 12. Ecotoxicological Information

HSNO Classification: Hazardous to the aquatic environment acute Category 1, Hazardous to terrestrial vertebrates.

## **Aquatic toxicity**

Acute toxicity Fish 96-hour LC50 mg/I	<u>Values</u> : 0.22	Species Oncorhynchus mykiss	Method EU A.C1	Remarks Static
Crustacea 48-hour EC50 mg/I Algae 72-hour EC50 mg/I	: 0.68 : > 10	Daphnia magna Scenedesmus subspicatus	OECD 202 OECD 201	Semi-static
Other plants EC50 mg/I		·		Not available
Terrestrial Toxicity Birds Oral LD50 mg/kg Chemical Name				
Folpet	: >2510	Bobwhite quail	EPA 71-1	
Bees Oral LD50 pg/bee Chemical Name Folpet	: >236		EPPO 170 (1992)	
Folher	. ~230		EFFO 170 (1992)	

## Persistence and degradability

Abiotic Degradation Water DT50 days Chemical Name	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Folpet	: <0.05	OECD 111	pH 7
Soil DT50 days Chemical Name Folpet	: 4.3	SETAC	25° C
Biodegradation			

## **Chemical Name**

**Folpet** : Readily biodegradable **OECD 301 B** 

#### **Bioaccumulative potential**

Partition Coefficient (n-octanol/water) Log Pow Chemical	<u>Values</u>	<u>Method</u>	Remarks
Name Folpet	: 3017		20°C
Bioconcentration factor (BCF) Folpet	: 56	OECD 305E	

### **Mobility in soil**

**Absorption/Desorption** 

Folpet : 304 Koc

## Results of PBT and vPvB assessment

The compounds in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **Other adverse effects**

No information available

Product Name: Folpan 800 WG Date of SDS: 24 March 2022 Issued by: ADAMA New Zealand Ltd

Tel: 64 3 543 8275 www.adama.com

## **Section 13. Disposal Considerations**

**Disposal Method:** Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers before puncturing and offering for recycling or landfill.



**Precautions:** Do not allow product to enter waterways.

**Disposal methods to avoid:** Do not burn product or container.

### Section 14 Transport Information

## This product is classified as a Dangerous Good for transport in NZ; NZS 5433



### **Road and Rail Transport**

UN No: 3077 Class-primary 9 Packing Group III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS, SOLID N.O.S.

## **Air Transport**

UN No: 3077 Class-primary 9 Packing Group III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS, SOLID N.O.S.

## **Marine Transport**

UN No: 3077 Class-primary 9 Packing Group III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS, SOLID N.O.S.

Marine Pollutant Yes

## **Special Provisions:**

If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

# This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

**EPA Approval Code**: HSR101121

**HSNO Classification**: Eye irritation Category 2, Skin sensitisation Category 1, Carcinogenicity Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to terrestrial vertebrates.

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required  Not required
	Not required  Not required
Tracking Trigger Quantities	
Signage Trigger Quantities	100 kg
Emergency Response Plan	100 kg
Secondary Containment	100 kg
HSNO Varied/Additional Controls	T=1
Variation to Hazardous Property Controls Notice Part 4B	The maximum application rate of this substance is 3125 g product/ha (equivalent to 2500 g folpet/ha).
	The maximum application frequency and minimum interval period of this substance must not be more than five applications, at a 7 days' interval, per calendar year. Seven day interval means that seven full days of no application of this substance must pass before any further application.
Application method restrictions	This substance must be applied using ground-based methods only.
	Ground-based methods of applying pesticides include, but are not limited to, application by ground boom, airblast or knapsack, and do not include aerial application methods.
<b>Hazardous Property Controls Notice</b>	2017
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 3	Hazardous substances in a place other than a workplace
HPC Notice Part 4 Subpart A	Substances that are hazardous to the environment: Site and storage controls
HPC Notice Part 4 Subpart B	Use of substances that are hazardous to the environment
HPC Notice Part 4 Clause 47	Equipment for environmentally hazardous substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of ecotoxic pesticides and plant growth regulators
HPC Notice Part 4 Clause 52	Agrichemicals that are hazardous to the aquatic environment must not be applied to water
HPC Notice Part 4 Subpart C	Qualifications required for the application of substances that are hazardous to the environment
ACVM Act and Regulations	The state of the s
Registered pursuant to the ACVM Act 1997, See www.foodsafety.govt.nz for	No. P009329
registration conditions	

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd

#### Section 16 Other Information

Glossary

ACVM Agricultural Compounds and Veterinary Medicines Act 1997.

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority.

HSNO Hazardous Substances and New Organisms Act 1996.

HSW Health and Safety at Work Act 2015.

HSW (HS) Regulations Health and Safety at Work (Hazardous Substances) Regulations

2017.

LC50 Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.
TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level.
WES Workplace Exposure Limit.

#### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433
- 5. HSW (Hazardous Substances) Regulations 2017

#### **Disclaimer:**

This document has been issued by Adama New Zealand Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which is held by Adama New Zealand Ltd or has been obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Adama New Zealand Ltd have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Adama New Zealand Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue Date: 24 March 2022 Review Date: 24 March 2027

Product Name: Folpan 800 WG Issued by: ADAMA New Zealand Ltd