WARNING

KEEP OUT OF REACH OF CHILDREN ECOTOXIC



BELVEDERE® FORTE HERBICIDE

GROUP C1 + N HERBICIDE

Herbicide for the post-emergence control of weeds in fodder beet, sugar beet and beetroot

Active Ingredient:

Contains 100 g/L PHENMEDIPHAM plus 100 g/L DESMEDIPHAM plus 200g/L ETHOFUMESATE in the form of a suspo-emulsion

Adama New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

NET CONTENTS

1 L - 200 L



Read this label thoroughly before mixing or applying.

HAZARD CLASSIFICATIONS: 9.1A



ECOTOXICITY

Toxic to aquatic organisms with long lasting effects. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

HANDLING PRECAUTIONS

Do not eat, drink or smoke while using.

Equipment

Apply using accurately calibrated and maintained equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZS 8409).

Storage

Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from foodstuffs. **Shelf life**

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

Protective clothing

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist and gloves. Wash hands, arms and face with soap and water before meals and after work.

Spillage

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the protective clothing section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

Disposal

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery[®] depot for recycling. Alternatively, puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label or through the Agrecovery[®] Chemical Recovery service or other approved facility.

FIRST AID

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

BEWARE: APPLY THIS PRODUCT CAREFULLY. SPRAY DRIFT MAY CAUSE SERIOUS DAMAGE TO OTHER DESIRABLE PLANTS.

BELVEDERE FORTE is a post-emergence selective herbicide for control of broadleaf weeds and certain annual grass weeds in fodder beet, sugar beet and beetroot.

DIRECTIONS FOR USE

Apply only by ground based application methods.

Mixing: Ensure spray equipment is thoroughly cleaned before use. Add the required amount of BELVEDERE FORTE to a partly filled spray tank with the agitation system operating. Add the remaining water and any tank mixture partners. Maintain agitation until spraying is complete. Flush equipment with clean water after use.

Note: Do not mix BELVEDERE FORTE with any foliar nutrients or surfactants. Do not exceed 1.5 L/ha at fully expanded cotyledon stage if crops are suffering from stress, or where uneven emergence may result in beet plants being treated at earlier than fully expanded cotyledon stage. Do not allow spray mixture to stand overnight. Apply in 200 to 300 L of water per hectare.

RECOMMENDATIONS FOR USE

CROP	TIMING	RATE	CRITICAL COMMENTS
Fodder beet Sugar beet Beetroot	Apply from when crop has fully expanded cotyledons.	1-2 L/ha in 200-300 L of water.	Make the first application when weeds are at the cotyledon to 2 true leaf stage. Make a second application 7-14 days later. Use the higher rate on larger weed seedlings or hard to kill species. May be tank mixed with GOLTIX® FLO 1.0 L/ha or GOLTIX® UNO 2.0 L/ha to improve weed spectrum and control of
			harder to kill weeds.

Susceptible weeds	Resistant weeds
Seedling stages of annual broadleaf and annual grass weeds:	Perennial grass weeds, mature annual broad- leaved weeds, perennial broad-leaved weeds
Amaranthus spp., annual Poa, black nightshade, chickweed, fathen, field pansy (moderately susceptible), hairy nightshade, oats, Shepherd's purse, speedwell, twin cress, willow weed.	
Control of annual grass weeds is improved by tank mixing with GOLTIX FLO or GOLTIX UNO.	

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Fodder beet and sugar beet – 56 days. Do not harvest or graze for 56 days after application. Beetroot – 50 days

RESISTANCE MANAGEMENT

BELVEDERE FORTE contains the GROUP C1 phenyl-carbamate herbicides, phenmedipham and desmedipham, and the GROUP N benzofurane herbicide, ethofumesate. Unless directed, do not use another product containing herbicides in the same groups in conjunction with BELVEDERE FORTE. Where possible alternate the types of herbicides used within any one paddock over time. Herbicides from different groups should either be used alternately or mixed together to prevent the numbers of resistant individuals building up.

ADDITIONAL INFORMATION

BELVEDERE FORTE may be broadcast or band-sprayed. For band treatment ensure that the use rate per sprayed area is consistent with label recommendations.

Do not apply if air temperature is likely to rise above 29°C. Avoid treatment if rain is likely before spray has dried on foliage.

Herbicide activity will be slowed down in cool weather.

CONDITIONS OF SALE

Adama New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Adama New Zealand Limited is limited to the replacement of the goods or (at the option of Adama New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Adama New Zealand Limited within thirty days of delivery.



Adama New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9545 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101259 See www.epa.govt.nz for approval controls

Adama, Belvedere and Goltix are registered trademarks of an ADAMA Group Company.



EMERGENCY RESPONSE

(All hours)
Ring from anywhere in New Zealand
0800 734 607

In a Transport Emergency Phone 111 Police or Fire

Batch Number: Date of Manufacture:

Bar code to be inserted