

Product Name: Cyclone Page: 1 of 8

This revision issued: July, 2018

# **SAFETY DATA SHEET**

# Section 1. Identification of the material and the supplier

Product: CYCLONE ( previously ALANEX) 480 EC

Chemical name of active 2-Chloro-2',6'-diethyl-N-(methoxymethyl) acetanilide

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd Address: Level 1/93 Bolt Road Tahunanui, 7011, Nelson

Telephone: +64 3 543 8275 Fax Number: +64 3 543 8274

**Emergency Telephone:** 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 10 July 2018

### Section 2. Hazards Identification

# This substance is hazardous according to the Hazardous Substances (Classification) Notice 2017

**EPA Approval No:** HSR000397

### **Pictograms**









**Ecotoxic** 

Flammable

Toxic/Irritant Chronic

.

Signal Word: DANGER

| HSNO<br>Classification | Hazard Code | Hazard Statement  | GHS Category    |
|------------------------|-------------|---|-----------------|
| 3.1C                   | H226        | Flammable liquid and vapour.                                    | Flam. Liq. 3    |
| 6.1D (oral)            | H302        | Harmful if swallowed.   | Acute Tox. 4    |
| 6.1D (inh)             | H332        | Harmful if inhaled.   | Acute Tox. 4    |
| 6.3B                   | H316        | Causes mild skin irritation.                                    | Skin Irrit. 3   |
| 6.4A                   | H319        | Causes serious eye irritation.                                  | Eye Irrit. 2A   |
| 6.5B                   | H317        | May cause an allergic skin reaction.                            | Skin Sens. 1    |
| 6.7B                   | H351        | Suspected of causing cancer.                                    | Carc. 2         |
| 6.9A                   | H372        | Causes damage to organs through prolonged or repeated exposure. | STOT RE 1       |
| 9.1A                   | H400        | Very toxic to aquatic life.                                     | Aquatic Acute 1 |
| 9.2A                   | H421        | Very toxic to the soil environment.                             |                 |
| 9.3C                   | H433        | Harmful to terrestrial vertebrates.                             |                 |

| Prevention Code | Prevention Statement  |
|-----------------|---|
| P102            | Keep out of reach of children.  |
| P103            | Read label before use.  |
| P201            | Obtain special instructions before use.                                   |
| P202            | Do not handle until all safety precautions have been read and understood. |
| P210            | Keep away from heat, sparks, open flames or hot surfaces. No smoking.     |
| P233            | Keep container tightly closed.  |
| P240            | Ground/bond container and receiving equipment.                            |
| P241            | Use explosion-proof electrical/ventilating/lighting.                      |
| P242            | Use only non-sparking tools.  |
| P243            | Take precautionary measures against static discharge.                     |
| P260            | Do not breathe fumes, vapours or spray.                                   |
| P264            | Wash hands thoroughly after handling.                                     |
| P270            | Do not eat, drink or smoke when using this product.                       |
| P271            | Use only outdoors or in a well-ventilated area.                           |
| P272            | Contaminated work clothing should not be allowed out of the workplace.    |
| P273            | Avoid release to the environment.   |
| P280            | Wear protective clothing as detailed in Section 8.                        |
| P281            | Use personal protective equipment as required.                            |

| Response Code | Response Statement   |
|---------------|--|
| P101          | If medical advice is needed, have product container or label at hand.                  |
| P312          | Call a POISON CENTER or doctor/physician if you feel unwell.                           |
| P330          | Rinse mouth.   |
| P363          | Wash contaminated clothing before reuse.   |
| P391          | Collect spillage.  |
| P301 + P312   | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.             |
| P303 +        | IF ON SKIN (or Hair) Take off/Remove immediately all contaminated                      |
| P361+P353     | clothing. Rinse skin with water/shower.  |
| P304 + P340   | IF INHALED: Remove to fresh air and keep at rest in a position comfortable             |
|               | for breathing.   |
| P305 +        | IF IN EYES: Rinse cautiously with water for several minutes. Remove                    |
| P351+P338     | contact lenses, if present and easy to do. Continue rinsing.                           |
| P308 + P313   | IF exposed or concerned: Get medical advice/ attention.                                |
| P333 + P313   | If skin irritation or rash occurs: Get medical advice/attention.                       |
| P337 + P313   | If eye irritation persists: Get medical advice/attention.                              |
| P370 + P378   | In case of fire: Use dry chemical, water spray, foam or carbon dioxide for extinction. |

| Storage Code | Storage Statement   |
|--------------|---|
| P405         | Store locked up.  |
| P403 + P235  | Store in a well-ventilated place. Keep cool.  |
|              | Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. In case of fire use dry chemical, water spray, foam or carbon dioxide for extinction.  |
|              | As a Class 9 Substance with Ecotoxicity Classifications storage of CYCLONE must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed as a means of meeting the secondary containment provisions of the HSNO Emergency Management Regulations. See Safety Data Sheet for further information. |

| Disposal Code | Disposal Statement  |
|---------------|---------------------|
| P501          | Refer to Section 13 |

### Section 3. Composition / Information on Ingredients

| Ingredients                                       | Wt %       | CAS NUMBER. |
|---|------------|-------------|
| Alachlor (ISO)                                    | 41-45      | 15972-60-8  |
| Chlorobenzene                                     | 39-43      | 108-90-7    |
| Other ingredients not contributing to the overall | To balance | NA          |
| classification of the substance or non hazardous  |            |             |

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin Take off contaminated clothing and wash before re-use. Wash off

immediately with soap and plenty of water. If skin irritation or rash

occurs: Get medical advice/attention.

If Swallowed Wash out mouth with plenty of water. Never give anything by mouth to

an unconscious person. Call a POISON CENTER or doctor/physician if you

feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

**Symptoms:** 

**Ingestion**: Harmful if swallowed.

**Skin:** Causes mild skin irritation. May cause an allergic skin reaction

**Inhalation:** Harmful if inhaled.

**Eyes:** Causes serious eye irritation.

**Chronic:** Suspected of causing cancer. May cause damage to organs through

prolonged or repeated exposure.

Notes to physician: There is no specific antidote. Treat symptomatically and give supportive

therapy.

### Section 5. Fire Fighting Measures

| Hazard Type  | Flammable Liquid  |
|--|---|
| Hazardous thermal (de)composition products                   | Chloride compounds and nitrogen oxides.   |
| Suitable<br>Extinguishing<br>media                           | Dry chemical, water spray, foam, carbon dioxide.                                    |
| Precautions for firefighters and special protective clothing | Self-contained breathing apparatus and total protection required in enclosed areas. |
| HAZCHEM CODE   | 3Y  |

### Section 6. Accidental Release Measures

Wear full protective clothing as detailed in Section 8. Evacuate area from unnecessary personnel. Keep away from: open flame, sparks and heat.

### **Environmental precautions**

Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and material for containment and cleaning up

Absorb remainder in sand or other inert material. Dispose of container in a suitable landfill or take to an Agrecovery collection site.

### Section 7. Handling and Storage

### **Precautions for Handling:**

- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Do not breathe fumes, vapours or spray.
- · Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Use personal protective equipment as required.

#### **Precautions for Storage:**

- Store away from incompatible materials listed in Section 10.
- Keep away from children.
- Keep only in the original container. Keep in a cool, dry, well ventilated place away from direct sunlight.
- Resin-lined metal drums are the suitable packing material.

### Section 8 Exposure Controls / Personal Protection

### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

|  | TWA       | STEL      |
|--|-----------|-----------|
| Substance                                    | ppm mg/m3 | ppm mg/m3 |
| Monochlorobenzene (Chlorobenzene) [108-90-7] | 10 46     |           |

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

#### **Engineering Controls**

Ensure adequate ventilation.

# **Personal Protection Equipment**







| Eyes        | Safety goggles or face shield. Avoid wearing contact lenses.  |
|-------------|---|
| Hands and   | Wear chemical resistant gloves, suitable protective clothing and chemical   |
| Skin        | resistant boots.  |
| Respiratory | Respiratory protection is not required if good ventilation is maintained.   |
| General     | Change work clothes daily. May irritate the eyes and skin. Avoid contact with eyes and skin. Do not intake dust or spray mist. If product gets on skin immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. |

# **Section 9** Physical and Chemical Properties

| Appearance              | Violet Liquid   |
|-------------------------|---|
| Odour                   | Aromatic (solvent)                                      |
| Odour Threshold         | Not applicable  |
| pH                      | 5-7 CIPAC, MT 75  |
| <b>Boiling Point</b>    | 130°C (Chlorobenzene)                                   |
| Melting Point           | Not applicable  |
| Flash Point             | 29°C (closed cup)                                       |
| Flammability            | Flammable   |
| Upper and Lower         | 1.3 - 11%   |
| <b>Exposure Limits</b>  |   |
| Explosive properties    | Vapours (Naphta) – May form explosive mixture with air. |
| Vapour Pressure         | 2.9 mPa @ 25°C (Alachlor) (ISO)                         |
| Density                 | 1.12 ± 0.01 g/ml @ 20°C                                 |
| <b>Bulk Density</b>     | Not applicable  |
| Relative Density        | Not applicable  |
| Solubilities in water   | 242 ppm @ 25°C (Alachlor) (ISO)                         |
| Auto-ignition           | >600°C (Chlorobenzene)                                  |
| Temperature             |   |
| Octanol/water partition | log = 2.9 (Alachlor) (ISO)                              |
| coefficient             |   |
| Volatiles               | Not applicable  |

# Section 10. Stability and Reactivity

| Stability of Substance         | This product is stable under normal conditions. |
|--------------------------------|---|
| <b>Conditions to Avoid</b>     | Sources of ignition.                            |
| <b>Incompatible Materials</b>  | Oxidizing agents, acids and alkali.             |
| <b>Hazardous Decomposition</b> | Chloride compounds and nitrogen oxides.         |
| Products                       |   |

# Section 11 Toxicological Information

### **Acute Effects:**

| Swallowed  | Harmful if swallowed. LD50 (rat)= 1,837 mg/kg  |  |
|------------|--|--|
| Dermal     | Not triggered. LD50 (rabbit) > 2,000 mg/kg   |  |
| Inhalation | Harmful if inhaled. LC50 (rat) > 5.05 mg/L (4 hours) (maximum attainable concentration). |  |
| Eye        | Causes severe eye irritation.  |  |
| Skin       | Causes mild skin irritation. May cause an allergic skin reaction.                        |  |

### **Chronic Effects:**

Product Name: Cyclone Issued by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 July 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

| Carcinogenicity | Suspected of causing cancer.                                    |
|-----------------|---|
| Reproductive    | Not applicable.   |
| Toxicity        |   |
| Germ Cell       | Not applicable.   |
| Mutagenicity    |   |
| Aspiration      | Not applicable.   |
| STOT/SE         | Not applicable.   |
| STOT/RE         | Causes damage to organs through prolonged or repeated exposure. |

Common name: Alachlor (ISO)

**Chronic toxicity:** NOEL: mice 26 mg/kg/day; 0.5 mg/kg/day

**Carcinogenicity**: EPA : Group B2

EU : Carc. Category 3 IARC : Not classified

Mutagenicity: Not mutagenic

**Reproduction toxicity:** NOEL 30 mg/kg/day (3-generation)

**Other information:** Teratogenicity - NOEL (Maternal and Fetal): 60

mg/kg/day.

## Section 12. Ecotoxicological Information

HSNO Classes: 9.1A = Very toxic to aquatic life.

9.2A = Very toxic to the soil environment. 9.3C= Harmful to terrestrial vertebrates.

| Persistence and degradability | No data available |
|-------------------------------|-------------------|
| Bioaccumulation               | No data available |
| Mobility in Soil              | No data available |
| Other adverse effects         | No data available |

### The data below is for Alachlor(ISO)

**Mobility:** Soil – Low mobility – moderately mobile

Adsorbed on soils with high organic content.

Water

Low risk of underground water contamination.

Persistence/degradability: Soil

Half-life time (t½): ~ 21 days

Degradation is primarily via: microorganisms.

Water

55% degraded in 28 days

**Bioaccumulative potential**: Low bioaccumulation potential (Kow log P = 3.09)

Ecotoxicity: Fis

LC50 (96 hours) rainbow trout (oncorhynchus mykiss) = 2.8 mg/L

Bluegill sunfish (Lepomis macrochirus) = 1.8 mg/L

Dwarf gowrami = 1.73 mg/L

Daphnia magna

EC50 (24 hours) = 26 mg/L **Algae** (seleastrum capriconutun) EC50 (72 hours) = 0.012 mg/L

**Birds** 

Bobwhite quail (colinus virginianus) LD50 = 1,536 mg/kg**Chicken** LD50 = 916 mg/kg

Mallard duck (anas platyrhynchos) and

Bobwhite quail (colinus virginianus):LC50 > 5,620 mg/kg (5

feeding days)

Bees

LD50 = 32 mg/bee

Very toxic to aquatic organisms. Low toxicity: birds,

Non toxic: Bees

### Section 13. Disposal Considerations

**Disposal Method:** Container Disposal - Triple rinse empty container and add rinsate to spray tank. Burn in an appropriate incinerator, if circumstances such as wind direction permit. Otherwise crush or puncture and bury in a suitable landfill, or if appropriate, recycle. Dispose of container in a suitable landfill or take to an Agrecovery collection site.

#### Precautions or methods to avoid:

Avoid contamination of any water supply with product or empty container.

### Section 14 Transport Information

### This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



### **Road and Rail Transport**

UN No: 1993 Class-primary 3 Packing Group III

Proper Shipping Name: FLAMMABLE LIQUID N.O.S. (chlorobenzene)

National transport regulations: Do not carry this product on a passenger service vehicle.

### **Air Transport**

UN No: 1993 Class-primary 3 Packing Group III

Proper Shipping Name: FLAMMABLE LIQUID N.O.S. (chlorobenzene)

#### **Marine Transport**

UN No: 1993 Class-primary 3 Packing Group III

Proper Shipping Name: FLAMMABLE LIQUID N.O.S. (chlorobenzene)

Marine Pollutant: Yes

### **Special Provisions:**

If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

#### Segregation:

Check the land transport Rule Dangerous Goods 1999, Rule 45001 for additional information. Sea transport may require additional segregation. Refer: NZS5433; Sea Segregation, or the International Maritime Dangerous Goods Code for details.

### Section 15 Regulatory Information

EPA Approval Code: HSR000397

HSNO Classification: 3.1C, 6.1D(oral)(inh), 6.3B, 6.4A, 6.5B, 6.7B, 6.9A, 9.1A, 9.2A, 9.3C

| mon (mo) moganaciono zoza ama zi anticono      | as trigger transcrip                                |  |  |  |
|--|---|--|--|--|
| Certified Handlers                             | Not Required  |  |  |  |
| Location Certificate                           | 500L(>5L), 1500L(<5L), 250L open                    |  |  |  |
| Tracking Trigger Quantities                    | Not required  |  |  |  |
| Signage Trigger Quantities                     | 100L(9.1A)  |  |  |  |
| Emergency Response Plan                        | 100L(9.1A)  |  |  |  |
| Secondary Containment                          | 100L(9.1A)  |  |  |  |
| HSNO Additional Controls (Restrictions of use) |   |  |  |  |
| 77A  | This substance must not be applied onto or          |  |  |  |
|  | into water.   |  |  |  |
| Hazardous Property Controls Notice 2017        |   |  |  |  |
| HPC Notice Part 4 Clause 47                    | Equipment for class 9 substances must be            |  |  |  |
|  | appropriate   |  |  |  |
| HPC Notice Part 4 Clause 48                    | Records of application of class 9 pesticides        |  |  |  |
|  | and plant growth regulators                         |  |  |  |
| HPC Notice Part 4 Subpart A                    | Site and storage controls for class 9               |  |  |  |
|  | substances  |  |  |  |
| HPC Notice Part 4 Subpart C                    | Qualifications required for application of          |  |  |  |
|  | class 9 pesticides                                  |  |  |  |
| ACVM Act and Regulations                       |   |  |  |  |
| Registered pursuant to the ACVM Act 1997,      | No. P7246   |  |  |  |
| See www.nzfsa.govt.nz/acvm for registration    |   |  |  |  |
| conditions                                     |   |  |  |  |
| For all further controls                       | Refer to EPA website ( <u>www.epa.govt.nz</u> ) for |  |  |  |
|  | controls document - HSR000397                       |  |  |  |
|  |   |  |  |  |

HSW (HS) Regulations 2017 and EPA Notices | Trigger Quantity

| Section 16 | Other Information   |
|------------|---|
| Glossary   |   |
| EC50       | Median effective concentration.                               |
| EEL        | Environmental Exposure Limit.                                 |
| EPA        | Environmental Protection Authority                            |
| HSNO       | Hazardous Substances and New Organisms.                       |
| LC50       | Lethal concentration that will kill 50% of the test organisms |
|            | inhaling or ingesting it.                                     |
| LD50       | Lethal dose to kill 50% of test animals/organisms.            |
| LEL        | Lower explosive level.  |
| OSHA       | American Occupational Safety and Health Administration.       |
| TEL        | Tolerable Exposure Limit.                                     |
| TLV        | Threshold Limit Value-an exposure limit set by responsible    |
|            | authority.  |
| UEL        | Upper Explosive Level   |
| WES        | Workplace Exposure Limit                                      |

### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the Adama, if further information is required.

Issue Date:

10 July 2018 Review Date: 10 July 2023

Issued by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz Product Name: Cyclone Date of SDS: 10 July 2018