
WARNING KEEP OUT OF REACH OF CHILDREN ECOTOXIC



GROUP M4 FUNGICIDE

For control of diseases of fruit and roses as shown under Directions for Use

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 800 g/kg FOLPET in the form of a water-dispersible granule

Adama New Zealand Limited Level 1, 93 Bolt Road Tahnuanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

NET CONTENTS 1 – 10 Kg (1 kg, 1.25 kg, 2 kg, 2.5 kg, 5 kg, 10 kg)

Refer to booklet for full label instructions.

HAZARD CLASSIFICATIONS

HSNO Classifications 6.4A, 6.5B, 6.7B, 9.1A, 9.3C







APPROVED HANDLER - this product must be under the care of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor.

TRACKING: Location and movement of this product must be recorded at each stage of its life cycle.

RECORD KEEPING - Records of use must be kept under certain circumstances – see The New Zealand Standards for Management of Agrichemicals (NZS8409) for details.

TOXICITY

Warning -

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer

Avoid breathing dust.

ECOTOXICITY

Very toxic to aquatic life. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container. **Harmful to terrestrial vertebrates.**

HANDLING PRECAUTIONS

Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke while using. Wash hands thoroughly after handling.

Equipment

Apply using accurately calibrated and maintained equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZ8409).

Storage

Store locked up. Store in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.

As a Class 9 Substance with Ecotoxicity Classifications, storage of Folpan 800 WG Fungicide must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed as a means of meeting the secondary containment provisions of the HSNO Emergency Management Regulations. See Safety Data Sheet for further information.

Transport

Do not carry greater than 3kg of this substance on a passenger service vehicle.

Protective Clothing

When mixing, loading or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, covered footwear, impervious, elbow-length gloves, respirator and eye protection. Remove protective clothing and wash hands, arms and face thoroughly with soap and water before meals and after work. Contaminated work clothing should not be allowed out of the workplace.

Spillage

Wear full protective clothing including eye/face protection. Evacuate area from unnecessary personnel. Prevent product from entering drains, waterways or sewers. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Sweep up material and place in waste containers. Dispose of waste at an approved landfill or according to Local Regulations.

Disposal

Container Disposal – Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, burn in an appropriate incinerator if circumstances such as wind direction permit, or puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

For advice, or if you are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

If swallowed, rinse mouth. Drink plenty of water. If on skin, wash with plenty of soap and water. If skin irritation or rash occurs get medical advice/attention. Wash contaminated clothing before reuse. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

CONDITIONS OF SALE

Adama New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Adama New Zealand Limited is limited to the replacement of the goods or (at the option of Adama New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Adama New Zealand Limited within thirty days of delivery.



Registered to: Level 1, 93 Bolt Road Tahnuanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9329 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101121 See www.epa.govt.nz for registration conditions

Folpan® is a registered trademark of an ADAMA Group Company.



EMERGENCY RESPONSE

(All hours)
Ring from anywhere in New Zealand
0800 734 607


In a Transport Emergency Phone 111 Police or Fire

Batch Number:
Date of Manufacture:

Bar code to be inserted

Date of Expiry: (mm/yy)

WARNING KEEP OUT OF REACH OF CHILDREN ECOTOXIC



GROUP M4 FUNGICIDE

For control of diseases of fruit and roses as shown under Directions for Use

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 800 g/kg FOLPET in the form of a water-dispersible granule

Adama New Zealand Limited Level 1, 93 Bolt Road Tahnuanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

NET CONTENTS

1 – 10 Kg

(1 kg, 1.25 kg, 2 kg, 2.5 kg, 5 kg, 10 kg)

Important: Read this booklet completely before mixing or using.

HAZARD CLASSIFICATIONS

HSNO Classifications 6.4A, 6.5B, 6.7B, 9.1A, 9.3C







APPROVED HANDLER - this product must be under the care of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor.

TRACKING: Location and movement of this product must be recorded at each stage of its life cycle.

RECORD KEEPING - Records of use must be kept under certain circumstances – see The New Zealand Standards for Management of Agrichemicals (NZS8409) for details.

TOXICITY

Warning -

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer

Avoid breathing dust.

ECOTOXICITY

Very toxic to aquatic life. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container. **Harmful to terrestrial vertebrates.**

HANDLING PRECAUTIONS

Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke while using. Wash hands thoroughly after handling.

Equipment

Apply using accurately calibrated and maintained equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZ8409).

Storage

Store locked up. Store in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.

As a Class 9 Substance with Ecotoxicity Classifications, storage of Folpan 800 WG Fungicide must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed as a means of meeting the secondary containment provisions of the HSNO Emergency Management Regulations. See Safety Data Sheet for further information.

Transport

Do not carry greater than 3kg of this substance on a passenger service vehicle.

Protective Clothing

When mixing, loading or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, covered footwear, impervious, elbow-length gloves, respirator and eye protection. Remove protective clothing and wash hands, arms and face thoroughly with soap and water before meals and after work. Contaminated work clothing should not be allowed out of the workplace.

Spillage

Wear full protective clothing including eye/face protection. Evacuate area from unnecessary personnel. Prevent product from entering drains, waterways or sewers. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Sweep up material and place in waste containers. Dispose of waste at an approved landfill or according to Local Regulations.

Disposal

Container Disposal – Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, burn in an appropriate incinerator if circumstances such as wind direction permit, or puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

For advice, or if you are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

If swallowed, rinse mouth. Drink plenty of water. If on skin, wash with plenty of soap and water. If skin irritation or rash occurs get medical advice/attention. Wash contaminated clothing before reuse. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

SAFETY DATA SHEET

A Safety Data Sheet for this product is available at adama.com or from Adama New Zealand Limited on request. Call 03 543 8275.

A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

It is an offence to use this product on animals.

DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
Apples	Black Spot, Glomerella	95 - 125 g/ 100 litres	Apply at 10-14 day intervals, commencing between mid-December and early January.
Bush fruit (Blueberries, Currants, Gooseberries), Brambles (Blackberries, Loganberries, Raspberries, Youngberries)	Botrytis, Leaf Spots		Spray when flowering. Repeat at 7-14 day intervals from flowering until harvest. Use the higher rate when conditions favour infection.
Citrus	Verrucosis, Melanose	156 g / 100 litres	Apply prior to blossoming and repeat when flowering has finished.
Grapes	Anthracnose, Downy Mildew	125 g/ 100 litres	Apply at regular intervals from budburst. Note: Application closer than 3 weeks before harvest may delay fermentation in winemaking.
	Dead Arm		Apply after budburst when shoots are 3 cm long. Note: Application closer than 3 weeks before harvest may delay fermentation in winemaking.
Roses	Black Spot, Powdery Mildew		Apply at regular intervals from budburst.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

All crops: 3 days

GENERAL INSTRUCTIONS

The rates suggested are for high volume spraying to run-off. For concentrate spraying adjust dilution rate accordingly.

Apply using ground-based methods only.

RESTRAINTS

DO NOT apply into or onto water.

DO NOT apply more than 3.125 kg/ha product.

DO NOT apply more than five (5) applications, at seven day intervals, per calendar year.

DO NOT apply at spray intervals less than seven days.

COMPATIBILITY

FOLPAN 800 WG FUNGICIDE is compatible with most insecticides and fungicides. Avoid alkaline mixtures such as Bordeaux mixture and lime sulphur. Do not mix with oil.

RESISTANCE MANAGEMENT

GROUP M4 FUNGICIDE

FOLPAN 800 WG FUNGICIDE is a protectant fungicide containing the GROUP M4 phthalmide fungicide, folpet. FOLPAN 80WG FUNGICIDE has multi-site contact activity, and is at low-risk of resistance or cross-resistance developing. However, resistance to this fungicide may develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any pathogen listed on the label. Avoid using this fungicide exclusively all season. For current advice on resistance management contact your agronomist, Adama representative or specialist advisor.

CONDITIONS OF SALE

Adama New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Adama New Zealand Limited is limited to the replacement of the goods or (at the option of Adama New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Adama New Zealand Limited within thirty days of delivery.



Registered to:
Adama New Zealand Limited
Level 1, 93 Bolt Road
Tahnuanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9329 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101121 See www.epa.govt.nz for registration conditions

Folpan® is a registered trademark of an ADAMA Group Company.