WARNING KEEP OUT OF REACH OF CHILDREN



FOLPAN® 800 WG FUNGICIDE

GROUP M4 FUNGICIDE

For control of diseases of fruit and roses as shown under the directions for use

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 800 g/kg FOLPET in the form of a water-dispersible granule

UN No: 3077
Class-primary 9
Packing group III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Folpet)

Marine pollutant: YES

Batch number:

Date of Manufacture:

NET CONTENTS: 1 kg, 1.25 kg, 2 kg, 2.5 kg, 5 kg, 10 kg

Barcode to be inserted

REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.







WARNING

Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. Very toxic to aquatic life. Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust and spray mist. Use personal protective equipment as required. Wash exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid unintended release into the environment. Collect spillages.

PCBU RESPONSIBILITES

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF ENVIRONMENTALLY HAZARDOUS SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) Notice 2017 for a list of suitable qualifications.

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) Notice 2017 for details of information that must be recorded.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, tightly closed container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 kg or more of this product are stored. Refer to the product SDS for further information.

PERSONAL PROTECTION

When mixing, loading or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, covered footwear, impervious, elbow-length gloves, respirator and eye protection. Remove protective clothing and wash hands, arms and face thoroughly with soap and water before meals and after work. Contaminated work clothing should not be allowed out of the workplace.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Sweep up spilt material and place in waste containers. Absorb liquid spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal – Ensure packaging is empty then crush and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery[®] Chemical Recovery service or other approved facility.

Do not burn product or container.

SAFETY DATA SHEET

A safety data sheet for this product is available at www.adama.com.

FIRST AID

For advice or if you are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Registered to and distributed by: ADAMA New Zealand Limited Level 1, 93 Bolt Road Tahunanui, Nelson 7011 PO Box 1799, Nelson 7040 New Zealand Telephone 03 543 8275 www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9329 See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101121 See www.epa.govt.nz for approval controls

Folpan is a registered trademark of an ADAMA Group Company.



EMERGENCY RESPONSE

(All hours)
Ring from anywhere in New Zealand
0800 734 607

In a Transport Emergency Phone 111 Police or Fire

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

EPA Controls:

- Do not apply onto or into water.
- Apply by ground-based application methods only.
- Maximum application rate: 3.125 kg/ha
- Minimum application interval: 7 days
- Maximum number of applications: 5 per calendar year

It is an offence to use this product on animals.

The rates suggested are for high volume spraying to run-off. For concentrate spraying adjust dilution rate accordingly.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Apples	Black spot, Glomerella	95-125 g/100 L	Apply at 10-14 day intervals, commencing between mid-December and early January.
Bush fruit (Blueberries, Currants, Gooseberries), Brambles	Botrytis, leaf spots		Spray when flowering. Repeat at 7-14 day intervals from flowering until harvest. Use the higher rate when conditions favour infection.
(Blackberries, Loganberries, Raspberries, Youngberries)			
Citrus	Verrucosis, Melanose	156 g/100 L	Apply prior to blossoming and repeat when flowering has finished.
Grapes	Anthracnose, downy mildew	125 g/100 L	Apply at regular intervals from budburst.
			Note: Application closer than 3 weeks before harvest may delay fermentation in winemaking.
	Dead arm		Apply after budburst when shoots are 3 cm long.
			Note: Application closer than 3 weeks before harvest may delay fermentation in winemaking.
Roses	Black spot, powdery mildew		Apply at regular intervals from budburst.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS

All crops: 3 days

COMPATIBILITY

FOLPAN 800 WG is compatible with most insecticides and fungicides. Avoid alkaline mixtures such as Bordeaux mixture and lime sulphur. Do not mix with oil.

RESISTANCE MANAGEMENT

FOLPAN 800 WG is a protectant fungicide containing the GROUP M4 phthalmide fungicide, folpet. FOLPAN 80 WG has multi-site contact activity and is at low risk of resistance or cross-resistance developing. However, resistance to this fungicide may develop from excessive use. To minimise this risk, use strictly in accordance with label instructions and resistance management strategies that exist for any pathogen listed on the label. Avoid using this fungicide exclusively all season. Refer to https://resistance.nzpps.org/ for further resistance management advice.