



## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **Custodia**  
Chemical Name of Active Ing(s): Azoxystrobin and Tebuconazole  
Product Use: Fungicide  
Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd  
Address: Level 1/93 Bolt Road  
Tahunanui, Nelson  
Telephone: +64 3 543 8275  
Email: nzorders@adama.com

**Emergency Telephone: 0800 764 766 (National Poison Centre)  
0800 734 607 (24hr Emergency Response)**

Date of SDS Preparation: 03 April 2023

### Section 2. Hazards Identification

**This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020**

**HSNO Approval No:** HSR101411

#### Pictograms



Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement
Acute oral toxicity Category 4	H302	Harmful if swallowed.
Reproductive toxicity Category 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment chronic Category 2	H411	Toxic to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fumes, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

P273	Avoid unintended release into the environment.
P281	Use personal protective equipment as specified in section 8 of this document.

<b>Response Code</b>	<b>Response Statement</b>
P101	If medical advice is needed, have product container or label at hand.
P301 + P312 + P330	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
P308 + P313/P314	IF otherwise exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.

<b>Storage Code</b>	<b>Storage Statement</b>
P405	Store locked up.

<b>Disposal Code</b>	<b>Disposal Statement</b>
P501	Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill. Do not allow product to enter waterways. Do not burn product or container.

### **Section 3. Composition / Information on Ingredients**

<b>Ingredients</b>	<b>Wt%</b>	<b>CAS NUMBER.</b>
Azoxystrobin	10-12	131860-33-8
Tebuconazole	16-20	107534-96-3

### **Section 4. First Aid Measures**

Routes of Exposure:

If in Eyes	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
If on Skin	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.
If Swallowed	Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

#### **Most important symptoms and effects, both acute and delayed**

##### **Symptoms:**

**Ingestion:** Harmful if swallowed.

**Chronic:** Suspected of damaging fertility or the unborn child. May cause damage to organs (oral) through prolonged or repeated exposure.

**Notes to doctor:** Treat symptomatically.

Product Name: Custodia  
Date of SDS: 03 April 2023

Issued by: Adama New Zealand Ltd  
Tel: 64 3 543 8275

www.adama.com

## Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Non-Flammable.
<b>Hazards from combustion products</b>	No specific hazard known.
<b>Suitable Extinguishing media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Precautions for firefighters and special protective clothing</b>	In the event of fire, wear self-contained breathing apparatus In the event of fire and/or explosion do not breathe fumes.
<b>HAZCHEM CODE</b>	<b>3Z</b>

## Section 6. Accidental Release Measures

Wear full protective clothing as detailed in Section 8. Evacuate area from unnecessary personnel.

### Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

### Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Dispose as per Local Regulations in Section 13.

## Section 7. Handling and Storage

### Precautions for Handling:

- Do not handle until all safety precautions have been read and understood.
- Do not breathe fumes, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid unintended release into the environment.
- Use personal protective equipment as required in Section 8.

### Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Stored locked up.
- Keep container tightly closed in a dry and well-ventilated place.

## Section 8 Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

## Engineering Controls

Ensure adequate ventilation, especially in confined areas.

## Personal Protective Equipment



<b>Eyes</b>	Tight sealing safety goggles.
<b>Hands and Skin</b>	Gloves made of plastic or rubber. Suitable protective clothing.
<b>Respiratory</b>	Ensure adequate ventilation.
<b>General</b>	Use only with adequate ventilation. When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not allow into any sewer, on the ground or into any body of water.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	White liquid
<b>Odour</b>	Characteristic
<b>Odour Threshold</b>	Not applicable
<b>pH (1% solution)</b>	5.5 – 6.5 (CIPAC MT 75.3)
<b>Boiling Point</b>	Not applicable
<b>Melting Point</b>	Not available
<b>Flash Point</b>	>118°C (EEC A.9)
<b>Flammability</b>	Not flammable
<b>Upper and Lower Exposure Limits</b>	Not applicable
<b>Vapour Pressure</b>	Not available
<b>Relative Density (20.3°C)</b>	1.08 – 1.10
<b>Solubilities</b>	Not available
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-ignition Temperature</b>	500°C
<b>Kinematic viscosity mm<sup>2</sup>/s 40 °C</b>	153.5 (OECD 114)
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Heat, flames and sparks.
<b>Incompatible Materials</b>	None known.
<b>Hazardous Decomposition Products</b>	None under normal use conditions.

**Section 11 Toxicological Information****Acute Effects:**

<b>Swallowed</b>	Harmful if swallowed. LD 50 = Rat 300-2000mg/kg (rat) (OECD 423)
<b>Dermal</b>	Not applicable. LD50 = >2000 mg/kg (rat) (OECD 402)
<b>Inhalation</b>	Not applicable LC50 = >4.79mg/l 4hr (rat) (OECD 403)
<b>Eye</b>	Mild irritation.
<b>Skin</b>	Not applicable

**Chronic Effects:**

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Causes damage to organs (oral) through prolonged or repeated exposure.

**Section 12. Ecotoxicological Information**

**HSNO Classes:** Hazardous to the aquatic chronic Category 2

<b>Persistence and degradability</b> Abiotic Degradation Water DT50 Azoxystrobin Tebuconazole	205 365
<b>Soil DT50 days</b> Azoxystrobin Tebuconazole	262 34.8
<b>Biodegradation</b> Tebuconazole	Not readily biodegradable (OECD 301B)
<b>Bioaccumulation</b> Partition Coefficient (n-octanol/water) Partition Coefficient (n-octanol/water) Log Pow Azoxystrobin Tebuconazole  Bioconcentration factor (BCF) Azoxystrobin Tebuconazole	2.7 (OECD 107) pH 5;20°C 3.7  78
<b>Mobility in Soil</b> Azoxystrobin Tebuconazole	2.5 Koc 769Koc
<b>Toxicity:</b> Fish 96-hour LC50 mg/I Crustacea 48-hour EC50 mg/I Algae 72-hour EC50 mg/I Other plants EC50 mg/I	Oncorhynchus mykiss is 2.15 mg/L Daphnia magna is 100 mg/L. P.subcapitata is 1.34mg/L. Not available.

<b>Terrestrial Toxicity</b> Birds Oral LD50 mg/kg Chemical Name Azoxystrobin Tebuconazole  Bees Oral LD50 pg/bee Chemical Name Azoxystrobin Tebuconazole	Bobwhite quail = >2000 Bobwhite quail = 1988  >25 83.05 (oral)
---	--

### Section 13. Disposal Considerations

**Disposal Method:** Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill.



**Precautions:** Do not allow product to enter waterways.

**Disposal methods to avoid:** Empty containers should be taken for local recycling or waste disposal. Do not re-use empty containers.

### Section 14 Transport Information

**This product is classified as a Dangerous Good for transport in NZ; NZS 5433**



#### **Road and Rail Transport**

UN No: 3082  
 Class-primary 9  
 Packing Group III  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Tebuconazole)

#### **Air Transport**

UN No: 3082  
 Class-primary 9  
 Packing Group III  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Tebuconazole)

#### **Marine Transport**

UN No: 3082  
 Class-primary 9  
 Packing Group III  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Tebuconazole)  
 Marine Pollutant: Yes

## **Special Provisions:**

If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

## **Section 15 Regulatory Information**

### **This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020**

**HSNO Approval Code:** HSR101411

**HSNO Classification:** Acute oral toxicity Category 4, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment chronic Category 2.

Please refer to [www.epa.govt.nz](http://www.epa.govt.nz) for full control details for HSR101411

<b>HSW (HS) Regulations 2017</b>	<b>Trigger Quantity</b>
Signage Trigger Quantities (Schedule 3)	1000L
Emergency Response Plan (Schedule 5)	1000L
Secondary Containment (Schedule 5)	1000L
Tracking (Schedule 26)	Not required
<b>HSNO Additional Controls (Restrictions of use)</b>	
77A A maximum application rate is set for this substance.	The maximum application rate of this substance is 1 L/ha (equivalent to 120 g/ha azoxystrobin and 200 g/ha tebuconazole), with a maximum application frequency of twice per year and an interval of at least 14 days between applications.
77A Buffer zones apply to this substance	Please refer to controls doc or product label for further details.
77A Additional label information has been specified:	"WARNING the substance might not be compatible with Integrated Pest Management (IPM)"
77A A restriction has been placed on the application method for this substance.	<b>Variation:</b> When applied using ground-based or aerial application methods, the nozzle must be set to coarse droplet quality spray, as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline.  The substance must not be applied when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site.
<b>Hazardous Property Controls Notice 2017</b>	
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 3	Hazardous substances in a place other than a workplace
HPC Notice Part 4 Subpart A	Substances that are hazardous to the environment: Site and storage controls
HPC Notice Part 4 Subpart B	Use of substances that are hazardous to the environment

HPC Notice Part 4 Clause 47	Equipment for environmentally hazardous substances must be appropriate
HPC Notice Part 4 Clause 52	Agrichemicals that are hazardous to the aquatic environment must not be applied to water.
HPC Notice Part 4 Subpart C	Qualifications required for the application of substances that are hazardous to the environment
<b>ACVM Act and Regulations</b>	
ACVM Approval No	<b>P9607</b>
<b>Tolerable Exposure Level (TEL)</b>	No TEL set
<b>Environmental Exposure Level (EEL)</b>	No EEL set

## Section 16 Other Information

### Glossary

ACVM	Agricultural Compounds and Veterinary Medicines Act 1997.
EC50	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority.
HSNO	Hazardous Substances and New Organisms Act 1996.
HSW	Health and Safety at Work Act 2015.
HSW (HS) Regulations	Health and Safety at Work (Hazardous Substances) Regulations 2017.
LC50	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level.
WES	Workplace Exposure Limit.

### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

### Disclaimer:

This document has been issued by Adama New Zealand Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which is held by Adama New Zealand Ltd or has been obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Adama New Zealand Ltd have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Adama New Zealand Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue Date: 3 April 2023

Review Date: 3 April 2028

Product Name: Custodia  
Date of SDS: 03 April 2023

Issued by: Adama New Zealand Ltd  
Tel: 64 3 543 8275

www.adama.com