



# Product Guide

+64 3 543 8275

[nzinfo@adama.com](mailto:nzinfo@adama.com)

[ADAMA.com](http://ADAMA.com)



| Product                   | Form Type | Active Ingredient                        | Crops                                                                                                 | Pack Size               |
|---------------------------|-----------|------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------|
| ACIERTO®                  | EC        | 900 g/L acetochlor                       | Maize, sweetcorn                                                                                      | 10 L<br>20 L<br>200 L   |
| ADAPT® HERBICIDE          | WG        | 750 g/kg nicosulfuron                    | Maize                                                                                                 | 500 g                   |
| AFALON® HERBICIDE         | SC        | 450 g/L linuron                          | Potatoes, onions, pipfruit, carrots **                                                                | 10 L                    |
| ARROW® 360                | EC        | 360 g/L clethodim                        | Lucerne, forage brassicas, herbs (chicory & plantain), vegetables **                                  | 5 L                     |
| ATRANEX® FLOW             | SC        | 500 g/L atrazine                         | Maize sweetcorn, established lucerne                                                                  | 20 L                    |
| ATRANEX® WG               | WG        | 900 g/Lkg atrazine                       | Maize sweetcorn, established lucerne                                                                  | 10 kg                   |
| BROADSTAR® HERBICIDE      | SC        | 480 g/L bentazone                        | Pasture, onions, potatoes, lucerne, peas, turf **                                                     | 10 L                    |
| BROMOTRIL® HERBICIDE      | EC        | 400 g/L bromoxynil                       | Wheat, barley, oats                                                                                   | 10 L                    |
| CUTLASS® HERBICIDE        | SC        | 500 g/L dicamba                          | Cereals, kale, maize, pasture, turf **                                                                | 10 L                    |
| CYCLONE™                  | EC        | 480 g/L alachlor                         | Vegetable brassicas, forage brassicas, onions **                                                      | 20 L                    |
| DI-BAK G® HERBICIDE       | Capsule   | 700 g/kg glyphosate                      | Control of unwanted trees                                                                             | 200 pk<br>1000 pk       |
| ETHOSAT® HERBICIDE        | SC        | 500 g/L ethofumesate                     | Beets, pasture **                                                                                     | 10 L<br>20 L            |
| FLASH® HERBICIDE          | SC        | 250 g/L paraquat                         | Lucerne, clover seed crops **                                                                         | 20 L                    |
| GALIGAN® 500SC HERBICIDE  | SC        | 500 g/L oxyfluorfen                      | Onions, vegetable brassicas & residual weed control in pipfruit, stonefruit, kiwifruit, grapevines ** | 10 L                    |
| GOLTIX® HERBICIDE         | WG        | 700 g/kg metamitron                      | Fodder beet **                                                                                        | 5 kg                    |
| GOLTIX® GOLD              | SC        | 700 g/kg metamitron                      | Fodder beet **                                                                                        | 10 L<br>20 L            |
| IOTRIL® HERBICIDE         | EC        | 240 g/L ioxynil                          | Onions                                                                                                | 10 L                    |
| KARMEX® 900               | WG        | 900 g/kg diuron WG                       | Established grapes, asparagus, apples & kiwifruit **                                                  | 15 kg                   |
| LEOPARD® 200 EC HERBICIDE | EC        | 200 g/L quizalofop-p-ethyl               | Potatoes, peas, lucerne, white clover seed crops, tomatoes **                                         | 5 L                     |
| MAGNETO®                  | SC        | 500 g/L terbuthylazine                   | Forestry, lucerne, maize, sweetcorn, pipfruit, citrus, grapes, kiwifruit, peas, non-cropland areas    | 20 L                    |
| MCPA AMINE 750            | SC        | 750 g/L MCPA                             | Cereals, grass seed, pastures, turf **                                                                | 20 L<br>200 L           |
| MESOFLEX® HERBICIDE       | SC        | 480 g/L mesotrione                       | Maize                                                                                                 | 5 L                     |
| METSULFURON 600           | WG        | 600 g/kg metsulfuron-methyl              | Forestry, pasture                                                                                     | 5 kg                    |
| PENTAGON®                 | SC        | 25 g/L MCPA + 375 g/L MCPB               | Pasture, cereals, grass & white clover seed crops**                                                   | 20 L                    |
| PLATOON®                  | EC        | 25 g/L diflufencian + 250 g/L bromoxynil | Ryegrass & white clover seed crops                                                                    | 10 L                    |
| POLARIS® 360              | SC        | 360 g/L IPA salt glyphosate              | Non-selective weed control, pasture, wheat, barley, oats, threshing peas, orchards, vines, forestry   | 20 L                    |
| POLARIS® 450              | SC        | 450 g/L IPA salt glyphosate              | Non-selective weed control, pasture, wheat, barley, oats, threshing peas, orchards, vines, forestry   | 20 L<br>200 L<br>1000 L |
| POLARIS® 540              | SC        | 540 g/L potassium salt glyphosate        | Non-selective weed control, pasture, wheat, barley, oats, threshing peas, orchards, vines, forestry   | 20 L<br>200 L<br>1000 L |

| Product                  | Type Form | Active Ingredient                          | Crops                                                           | Pack Size    |
|--------------------------|-----------|--------------------------------------------|-----------------------------------------------------------------|--------------|
| PROTUGAN®                | SC        | 500 g/L isoproturon                        | Wheat (winter & spring), Barley (winter only)                   | 10 L         |
| RIFLE®                   | SE        | 160 g/L phenmedipham + 160 g/L desmedipham | Fodder beet **                                                  | 10 L<br>20 L |
| TOMAHAWK®                | EC        | 200 g/L fluroxypyr                         | Apples, cereals, onions                                         | 10 L         |
| TORERO™                  | SC        | 350 g/L metamiltron + 150 g/L ethofumesate | Fodder beet **                                                  | 10 L         |
| TRIFLURALIN®<br>TRISURE® | EC        | 480 g/L trifluralin                        | Barley, transplanted vegetable brassica crops, peas, lucerne ** | 20 L         |
| URAGAN®                  | WG        | 800 g/kg bromacil                          | Asparagus, citrus, non-crop areas                               | 5 kg         |

\*\* Refer to label for complete list of registered crops

## Wrestle unwanted tress!

Try the new easy capsule technology that gives you the power to tackle the toughest woody weeds and trees.

Di-Bak G® injectable capsules contain Glyphosate and are inserted directly into the trunk ensuring an effective kill with no adverse effects on the surrounding environment.

®Di-Bak G is a registered trademark of an ADAMA Group Company



| Product               | Form Type | Active Ingredient                           | Crops                                                                                                     | Pack Size |
|-----------------------|-----------|---------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------|
| BOLIDE®               | EC        | 50 g/L epoxiconazole + 225 g/L prochloraz   | Wheat, barley                                                                                             | 10 L      |
| CAVALRY® FUNGICIDE    | SC        | 720 g/L chlorothalonil                      | Stonefruit, potatoes, brassicas, celery, cucurbits, lettuce, ornamentals, strawberries, tomatoes, turf ** | 10 L      |
| CHIEF® FUNGICIDE      | SC        | 500 g/L carbendazim                         | Apples, cereals, onions, facial eczema, pasture, stonefruit **                                            | 10 L      |
| CITADEL® FUNGICIDE*   | EC        | 250 g/L triadimenol                         | Onions, cereals, ryegrass **                                                                              | 5 L       |
| CUSTODIA®             | SC        | 200 g/L tebuconazole + 120 g/L azoxystrobin | Fodder beet **                                                                                            | 10 L      |
| DIVINO® FUNGICIDE     | EC        | 250 g/L difenoconazole                      | Asparagus, carrots, vegetable brassicas, potatoes                                                         | 5 L       |
| FOLPAN® 800 WG        | WG        | 800 g/kg folpet                             | Apples, bush fruit, brambles, citrus, grapes                                                              | 2 kg      |
| GEM® FUNGICIDE        | SC        | 500 g/L fluazinam                           | Grapes, potatoes, vegetable brassicas **                                                                  | 10 L      |
| MERPAN® MAX           | WG        | 900 g/kg captan                             | Pipfruit, stonefruit, grapes **                                                                           | 10 kg     |
| MIRAGE® 450 FUNGICIDE | EC        | 450 g/L prochloraz                          | Barley, wheat **                                                                                          | 5 L       |
| PHOENIX® FUNGICIDE    | SC        | 500 g/L folpet                              | Barley, wheat                                                                                             | 10 L      |
| PROTHAGO®             | EC        | 250 g/L prothiconazole                      | Wheat, barley, ryegrass seed crops                                                                        | 10 L      |
| SPHINX® FUNGICIDE     | SC        | 500 g/L dimethomorph                        | Onions, potatoes, grapes, lettuce                                                                         | 5 L       |
| STELLAR® FUNGICIDE    | SC        | 125 g/L epoxiconazole                       | Barley, wheat, maize, ryegrass seed crops                                                                 | 10 L      |

\* Indent only

\*\* Refer to label for complete list of registered crops

## Crush Botrytis with GEM® Fungicide

GEM Fungicide (GEM) gives your vineyards powerful Botrytis protection with applications as late as 28 days before harvest.



| PRODUCT                          | Form Type | Active Ingredient       | Crops                                                                            | Pack Size    |
|----------------------------------|-----------|-------------------------|----------------------------------------------------------------------------------|--------------|
| APHIDEX® INSECTICIDE             | WG        | 500 g/kg pirimicarb     | Cereals, forage brassicas, potatoes, lettuce, vegetable brassicas **             | 2 kg         |
| APOLLO® MITICIDE*                | SC        | 500 g/L clofentezine    | Pipfruit, citrus, hops, ornamentals **                                           | 1 L          |
| BALLISTIC® INSECTICIDE           | EC        | 27.5 g/L deltamethrin   | Brassicas, lucerne, onions, potatoes **                                          | 5 L          |
| DIAZOL® 800 INSECTICIDE          | EC        | 800 g/L diazinon        | Pasture, cereals, seed crops, pipfruit, tomatoes, forage brassicas **            | 10 L         |
| INVERT® EW INSECTICIDE/ MITICIDE | EW        | 18 g/L abamectin        | Non-bearing pipfruit, avocados, kiwifruit, ornamentals, potatoes **              | 5 L          |
| MAVRIK® AQUAFLO INSECTICIDE      | EW        | 240 g/L tau-fluvalinate | Cereals, potatoes, onions, avocados, kiwifruit, forage brassicas, fodder beet ** | 1 L<br>5 L   |
| NIMITZ®                          | EC        | 480 g/L fluensulfone    | Carrots, potatoes, kumara, parsnips                                              | 5 L          |
| PYRINEX® 500 EC                  | EC        | 500 g/L chlorpyrifos    | Lucerne, maize, pasture, cereals, brassicas, forage crops, grapes, stonefruit ** | 10 L<br>20 L |
| SOMBRERO® 600 SEED DRESSING      | SC        | 600 g/L imidacloprid    | Seed dressing                                                                    | 5 L          |
| VENOM® INSECTICIDE               | EC        | 100 g/L bifenthrin      | Kiwifruit, vegetable brassicas **                                                | 5 L          |

\* Indent only

\*\* Refer to label for complete list of registered crops

## Taking care of the bad guys. And the good guys

**MAVRIK® AQUAFLO** Insecticide is your powerful, yet gentle SP. Now registered for Nysius and cutworm control in forage brassicas and fodder beet.



®MAVRIK is a registered trademark of an ADAMA Group Company

[ADAMA.COM](https://www.adama.com)

| Product        | Form Type | Active ingredient        | Crop                                     | Pack size |
|----------------|-----------|--------------------------|------------------------------------------|-----------|
| OPTIMUS® 175EC | EC        | 175 g/L trinexapac-ethyl | Barley, wheat, oats, ryegrass seed crops | 20 L      |

| Product     | Form Type | Active ingredient                                   | Crop           | Pack size |
|-------------|-----------|-----------------------------------------------------|----------------|-----------|
| RAIZER® 700 |           | 350g/L soyal phospholids +<br>350g/L propionic acid | Refer to label | 10 L      |

### Formulation Type

|    |                          |    |                           |
|----|--------------------------|----|---------------------------|
| EC | Emulsifiable Concentrate | SC | Soluble Concentrate       |
| SC | Suspension Concentrate   | WG | Water Dispersible Granule |
| SE | Suspo-emulsion           | WP | Wettable Powder           |





**BLAIR HOPKINS**  
NZ Business Manager

021 424 957  
blair.hopkins@adama.com



**BRYCE SIMPSON**  
Commercial Manager  
North Island & East Coast

021 424 815  
bryce.simpson@adama.com



**DOUG SPEERS**  
Commercial Manager  
West & Central North Island

021 424 179  
doug.speers@adama.com



**DAREN MABEY**  
Commercial Manager  
Canterbury

021 424 160  
daren.mabey@adama.com



**DAMIAN MACKENZIE**  
Commercial Manager  
Southern

021 424 964  
damian.mackenzie@adama.com



**HAMISH MULCOCK**  
Portfolio Manager

021 424 752  
hamish.mulcock@adama.com



**SARAH ROBERTSON**  
Marketing Manager

021 507 407  
sarah.robertson@adama.com



**PENNY STRONG**  
Customer Service

03 543 8275  
nzorders@adama.com



**LESTER DEIGHTON**  
NZ Country Manager



**HAN EERENS**  
Technical Services &  
Development Manager



**HAYDEN MURDOCH**  
Regulatory & Compliance  
Manager



**CHRISSEY DOWNING**  
Administration Manager



**CAROLYN WIFFEN**  
Office Administrator



**TEGAN IRELAND**  
Supply Analyst



## About ADAMA New Zealand

ADAMA is a leading global crop protection company, providing solutions to combat weeds, insect pests and disease, so farmers can do what they do best: feed the world.

**For more information visit: [adama.com](https://adama.com) | For Customer Enquiries: +64 (3) 534 8275**

© Registered trademarks of an ADAMA Agricultural Solutions Ltd Company. † Registered Trademarks. Please note: This information is not intended to replace the product labels. Always read the complete product label appearing on the container before opening or using products. Product labels also available on [adama.com](https://adama.com).

October 2023 | Follow us   

ADAMA New Zealand Ltd  
Level 1/93 Bolt Road  
Tahunanui  
Nelson 7011

PO BOX 1799  
Nelson 7040  
[nzinfo@adama.com](mailto:nzinfo@adama.com)

Customer Services  
[nzorders@adama.com](mailto:nzorders@adama.com)