

WARNING
KEEP OUT OF REACH OF CHILDREN



QUALI-PRO™ NAVIGATOR®

GROUP **29** FUNGICIDE

For the control of a Dollar Spot, Helminthosporium Disease and Grey Leaf Spot in Turf including Bowling Greens, Fairways, Golf Greens, Racetracks and Sports Fields and Tees

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredient:

Contains 500 g/L FLUAZINAM in the form of a suspension concentrate

UN No:	3082
Class-primary	9
Packing group	III
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Fluazinam)
Marine pollutant:	YES
Batch number:	
Date of Manufacture:	
Barcode to be inserted	NET CONTENTS: 1 L, 5 L, 10 L, 15 L

**REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.
SHAKE WELL BEFORE USE.**



WARNING

Harmful if inhaled. Suspected of damaging fertility or the unborn child. May cause liver damage through prolonged or repeated oral exposure. Very toxic to aquatic life with long-lasting effects.

HANDLING PRECAUTIONS

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke while using this product. Do not breathe spray mist. Use only outdoors or in a well-ventilated area. Use personal protective equipment as specified in the personal protection section below. Wash hands thoroughly after handling. Avoid unintended release into the environment. Collect spillages.

PCBU RESPONSIBILITIES

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF ECOTOXIC SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) Notice 2017 for a list of suitable qualifications.

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) Notice 2017 for details of information that must be recorded.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 100 L or more of this product are stored.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear full protective clothing such as impervious, elbow-length gloves, waterproof hat, coat and trousers (worn outside rubber boots), and suitable eye and respiratory protection. Remove protective clothing and wash hands, arms and face thoroughly with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area with water and alkaline detergent. Then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label or through the Agrecovery® Chemical Recovery service or other approved facility.

Do not burn product or container.

SAFETY DATA SHEET

A safety data sheet for this product is available at www.adama.com.

FIRST AID

If medical advice is needed, have product container or label at hand.

For advice, or if you feel unwell or are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor if you feel unwell.

CONDITIONS OF SALE

ADAMA New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of ADAMA New Zealand Limited is limited to the replacement of the goods or (at the option of ADAMA New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to ADAMA New Zealand Limited within thirty days of delivery.



Distributed by:
ADAMA New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

Approved pursuant to the HSNO Act 1996, Approval No. HSR007763
See www.epa.govt.nz for approval controls

Exempt from registration under the ACVM Act 1997.

Quali-Pro and Navigator are trademarks of an ADAMA Group Company.



AGRECOVERY

EMERGENCY RESPONSE

(All hours)

Ring from anywhere in New Zealand
0800 734 607

In a Transport
Emergency
Phone 111
Police or Fire

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

RESTRAINTS

For PROFESSIONAL use only.

DO NOT apply QUALI-PRO™ NAVIGATOR® to home lawns (turf) or any other residential turf.

DO NOT GRAZE OR CUT FOR STOCK FOOD

DO NOT GRAZE TREATED AREAS OR FEED TURF CLIPPINGS FROM TREATED AREAS TO ANIMALS INCLUDING POULTRY.

EPA Controls:

- Do not apply onto or into water.

CROP	DISEASES	RATE	COMMENTS
Turf including but not limited to bowling greens, fairways, golf greens, racetracks, sports fields and tees	Dollar Spot (Sclerotinia homeocarpa) Helminthosporium Disease (Bipolaris spp., Drechslera spp. and Exserohilum spp.) Grey Leaf Spot (Pyricularia grisea) Anthracnose (Colletotrichum graminicola)	1 - 2.5 L/ha in 400 - 650 L of water	QUALI-PRO™ NAVIGATOR® should be applied as a preventative treatment. Spray when conditions are favourable for disease development and/or as soon as possible after first symptoms are detected. Make a second application 7 - 14 days later if conditions continue to favour disease development. Use rates towards the higher end of the range and shorten intervals, when conditions are favourable for disease development. DO NOT mow or water treat area until turf or lawn is thoroughly dry, ideally allow 24 hours.

MIXING

Add the required amount of product to the partly-filled spray tank with the agitator in operation. Fill the tank with water, and continue agitation during spraying and after a stoppage.

APPLICATION

Application volume for leaf and crown diseases (Dollar Spot, Helminthosporium Disease, Gray Leaf Spot and Anthracnose) should be adequate to ensure thorough and even coverage of the turf leaves and penetration into the crowns. Ideal application volumes should be between 400 - 650 L/ha. For best results use coarse nozzles. In higher cut turf (>15 mm) a significant spray shielding effect can occur, impacting negatively on spray penetration and even coverage at low application volumes. Good control requires good coverage. Application should be made in sufficient water to ensure thorough coverage.

RAINFALL

DO NOT apply if rainfall is likely within 6 hours following application. Heavy rain following treatment will remove much of the fungicide from treated plant tissue and, if disease pressure remains high, earlier re-treatment will be necessary.

RESISTANCE MANAGEMENT

QUALI-PRO™ NAVIGATOR® contains the GROUP 29 dinitro-aniline fungicide, fluazinam. The mode of action is uncoupling of oxidative phosphorylation. It has a low risk of resistance. Some naturally occurring individual fungi resistant to QUALI-PRO™ NAVIGATOR® may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by QUALI-PRO™ NAVIGATOR®, thus resulting in a reduction in efficacy. To minimise this risk use strictly in accordance with label directions. For current advice on resistance management "Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the situations listed on the label or contact your ADAMA representative for advice.

Quali-Pro and Navigator are trademarks of an ADAMA Group Company.